

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

62.09
105
TWENTY-FIRST EDITION

NUMBER 3

CATALOGUE and PRICE LIST
of the
CALIFORNIA NURSERY CO.

INCORPORATED 1884



Medal awarded California Nursery Co., Paris Exposition 1900

FRUIT AND ORNAMENTAL TREES
EVERGREENS, PALMS, ROSES, ETC.

1905-1906

NILES, CALIFORNIA

FIVE HUNDRED ACRES

TO CORRESPONDENTS

1st. This Catalogue cancels all previous prices, either in special lists, offers or catalogues. This rule will be strictly observed.

2d. All orders should be sent in as early as possible.

3d. Orders should be legibly written on a separate sheet and not mixed up in the body of the letter, thereby saving us a great deal of trouble and tending to prevent mistakes.

4th. The articles in the following list will be furnished at the annexed prices **only** when the quantity specified shall be taken. **Fifty**, however, will be furnished at the **hundred** rate, and **five** at the **ten** rate. In no case does this mean so many trees of assorted classes, but refers only to **one class** of assorted varieties, for instance, 5 Apples, or 5 Pears, or 5 Plums, of different varieties, but not 2 Apples, 2 Pears and 1 Plum.

5th. Where particular varieties are ordered, and particular ages and sizes of trees, kind of stock, etc., it should be stated whether, and to what extent substitution will be allowed in case the order cannot be filled to the letter. Where no instructions in this respect accompany the order, we shall feel at liberty to substitute other varieties as nearly similar as possible. If the selection of varieties is left **entirely** to us, we shall endeavor to send only such sorts as are acknowledged to give general satisfaction.

6th. All trees and plants are carefully labeled, and securely packed in the best manner, for which a moderate charge, sufficient to cover cost of material only, will be made; but no charge is made for the delivery of packages to the railroad or express offices at Niles.

7th. It is requested that explicit directions for marking and shipping packages accompany each order. When it is left for us to choose the mode of conveyance, we will exercise our best judgment; but as all articles are at the risk of the purchaser after being shipped, we must not be held responsible for any loss or delay that may occur through the negligence of the transportation companies.

8th. We warrant all trees and plants to be good, thrifty and true to label, but having no control over the planting or care after delivery to the buyer, we will not be responsible in any other direction than as stated, and accordingly if any tree or plant should prove untrue to kind, we will either replace the same or refund the amount paid; but in no case will we be liable for any sum greater than that originally paid, and this statement is due notice to buyers of the extent of our responsibility for trees and plants after delivery of the same shall have been accepted by the buyer.

9th. Our customers are requested to notify us immediately of any errors that may be committed in filling their orders, so that we may at once rectify the same, as we desire to conduct our business in all respects satisfactorily to those who favor us with their confidence.

10th. Orders from unknown correspondents **must** be accompanied by the cash or satisfactory reference. Orders to be sent C. O. D. **must** be accompanied by at least one-half the amount in cash; otherwise they will receive no attention.

11th. Remittances may be made by draft on San Francisco, or Wells Fargo & Company and postoffice money orders on Niles, or cash by express, prepaid.

All communications to be addressed to

CALIFORNIA NURSERY COMPANY,

Niles, California.

REMARKS

We have pleasure in submitting herewith our price-list for the coming season (twenty-first edition). It is our aim and intention, as hitherto, to supply only the best stock at the lowest prices, and the stock on hand for the new season is larger and more varied than ever before. We invite all to visit the Nursery, which is the largest, by far, of any on the Pacific Coast, whether as intending purchasers, or otherwise. *If parties will notify us of the time of their arrival at Niles, we will have conveyance at station to meet them.*

To reach our Nursery from San Francisco, take the broad gauge ferry-boat for Oakland, leaving at 7:40, 8:40 and 11:40 A. M., and 3:40, 4:00, 4:40, 5:20 and 6:20 P. M. These make close connections with through trains direct to Niles. From Sacramento and all points centering there, the train leaving at 10:10 A. M. for San Francisco, *via* Lathrop, Tracy, Livermore, etc., should be taken. From San Jose and its southern connections, trains leaving at 5:15, 6:15, 7:50 and 9:25 A. M., and 12:30 and 4:30 P. M.

CALIFORNIA NURSERY COMPANY.

Niles, November 1st, 1905.

OFFICERS:

WM. J. LANDERS, President,
JOHN H. HENN, Secretary.

H. W. MEEK, Vice-President,
CENTRAL BANK, Oakland, Treasurer.

W. V. EBERLY, Manager.

DIRECTORS:

WM. J. LANDERS, San Francisco,
HARRY W. MEEK, San Lorenzo,
EGBERT B. STONE, Elmhurst,

W. G. PALMANTEER, Oakland,
A. C. HAMMOND, JR., San Francisco,
JOHN H. HENN, San Francisco,

F. W. HOSMER, San Francisco.



SPECIAL NOTICE

Those only who can show a certificate of recent date, signed by the President and Manager and with the seal of the company attached, are authorized to solicit orders for us. We wish to call special attention to this notice, as we know it has heretofore been the practice of unprincipled persons to procure the catalogue of prominent nurseries and take orders in their names which they fill with poor stock bought elsewhere. If our patrons will notify us of any person who they have reason to believe is not a regularly appointed agent, we shall consider it a favor.

HINTS ON TRANSPLANTING

The many excellent treatises on Fruit Culture which have appeared within the past few years—one or more of which should be in the hands of every person intending to plant—render it almost unnecessary to give any directions in that line; yet we are so frequently asked for advice in this way, that we have concluded to offer a few general remarks.

The situation of the orchard having been decided on, the ground should be deeply plowed, subsoiled and thoroughly pulverized. The holes should be dug at least a foot larger in every direction than actually required by the roots when spread out in their natural position. In planting, the top soil should be broken down into the hole, and worked carefully in between every root and fiber, filling up every crevice, that every root may be in contact with soil, and the whole made quite firm as the filling up progresses. The tree, when planted, may in light soils stand from two to three inches deeper than it stood in the nursery; but in heavy clay or wet ground it is advisable to have it stand at the same height as it was before transplanting.

On account of our long, hot, dry summers, it is well to shade the sunny side of the tree, to keep borers out, with a board or shake, stuck in the ground, or a piece of burlap wound loose around the tree up to the limbs, top tied loose with a string. Whitewash made out of whiting or lime will also protect the tree against sunscald.

The following works, by California authors of wide experience, and written with Pacific Coast conditions particularly in view, will be found very useful to all Horticulturists:

"California Fruits, and How to Grow Them," by Prof. E. G. Wickson, \$2.50.

"The Raisin Industry," by Prof. Gustav Eisen, \$3.00.

"Grape Culture and Wine Making," by George Husman, \$2.00.

For the convenience of our customers we have arranged to furnish them at the above publishers' prices.

DISTANCE FOR PLANTING

| | |
|---------------------------------|------------------------------|
| Standard Apples | 25 to 30 feet apart each way |
| Standard Pears | 20 to 24 " " " " |
| Strong-growing Cherries | 20 to 24 " " " " |
| Duke and Morello Cherries | 18 to 20 " " " " |
| Standard Plums and Prunes | 20 to 24 " " " " |
| Peaches and Nectarines | 20 to 24 " " " " |
| Apriots | 24 to 30 " " " " |
| Grapes | 7 to 10 " " " " |
| Currants and Gooseberries | 4 by 6 feet |
| Raspberries and Blackberries | 3 to 4 by 5 to 7 " |
| Strawberries for field culture | 1 to 1½ by 4 to 5 " |
| Strawberries for garden culture | 1 to 2 feet apart |

Number of Trees or Plants on an Acre at Given Distance Apart.

| | Square Method. | Equilateral Triangle Method. |
|--|----------------|------------------------------|
| Distance, 1 foot apart each way, number plants | 43,560 | 50,300 |
| " 2 feet " " " " | 10,890 | 12,375 |
| " 3 " " " " " | 4,840 | 5,889 |
| " 4 " " " " " | 2,722 | 3,130 |
| " 5 " " " " " | 1,742 | 2,011 |
| " 6 " " " " " | 1,210 | 1,397 |
| " 7 " " " " " | 807 | 928 |
| " 8 " " " " " | 680 | 785 |
| " 9 " " " " " | 537 | 620 |
| " 10 " " " " " | 435 | 502 |
| " 12 " " " " " | 302 | 348 |
| " 14 " " " " " | 222 | 256 |
| " 15 " " " " " | 193 | 222 |
| " 16 " " " " " | 170 | 195 |
| " 18 " " " " " | 134 | 154 |
| " 20 " " " " " | 109 | 125 |
| " 22 " " " " " | 90 | 104 |
| " 24 " " " " " | 75 | 86 |
| " 25 " " " " " | 69 | 79 |
| " 30 " " " " " | 48 | 55 |
| " 35 " " " " " | 35 | 40 |
| " 40 " " " " " | 27 | 31 |

Rule—Square Method.—Multiply the distance in feet between the rows by the distance the plants are apart in the rows, and the product will be the number of square feet for each plant or hill, which, divided into the number of feet in an acre (43,560), will give the number of plants or trees to the acre.

Rule—Equilateral Triangle Method.—Divide the number required to the acre "square method" by the decimal .866. The result will be the number of plants required to the acre by this method.

PRICE LIST

of

California Nursery Co.

SEASON OF 1905—1906

Prices quoted herein are for quantities and sizes specified; *for extra sizes, varieties, or quantities other than mentioned, special prices will be made.* Estimates cheerfully furnished on such lists.

For index, see last page of Catalogue.

FRUIT DEPARTMENT

All our Fruit Trees are grown on WHOLE Seedling roots. The advantages of these in promoting the health and thriftiness of trees over others grafted on pieces or sections of roots, or budded on stocks grown from cuttings, is acknowledged by the best authorities, and is easily apparent to the most casual observer. *All two-year-old trees are branched low and are stocky, having been cut down or headed back when yearlings, two feet above ground, except where noted.*

All of our Apple Trees and Grapevines are fumigated with hydrocyanic gas when dug, so are the buds, scions, and cuttings, prior to budding, grafting or planting out in Nursery. This positively kills any insects that may be thereon, without any injury to trees or vines. We have erected on our grounds a new Fumigating House, with three compartments, so that we can disinfect, at any time, either 50 trees or 10,000.

| | | Each | Per 10 | Per 100 | Per 1000 |
|---|----------------------|------|--------|---------|----------|
| Apple | | | | | |
| —Grafted on Woolly Aphis Proof Roots (Northern Spy and Winter Majetin), Sizes and Varieties as follows, viz.: | | | | | |
| 2 years, $\frac{1}{2}$ to $\frac{3}{4}$ in. diam. | 4 to 6 ft. | 75 | 6 00 | | |
| 2 years, $\frac{3}{8}$ to $\frac{1}{2}$ in. diam. | 3 to 4 ft. | 50 | 4 00 | | |
| 2 years, $\frac{1}{4}$ to $\frac{3}{8}$ in. diam. | 2 to 3 ft. | 40 | 3 00 | | |
| Alexander | Rome Beauty | | | | |
| Baldwin | Smith's Cider. | | | | |
| Ben Davis | Skinner's Pippin | | | | |
| Bismarck | Wagener | | | | |
| Carolina Red June | White Winter Pear- | | | | |
| Early Harvest | main | | | | |
| Esopus Spitzenburg | Winesap | | | | |
| Fall Pippin | Yellow Bellflower | | | | |
| Gravenstein | Yellow Newtown | | | | |
| Hoover | Pippin | | | | |
| Jonathan | Red Siberian Crab | | | | |
| Red Astrachan | Yellow Siberian Crab | | | | |
| WOOLLY APHIS PROOF APPLE | | | | | |
| These being Aphis Proof may be grafted or budded to any desired variety. | | | | | |
| 1 year, 1 to $1\frac{3}{8}$ in. diam. | 3 to 4 ft. | 50 | 4 00 | | |
| 1 year, $\frac{1}{4}$ to $\frac{3}{8}$ in. diam. | 2 to 3 ft. | 40 | 3 00 | | |
| Northern Spy | Winter Majetin | | | | |
| Apple—New | | | | | |
| 2 years, $\frac{3}{4}$ to 1 in. diam. | 4 to 6 ft. | 50 | 4 00 | | |
| 2 years, $\frac{1}{2}$ to $\frac{3}{4}$ in. diam. | 3 to 4 ft. | 40 | 3 00 | | |
| Winterstein (Burbank's Production). | | | | | |
| Apple | | | | | |
| 2 years, $\frac{3}{4}$ to 1 in. diam. | 4 to 6 ft. | 25 | 2 00 | 12 00 | 100 00 |
| 1 year, $\frac{1}{2}$ to $\frac{3}{4}$ in. diam. | 4 to 6 ft. | 25 | 2 00 | 12 00 | 100 00 |
| 1 year, $\frac{3}{8}$ to $\frac{1}{2}$ in. diam. | 3 to 4 ft. | 20 | 1 50 | 10 00 | 80 00 |
| <i>Summer.</i> | | | | | |
| A. S. Pearmain | Gravenstein | | | | |
| Carolina Red June | Keswick Codlin | | | | |
| Chenango Straw- | Maiden's Blush | | | | |
| berry | Red Astrachan | | | | |
| Duchess of Olden- | Starr | | | | |
| burg | Sweet June | | | | |
| Early Harvest | William's Favorite | | | | |
| Early Strawberry | White Astrachan | | | | |

| | | Each | Per 10 | Per 100 | Per 1000 |
|---------------------|---------------------|------|--------|---------|----------|
| Apple—Cont'd | | | | | |
| <i>Autumn.</i> | | | | | |
| Alexander | King of Tompkins | | | | |
| Fall Pippin | County | | | | |
| Fameuse | Rambo | | | | |
| Gloria Mundi | Red Bietigheimer | | | | |
| Golden Pippin | Rhode Island Green- | | | | |
| Golden Russett | ing | | | | |
| Haas | Roxbury Russett | | | | |
| Hoover | Skinner's Pippin | | | | |
| Hubbardston's | Non-Twenty Ounce | | | | |
| such | Wealthy | | | | |
| Jonathan | | | | | |
| <i>Winter.</i> | | | | | |
| Arkansas Black | Red Canada | | | | |
| Baldwin | Red Cheek Pippin | | | | |
| Ben Davis (New | Red Pearmain | | | | |
| York Pippin) | Rome Beauty | | | | |
| Bismarck | Smith's Cider | | | | |
| Canada Reinette | Sonoma | | | | |
| Dominie | Stark | | | | |
| Esopus Spitzenburg | Swaar | | | | |
| Grimes' Golden Pip- | Tolman's Sweeting | | | | |
| pin | Vandevere (Newtown | | | | |
| Lady | Spitzenburg) | | | | |
| Lawver | Va. Greening | | | | |
| Limber Twig | Wagener | | | | |
| Marshall Red | Walbridge | | | | |
| Missouri Pippin | White Winter Pear- | | | | |
| Nickajack | main | | | | |
| Northern Spy | Winesap | | | | |
| Ortley (White Bell- | Wolf River | | | | |
| flower) | Yellow Bellflower | | | | |
| Paragon | Yellow Newtown | | | | |
| Peck's Pleasant | Pippin | | | | |
| Rawle's Janet | York Imperial | | | | |
| Crab Apple | | | | | |
| Hyslop | Whitney | | | | |
| Red Siberian | Yellow Siberian | | | | |
| Transcendent | (Golden Beauty) | | | | |

| | Each | Per 10 | Per 100 | Per 1000 |
|--|----------------------|--------|---------|----------|
| Pear—On Pear, | | | | |
| 2 and 3 years, $\frac{3}{4}$ to $1\frac{1}{2}$ in. diam. | 30 | 2 50 | 15 00 | 120 00 |
| 2 years, $\frac{3}{4}$ to 1 in. diam. | 25 | 2 00 | 12 00 | 100 00 |
| 1 year, $\frac{1}{2}$ to $\frac{3}{4}$ in. diam. | 30 | 2 50 | 15 00 | 120 00 |
| 1 year, $\frac{3}{8}$ to $\frac{1}{2}$ in. diam. | 25 | 2 00 | 12 00 | 100 00 |
| 1 year, $\frac{1}{4}$ to $\frac{3}{8}$ in. diam. | 20 | 1 75 | 10 00 | |
| <i>Summer.</i> | | | | |
| Bartlett | Lawson or Comet | | | |
| Bloodgood | Leconte | | | |
| Clapp's Favorite | Madeline | | | |
| Dearborn's Seedling | Rossney | | | |
| Doyenne d'Ete | Souv. du Congress | | | |
| <i>Autumn.</i> | | | | |
| Beurre Bosc | Flemish Beauty | | | |
| Beurre Clairgeau | Howell | | | |
| Beurre d'Anjou | Idaho | | | |
| Beurre Diel | Kieffer's Hybrid | | | |
| Beurre Hardy | Louise Bonne de Jer- | | | |
| B. S. Fox | sey | | | |
| Columbia | Onondaga (Swan's | | | |
| Dana's Hovey | Orange) | | | |
| (Winter Seckel) | Seckel | | | |
| Doyenne du Comice | White Doyenne | | | |
| Duchesse d'Angou- | | | | |
| leme | | | | |
| <i>Winter.</i> | | | | |
| Beurre Gris d'Hiver | Glout Morceau | | | |
| Col. Wilder | P. Barry | | | |
| Doyenne d'Alencon | Pound | | | |
| Easter Beurre | Vicar of Winkfield | | | |
| Emile d'Heyst | Winter Nelis | | | |
| Forrelle, or Trout | Winter Bartlett | | | |
| Pear—On Quince, | | | | |
| 2 years, $\frac{3}{4}$ to 1 in. diam. | 50 | 4 00 | 25 00 | |
| Bartlett and Doyenne du Comice, | | | | |
| Double-worked on Beurre Hardy, | | | | |
| at 2 ft. in height. | | | | |
| Bartlett, Double-worked on Duchesse | | | | |
| d'Angouleme at 2 ft. in height. | | | | |

| | Each | Per 10 | Per 100 | Per 1000 |
|---|-----------------------------------|--------|---------|----------|
| Pear —On Quince, | | | | |
| 2 and 3 years, $\frac{3}{4}$ to 1 in. diam. . . 4 to 6 ft. | 40 | 3 00 | 20 00 | |
| $\frac{5}{8}$ to $\frac{3}{4}$ in. diam. . 3 to 4 ft. | 30 | 2 50 | 18 00 | |
| Beurre Hardy | Easter Beurre | | | |
| Beurre Diel | Glout Morceau | | | |
| Doyenne du Comice | Pound | | | |
| Duchesse d'Angouleme | P. Barry | | | |
| | Winter Nelis | | | |
| Cherry —On Mazzard, | | | | |
| 2 and 3 years, $\frac{3}{4}$ to $1\frac{1}{4}$ in. diam. . 4 to 6 ft. | 50 | 4 00 | 25 00 | |
| 2 and 3 years, $\frac{5}{8}$ to $\frac{3}{4}$ in. diam. . 3 to 4 ft. | 40 | 3 50 | 20 00 | |
| 1 year, $\frac{5}{8}$ to $\frac{7}{8}$ in. diam. 4 to 6 ft. | 50 | 4 00 | 25 00 | |
| 1 year, $\frac{3}{8}$ to $\frac{5}{8}$ in. diam. 3 to 4 ft. | 40 | 3 50 | 20 00 | |
| 1 year, $\frac{1}{2}$ to $\frac{3}{8}$ in. diam. 2 to 3 ft. | 30 | 2 50 | 18 00 | |
| Bing | Napoleon Bigarreau (Royal Ann) | | | |
| Cherry —On Mazzard, | | | | |
| 2 and 3 years, $\frac{3}{4}$ to $1\frac{1}{4}$ in. diam. . 4 to 6 ft. | 30 | 2 50 | 20 00 | |
| 2 years, $\frac{5}{8}$ to $\frac{3}{4}$ in. diam. 3 to 4 ft. | 25 | 2 00 | 18 00 | |
| 1 year, $\frac{5}{8}$ to $\frac{7}{8}$ in. diam. 4 to 6 ft. | 30 | 2 50 | 20 00 | |
| 1 year, $\frac{3}{8}$ to $\frac{5}{8}$ in. diam. 3 to 4 ft. | 25 | 2 00 | 18 00 | |
| 1 year, $\frac{1}{2}$ to $\frac{3}{8}$ in. diam. 2 to 3 ft. | 20 | 1 50 | 15 00 | |
| Belle d'Orleans | English Morello | | | |
| Belle Magnifique | Governor Wood | | | |
| Black Eagle | Great Bigarreau | | | |
| Black Tartarian | Knight's Early Black | | | |
| Burr's Seedling | Lambert | | | |
| California Advance | Large Montmorency | | | |
| Centennial | Lewelling (Black Republican) | | | |
| Chapman | | | | |
| Cleveland Bigarreau | May Duke | | | |
| Coe's Transparent | Nouvelle Royale | | | |
| Early Lamaurie | Ostheimer Weichsel | | | |
| Early Purple Guigne | Pontiac | | | |
| Early Richmond | Reine Hortense | | | |
| Elton | Rockport Bigarreau | | | |
| Empress Eugenie | Schmidt's Bigarreau | | | |
| Yellow Spanish | | | | |

| | Each | Per 10 | Per 100 | Per 1000 |
|---|------|--------|---------|----------|
| Plum —New, on Myrobolan and Peach, (Luther Burbank's productions are indicated by X.) | | | | |
| 1 and 2 years.....4 to 6 ft. | 75 | | | |
| 1 and 2 years.....3 to 4 ft. | 50 | | | |
| Bartlett (X), Combination (X), First (X.) | | | | |
| Plum —On Myrobolan, | | | | |
| 2 and 3 years, $\frac{3}{4}$ to 1 in. diam...4 to 6 ft. | 30 | 2 50 | 15 00 | |
| 2 and 3 years, $\frac{1}{2}$ to $\frac{3}{4}$ in. diam...3 to 4 ft. | 25 | 2 00 | 12 00 | |
| 1 year, $\frac{5}{8}$ to $\frac{7}{8}$ in. diam.....4 to 6 ft. | 25 | 2 00 | 15 00 | |
| 1 year, $\frac{3}{8}$ to $\frac{5}{8}$ in. diam.....3 to 4 ft. | 20 | 1 50 | 12 00 | |
| Abundance | | | | |
| America (X) | | | | |
| Apple Plum (X) | | | | |
| Bavay's Green Gage | | | | |
| Berckman | | | | |
| Botan | | | | |
| Bradshaw | | | | |
| Burbank | | | | |
| California Red | | | | |
| Chalco (X) | | | | |
| Cherry Plum | | | | |
| Clyman | | | | |
| Coe's Golden Drop | | | | |
| Coe's Late Red | | | | |
| Columbia | | | | |
| Czar | | | | |
| Damson | | | | |
| Diamond | | | | |
| Duane's Purple | | | | |
| Early Golden Drop | | | | |
| Yellow Egg | | | | |
| Plum —On Peach, | | | | |
| 1 and 2 years.....4 to 6 ft. | 25 | 2 00 | 15 00 | |
| 1 and 2 years.....3 to 4 ft. | 20 | 1 50 | 12 00 | |
| Abundance | | | | |
| America (X) | | | | |
| Apple Plum (X) | | | | |
| Berckman | | | | |
| Burbank | | | | |
| Prune —On Myrobolan, | | | | |
| 2 years, $\frac{3}{4}$ to 1 in. diam.....4 to 6 ft. | 25 | 2 00 | 12 00 | 100 00 |
| 2 years, $\frac{1}{2}$ to $\frac{3}{4}$ in. diam.....3 to 4 ft. | 20 | 1 20 | 10 00 | 80 00 |
| 1 year, $\frac{5}{8}$ to $\frac{7}{8}$ in. diam.....4 to 6 ft. | 25 | 2 00 | 12 00 | 100 00 |
| 1 year, $\frac{3}{8}$ to $\frac{5}{8}$ in. diam.....3 to 4 ft. | 20 | 1 20 | 10 00 | 80 00 |

| | Each | Per 10 | Per 100 | Per 1000 |
|--|--------------------|--------|---------|----------|
| Prune—Cont'd | | | | |
| Bulgarian | Imperiale Epineuse | | | |
| Fellenberg | Robe de Sargent | | | |
| French | St. Catherine | | | |
| German | St. Martin | | | |
| Giant (X) | Silver | | | |
| Hungarian | Sugar (X) | | | |
| | Tragedy | | | |
| Prune—On Peach, | | | | |
| 2 years, $\frac{5}{8}$ in. and up diam. | 25 | 2 00 | 12 00 | 100 00 |
| 2 years, $\frac{1}{2}$ in. and up diam. | 20 | 1 50 | 10 00 | 80 00 |
| Fellenberg | Imperiale Epineuse | | | |
| French | Silver | | | |
| Hungarian | Tragedy | | | |
| Prune—On Almond, | | | | |
| 1 and 2 years, $\frac{5}{8}$ in. and up diam. | 25 | 2 00 | 12 00 | 100 00 |
| 1 and 2 years, $\frac{1}{2}$ in. and up diam. | 20 | 1 50 | 10 00 | 80 00 |
| French (Petite d'Agen) | Imperiale Epineuse | | | |
| | Sugar | | | |
| Peach—On Peach, | | | | |
| 1 year, $\frac{5}{8}$ to 1 in. diam. | 30 | 2 50 | 20 00 | |
| 1 year, $\frac{1}{2}$ to $\frac{5}{8}$ in. diam. | 25 | 2 00 | 18 00 | |
| 1 year, $\frac{3}{8}$ to $\frac{1}{2}$ in. diam. | 20 | 1 75 | 15 00 | |
| Lovell | Muir | | | |
| CLINGSTONE VARIETIES | | | | |
| Blood Cling | Lemon Cling | | | |
| California Cling | McDevitt's Cling | | | |
| George's Late Cling | McKevitt's Cling | | | |
| Golden Cling | Nichol's Orange | | | |
| Heath Cling | Phillips' Cling | | | |
| Henrietta Cling | Ranyon's Orange | | | |
| (Levy's Late) | Seller's Cling | | | |
| Large White Cling | Tuscan Cling | | | |
| Peach—On Peach, | | | | |
| 1 year, $\frac{5}{8}$ to 1 in. diam. | 25 | 2 00 | 15 00 | |
| 1 year, $\frac{1}{2}$ to $\frac{5}{8}$ in. diam. | 20 | 1 50 | 12 00 | |
| 1 year, $\frac{3}{8}$ to $\frac{1}{2}$ in. diam. | 18 | 1 20 | 10 00 | |

| | | Each | Per 10 | Per 100 | Per 1000 |
|----------------------------|-----------------|------|--------|---------|----------|
| Peach—Cont'd | | | | | |
| FREESTONE VARIETIES | | | | | |
| Admiral Dewey | Late Crawford | | | | |
| Alexander | Mary's Choice | | | | |
| Amsden's June | Morris White | | | | |
| Bilyeu's Late | Mountain Rose | | | | |
| Brigg's May | Newhall | | | | |
| Early Crawford | Picquett's Late | | | | |
| Elberta | Royal George | | | | |
| Everbearing | Salway | | | | |
| Foster | Strawberry | | | | |
| George the 4th | Stump | | | | |
| Gov. Garland | Susquehanna | | | | |
| Grosse Mignonne | Triumph | | | | |
| Hale's Early | Wager | | | | |
| Imperial | Ward's Late | | | | |
| Lady Palmerston | Wheatland | | | | |
| Yellow St. John | | | | | |
| Peach—On Almond, | | | | | |
| 1 year..... | 4 to 6 ft. | 30 | 2 50 | 15 00 | |
| 1 year..... | 3 to 4 ft. | 25 | 2 00 | 12 00 | |
| Early Crawford | Foster | | | | |
| Peach—On Almond, | | | | | |
| 1 year..... | 4 to 6 ft. | 30 | 2 50 | 20 00 | |
| 1 year..... | 3 to 4 ft. | 25 | 2 00 | 18 00 | |
| 1 year..... | 2 to 3 ft. | 20 | 1 75 | 15 00 | |
| Muir | Salway | | | | |
| Nectarine—On Peach, | | | | | |
| 1 year..... | 4 to 6 ft. | 25 | 2 00 | | |
| 1 year..... | 3 to 4 ft. | 20 | 1 50 | | |
| 1 year..... | 2 to 3 ft. | 15 | 1 25 | | |
| Advance | Humboldt | | | | |
| Boston | Lord Napier | | | | |
| Townton | New White | | | | |
| Early Newington | Victoria | | | | |
| Hardwick | | | | | |

| | Each | Per 10 | Per 100 | Per 1000 |
|---|------|--------|---------|-----------------|
| Apricot—On Apricot, | | | | |
| 2 years, $\frac{3}{4}$ to $1\frac{1}{4}$ in. diam. | 25 | 2 00 | 12 00 | |
| 2 years, $\frac{5}{8}$ to $\frac{3}{4}$ in. diam. | 20 | 1 50 | 10 00 | |
| 1 year, $\frac{5}{8}$ to 1 in. diam. | 25 | 2 00 | 12 00 | |
| 1 year, $\frac{3}{8}$ to $\frac{5}{8}$ in. diam. | 20 | 1 50 | 10 00 | |
| 1 year, $\frac{1}{4}$ to $\frac{3}{8}$ in. diam. | 15 | 1 25 | 8 00 | |
| Bergetti | | | | Ouillon's Early |
| Blenheim | | | | Peach Apricot |
| Hemskirke | | | | Royal |
| Large Early Montga- | | | | St. Ambroise |
| met | | | | Sardinian |
| Luizet | | | | Spark's Mammoth |
| Moorpark | | | | Tilton |
| Newcastle | | | | |
| Apricot—On Peach, | | | | |
| 2 years, $\frac{3}{4}$ to $1\frac{1}{4}$ in. diam. | 25 | 2 00 | 12 00 | |
| 2 years, $\frac{5}{8}$ to $\frac{3}{4}$ in. diam. | 20 | 1 50 | 10 00 | |
| 1 year, $\frac{1}{2}$ to $\frac{3}{4}$ in. diam. | 25 | 2 00 | 12 00 | |
| 1 year, $\frac{3}{8}$ to $\frac{1}{2}$ in. diam. | 20 | 1 50 | 10 00 | |
| 1 year, $\frac{1}{4}$ to $\frac{3}{8}$ in. diam. | 15 | 1 25 | 8 00 | |
| Blenheim | | | | Newcastle |
| Hemskirke | | | | Peach Apricot |
| Moorpark | | | | Tilton |
| Apricot—On Myrobolan, | | | | |
| 1 year, $\frac{5}{8}$ to 1 in. diam. | 25 | 2 00 | 12 00 | |
| 1 year, $\frac{3}{8}$ to $\frac{5}{8}$ in. diam. | 20 | 1 50 | 10 00 | |
| 1 year, $\frac{1}{4}$ to $\frac{3}{8}$ in. diam. | 15 | 1 20 | 8 00 | |
| Bergetti | | | | Ouillon's Early |
| Blenheim | | | | Peach Apricot |
| Hemskirke | | | | Royal |
| Large Early Mont- | | | | St. Ambroise |
| gamet | | | | Sardinian |
| Luizet | | | | Spark's Mammoth |
| Moorpark | | | | Tilton |
| Newcastle | | | | |
| Quince | | | | |
| | 75 | | | 4 to 6 ft. |
| | 50 | | | 3 to 4 ft. |
| Pineapple (Burbank's) | | | | |
| Smyrna | | | | |
| Quince | | | | |
| | 25 | 2 00 | | 4 to 6 ft. |
| | 20 | 1 50 | | 3 to 4 ft. |

| | Each | Per 10 | Per 100 | Per 1000 |
|---------------------------------------|------|--------|---------|----------|
| Quince—Cont'd | | | | |
| Apple (or Orange) Meech's Prolific | | | | |
| Champion Portugal | | | | |
| Chinese Rea's Mammoth | | | | |
| Fig—Smyrna6 to 8 ft. | 1 00 | 7 50 | 60 00 | |
|4 to 6 ft. | 60 | 5 00 | 40 00 | |
|3 to 4 ft. | 50 | 4 00 | 35 00 | |
|2 to 3 ft. | 35 | 3 00 | | |
|1 to 2 ft. | 25 | 2 00 | | |
| Fig—Capri6 to 8 ft. | 1 00 | 7 50 | | |
|4 to 6 ft. | 75 | 6 00 | | |
|3 to 4 ft. | 50 | 4 00 | | |
|2 to 3 ft. | 40 | 3 00 | | |
|1 to 2 ft. | 25 | 2 00 | | |
| Fig—In variety6 to 8 ft. | 75 | 6 00 | 50 00 | |
|4 to 6 ft. | 50 | 4 00 | | |
|3 to 4 ft. | 40 | 3 00 | | |
|2 to 3 ft. | 30 | 2 50 | | |
|1 to 2 ft. | 25 | 2 00 | | |
| Adriatic Madeleine | | | | |
| Agen Mission (California | | | | |
| Angelique Black) | | | | |
| Black Ischia Negro Largo (San | | | | |
| Bourjasotte Blanche Pedro Black) | | | | |
| Brown Turkey Pingo de Mel | | | | |
| Brunswick Ronde Noire | | | | |
| Celeste Ronde Violette Hative | | | | |
| Col di Signora Royal Vineyard | | | | |
| Nigra San Pedro (White) | | | | |
| Dauphine Warren's Brown | | | | |
| Doree Turkey | | | | |
| Drap d'Or White Genoa | | | | |
| Du Roi White Ischia | | | | |
| Lardaro | | | | |

JORDAN ALMOND

Introduced from Spain, where they are grown largely for export. This variety sells in New York from 8 to 10 cents per pound more than any other. The Jordan is the largest, sweetest and finest flavored of all the Almonds. The kernels have a very thin skin and are plump, filling the shell, which is hard. The flavor and texture of the flesh surpass in delicacy any other kind. Jordan Almonds are preferred by confectioners, owing to their large size and thin skins, for making salted and sugared Almonds. We sent samples grown on our own trees at Niles, to the U. S. Consul, B. H. Ridgley, at Malaga, Spain, who had three prominent dealers test them. They all pronounced them the *true* Jordan Almond. The stock we offer is all propagated from our own bearing trees that have had a full crop for the last five consecutive years.

| | Each | Per 10 | Per 100 | Per 1000 |
|---|------|--------|---------|----------|
| Almond—On Almond, | | | | |
| 1 and 2 years.....4 to 6 ft. | 50 | 3 00 | 20 00 | 180 00 |
|3 to 4 ft. | 40 | 2 50 | 18 00 | 150 00 |
| Jordan | | | | |
| Almond—On Almond, | | | | |
| 1 year.....4 to 6 ft. | 30 | 2 50 | 18 00 | |
| 1 year.....3 to 4 ft. | 25 | 2 00 | 15 00 | |
| Drake's Seedling Lewelling | | | | |
| Flat Fruited Ne Plus Ultra | | | | |
| I X L Nonpareil | | | | |
| King's Soft Shell Paper Shell | | | | |
| Languedoc Princess | | | | |
| Butternut | | | | |
|4 to 6 ft. | 50 | | | |
|3 to 4 ft. | 40 | | | |
|2 to 3 ft. | 25 | | | |
|1 to 2 ft. | 20 | | | |
| Chestnut—American Sweet.... 3 to 4 ft. | 75 | | | |
|2 to 3 ft. | 50 | | | |
| Italian or Spanish..... | 75 | 6 00 | | |
|6 to 8 ft. | 50 | 4 00 | | |
|4 to 6 ft. | 40 | 3 00 | | |
|3 to 4 ft. | 30 | 2 50 | | |
|2 to 3 ft. | 25 | 2 00 | | |
| Japanese..... | 50 | 4 00 | | |
|3 to 4 ft. | 40 | 3 00 | | |
|2 to 3 ft. | 30 | 2 50 | | |

| | Each | Per 10 | Per 100 | Per 1000 |
|--|------|--------|---------|----------|
| Chestnut —Grafted Varieties.....8 to 10 ft. | 1 25 | | | |
|6 to 8 ft. | 1 00 | | | |
|4 to 6 ft. | 75 | | | |
|3 to 4 ft. | 50 | | | |
|2 to 3 ft. | 40 | | | |
| Early Marron | | | | |
| Fox's Prolific | | | | |
| Marron Combale | | | | |
| Marron de Lyon | | | | |
| Marron Nouzillarde | | | | |
| Noire Hative | | | | |
| Numbo | | | | |
| Paragon | | | | |
| Ridgely | | | | |
| Variegated leaved | | | | |
| Filbert | | | | |
|10 to 12 ft. | 1 25 | | | |
|6 to 8 ft. | 1 00 | | | |
|4 to 6 ft. | 75 | | | |
|3 to 4 ft. | 50 | | | |
|2 to 3 ft. | 40 | | | |
| Cosford | | | | |
| English Red Hazel | | | | |
| Fertile de Coutard | | | | |
| Merveille de Bolwiller | | | | |
| Noce de Longha | | | | |
| Nottingham | | | | |
| Prolific Cob | | | | |
| Hickory (Carya Alba).....1 to 2 ft. | 75 | | | |
| Pecan | | | | |
|8 to 10 ft. | 1 00 | | | |
|6 to 8 ft. | 75 | | | |
|4 to 6 ft. | 60 | | | |
|3 to 4 ft. | 50 | | | |
| Pistachio Nut (Pistachia Vera)..6 to 8 ft. | 1 25 | | | |
|4 to 6 ft. | 1 00 | | | |
|3 to 4 ft. | 75 | | | |
| Atlantica, 3-in. pot.....11 to 12 in. | 1 00 | | | |
| Lentiscus, 3-in. pot.....1 ft. | 1 00 | | | |
| Terebinthus.....6 to 8 ft. | 1 25 | | | |
|4 to 6 ft. | 1 00 | | | |

WALNUTS

The planting of the improved varieties of the English Walnut is steadily increasing, not only in Southern California but also in the Central and Northern parts of the State, and is found as profitable as any other fruit. The trees are long-lived if planted in suitable soil, which should be deep, well-drained and capable of retaining the moisture during the summer.

| | Each | Per 10 | Per 100 | Per 1000 |
|---|------|--------|---------|----------|
| Walnut —Transplanted.....8 to 10 ft. | 75 | 6 00 | | |
|6 to 8 ft. | 60 | 5 00 | 40 00 | |
|4 to 6 ft. | 50 | 4 00 | 30 00 | |
|3 to 4 ft. | 40 | 3 00 | 25 00 | |
|2 to 3 ft. | 30 | 2 50 | | |
| American Black California Black | | | | |
| Walnut —Transplanted.....6 to 8 ft. | 40 | 3 00 | 25 00 | |
|4 to 6 ft. | 30 | 2 50 | 20 00 | |
|3 to 4 ft. | 20 | 1 50 | 12 50 | |
|2 to 3 ft. | 15 | 1 00 | | |
| Ford's Improved Soft Shell | | | | |
| Praeparturiens | | | | |
| Santa Barbara Soft Shell | | | | |

PLACENTIA WALNUT

The Santa Barbara Soft Shell Walnut, as grown in Southern California, is the standard from which all varieties are judged. The Placentia is a selected variety of this standard sort, the nuts are all of large size, perfect shape, smooth soft thin shell; kernel white and sweet. It compares favorably with the French Walnuts.

| | Each | Per 10 | Per 100 | Per 1000 |
|-----------------------------------|------|--------|---------|----------|
| Placentia —Grafted | | | | |
| On American Black....4 to 6 ft. | 1 75 | | | |
|3 to 4 ft. | 1 50 | | | |
| On California Black....6 to 8 ft. | 2 00 | | | |
|4 to 6 ft. | 1 75 | | | |
|3 to 4 ft. | 1 50 | | | |
|2 to 3 ft. | 1 25 | | | |

| | Each | Per 10 | Per 100 | Per 1000 |
|--|------|--------|---------|----------|
| Placentia Walnut (Grafted)—Cont'd | | | | |
| On English.....6 to 8 ft. | 2 00 | 18 00 | | |
|4 to 6 ft. | 1 75 | 15 00 | | |
|3 to 4 ft. | 1 50 | 12 50 | | |
|2 to 3 ft. | 1 25 | 10 00 | | |
|1 to 2 ft. | 1 00 | 8 00 | | |
| Placentia—Seedlings4 to 6 ft. | 40 | 3 00 | 25 00 | |
|3 to 4 ft. | 30 | 2 50 | 20 00 | |
|2 to 3 ft. | 20 | 1 50 | 12 50 | |
| Walnut—(French) Grafted | | | | |
| On American Black.....6 to 8 ft. | 2 00 | | | |
|4 to 6 ft. | 1 50 | | | |
|3 to 4 ft. | 1 25 | | | |
|2 to 3 ft. | 1 00 | | | |
| A Bijou | | | | |
| Franquette | | | | |
| Mayette Rouge | | | | |
| Walnut—(French) Grafted | | | | |
| On California Black.....6 to 8 ft. | 2 00 | | | |
|4 to 6 ft. | 1 50 | 12 50 | | |
|3 to 4 ft. | 1 25 | 10 00 | | |
|2 to 3 ft. | 1 00 | | | |
| A Bijou | | | | |
| Chaberte | | | | |
| Cut-leaved | | | | |
| Franquette | | | | |
| Mayette | | | | |
| Mayette Rouge | | | | |
| Parisienne | | | | |
| Vourey | | | | |
| Walnut—(French) Grafted | | | | |
| On English.....4 to 6 ft. | 1 00 | 8 00 | | |
|3 to 4 ft. | 75 | 6 00 | | |
|2 to 3 ft. | 50 | 4 00 | | |
| A Bijou | | | | |
| Chaberte | | | | |
| Cut-leaved | | | | |
| Franquette | | | | |
| Mayette | | | | |
| Mayette Blanche | | | | |
| Mayette Rouge | | | | |
| Monstreuse | | | | |
| Parisienne | | | | |
| Vourey | | | | |
| Walnut—Seedlings, from grafted | | | | |
| trees.....6 to 8 ft. | 60 | 5 00 | 40 00 | |
|4 to 6 ft. | 40 | 3 00 | 25 00 | |
|3 to 4 ft. | 25 | 2 00 | | |
|2 to 3 ft. | 20 | 1 50 | | |
| A Bijou | | | | |
| Chaberte | | | | |
| Cluster Fruited | | | | |
| Cut-leaved | | | | |
| English (mixed) | | | | |
| Franquette | | | | |

| | Each | Per 10 | Per 100 | Per 1000 |
|--|------------------------|--------|---------|----------|
| Walnut—Cont'd | | | | |
| Mayette | Parisienne | | | |
| Mayette Rouge | St. John (or Serotina) | | | |
| Monstreuse | Vourey | | | |
| Walnut —Japan..... | 6 to 8 ft. | 75 | 6 00 | |
| | 4 to 6 ft. | 60 | 5 00 | |
| | 3 to 4 ft. | 40 | | |
| | 2 to 3 ft. | 25 | | |
| Cordiformis | Sieboldiana | | | |
| Orange | | | | |
| —Boxed 1¾ to 2½ in. diam. . | 5 to 6 ft. | 4 00 | | |
| Hart's Tardiff | Konah | | | |
| Homossassa | Med. Sweet | | | |
| Jaffa | Ruby Blood | | | |
| Joppa | Washington Navel | | | |
| Orange —Balled, stocky, branched, | | | | |
| 1½ to 2 in. diam. | 5 to 6 ft. | 2 50 | | |
| 1 to 1½ in. diam. | 4 to 5 ft. | 1 50 | | |
| ⅝ to 1 in. diam. | 3 to 4 ft. | 1 25 | | |
| ½ to ⅝ in. diam. | 2 to 3 ft. | 1 00 | | |
| Hart's Tardiff | Parson Brown | | | |
| Homossassa | Ruby Blood | | | |
| Jaffa | St. Michael | | | |
| Joppa | Satsuma | | | |
| Konah | Siletta | | | |
| Maltese Blood | Tangerine | | | |
| Mandarin | Thompson's Improved | | | |
| Med. Sweet | Washington Navel | | | |
| Navelencia | Valencia Late | | | |
| Palermo | Washington Navel | | | |
| Lemon —Balled. | | | | |
| 1½ to 2 in. diam. | 5 to 6 ft. | 2 50 | | |
| 1 to 1½ in. diam. | 4 to 5 ft. | 1 50 | | |
| ⅝ to 1 in. diam. | 3 to 4 ft. | 1 25 | | |
| ½ to ⅝ in. diam. | 2 to 3 ft. | 1 00 | | |
| Eureka | Sicily | | | |
| Genoa | Villa Franca | | | |
| Lisbon | | | | |
| Lime —7 in. pot. | 1 to 1½ ft. | 75 | | |
| 6 in. pot. | 1 ft. | 60 | | |
| 3 in. pot. | 6 to 12 in. | 50 | | |

| | Each | Per 10 | Per 100 | Per 1000 |
|--|------|--------|---------|----------|
| Pomelo (Grape Fruit)5 to 6 ft. | 2 50 | | | |
|4 to 5 ft. | 1 50 | | | |
|3 to 4 ft. | 1 25 | | | |
|2 to 3 ft. | 1 00 | | | |
| Florida Seedling Seedless | | | | |
| Marsh's Seedling Triumph | | | | |
| Persimmon—American6 to 8 ft. | 1 00 | 7 50 | | |
|4 to 6 ft. | 75 | 5 00 | | |
|3 to 4 ft. | 50 | | | |
|2 to 3 ft. | 40 | | | |
| Italian.....2 to 3 ft. | 35 | 3 00 | | |
| Japan.....4 to 6 ft. | 50 | 4 00 | | |
|3 to 4 ft. | 40 | 3 50 | 35 00 | |
|2 to 3 ft. | 30 | 2 50 | 30 00 | |
| Dai Dai Maru O Dzura | | | | |
| Hachiya Tanenashi | | | | |
| Hyakume Tsuronoko | | | | |
| Ione Naki Yemon | | | | |
| Kurokume Zengi | | | | |
| Nesu Zenjimon | | | | |
| Pomegranate4 to 6 ft. | 75 | | | |
|3 to 4 ft. | 50 | | | |
|2 to 3 ft. | 40 | | | |
| De Jative San Pipetos | | | | |
| Dessia Spanish Ruby | | | | |
| Hermosilla Sub-acid | | | | |
| Paper Shell Sweet Fruited | | | | |
| Radinar | | | | |
| Guava—Lucidum —6 in. pot.. 2 to 2½ ft. | 1 00 | | | |
| Strawberry—5 in. pot.. 1½ to 2 ft. | 50 | | | |
| 4 in. pot.. 1 ft. | 40 | | | |
| Carob Tree —7 in. pot.....3 to 4 ft. | 75 | | | |
| 7 in. pot.....2 to 2½ ft. | 50 | | | |
| 5 in. pot.....6 to 8 in. | 40 | | | |
| Loquat—Advance, balled 1½ to 2 ft. | 1 00 | | | |
| Loquat—Common (seedlings), | | | | |
| boxed.....10 to 12 ft. | 5 00 | 30 00 | | |
| boxed.....8 to 10 ft. | 4 00 | 20 00 | | |
| balled.....6 to 8 ft. | 2 00 | 18 00 | | |
| balled.....4 to 6 ft. | 1 50 | | | |

| | Each | Per 10 | Per 100 | Per 1000 |
|---|------|--------|---------|----------|
| Loquat—(Common) seedling—Cont'd | | | | |
| balled..... 3 to 4 n. | 1 00 | | | |
| balled..... 2 to 3 ft. | 75 | | | |
| 5-inch pot..... 2 to 3 ft. | 50 | 4 00 | 25 00 | |
| Giant, 12x12-inch box..... 4 to 5 ft. | 1 50 | | | |
| balled..... 5 to 6 ft. | 1 75 | | | |
| balled..... 4 to 5 ft. | 1 50 | | | |
| balled..... 3 to 4 ft. | 1 25 | | | |
| Large Fruited, | | | | |
| 12x12-inch box..... 5 to 6 ft. | 2 00 | | | |
| 12x12-inch box..... 4 to 5 ft. | 1 50 | | | |
| balled..... 4 to 5 ft. | 1 50 | | | |
| balled..... 3 to 4 ft. | 1 25 | | | |
| balled..... 2 to 3 ft. | 1 00 | | | |
| Victor, | | | | |
| balled..... 3 to 4 ft. | 1 00 | | | |
| balled..... 1½ to 2 ft. | 75 | | | |
| Mulberry | | | | |
| 10 to 12 ft. | 1 25 | | | |
| 8 to 10 ft. | 1 00 | | | |
| 6 to 8 ft. | 75 | | | |
| 4 to 6 ft. | 60 | | | |
| Downing's New American | | | | |
| Lick's American | | | | |
| Mulberry—Persian..... 4 to 6 ft. | 1 00 | | | |
| 3 to 4 ft. | 75 | | | |
| 2 to 3 ft. | 60 | | | |
| Medlar | | | | |
| 4 to 6 ft. | 75 | | | |
| 3 to 4 ft. | 50 | | | |
| Large-fruited Nottingham | | | | |
| Jujube | | | | |
| 4 to 6 ft. | 1 00 | | | |
| 3 to 4 ft. | 75 | | | |
| Juneberry | | | | |
| 3 to 4 ft. | 50 | | | |
| Olive—Grafted sorts, | | | | |
| 1¾ to 2½ in. diam..... 8 to 10 ft. | 1 00 | 7 50 | 60 00 | |
| 1¼ to 1¾ in. diam..... 6 to 8 ft. | 75 | 5 00 | 40 00 | |
| 1 to 1¼ in. diam..... 4 to 6 ft. | 50 | 4 00 | | |
| ¾ to 1 in. diam..... 3 to 4 ft. | 40 | 3 00 | | |

| | Each | Per 10 | Per 100 | Per 1000 |
|---|-------------------|--------|---------|------------|
| Olive—Cont'd | | | | |
| Ascolana | Nevadillo Blanco | | | |
| Bella di Spagna | Oblonga | | | |
| Calamignara | Pendulina | | | |
| Columella | Piangente | | | |
| Coreggiola | Picholine d'Aix | | | |
| Cucca | Pigale | | | |
| Giarrafa | Rubra | | | |
| Gordal | Sevillano (Queen) | | | |
| Grantois | Uvaria | | | |
| Manzanillo | | | | |
| Olive—Mission, | | | | |
| 1 $\frac{3}{4}$ to 2 $\frac{1}{2}$ in. diam., with straight stems, suitable for street planting | 8 to 10 ft. | 1 00 | 7 50 | 60 00 |
| 1 $\frac{1}{4}$ to 1 $\frac{3}{4}$ in. diam. | 6 to 8 ft. | 75 | 6 00 | 50 00 |
| $\frac{3}{4}$ to 1 $\frac{1}{4}$ in. diam. | 4 to 6 ft. | 50 | 4 00 | |
| $\frac{1}{2}$ to $\frac{3}{4}$ in. diam. | 3 to 4 ft. | 40 | 3 00 | |
| $\frac{1}{2}$ in. diam. | 2 to 3 ft. | 25 | 2 00 | |
| Grape—American | 1 and 2 years old | 25 | 1 50 | 6 00 |
| <i>White.</i> | | | | |
| Duchess | Niagara | | | |
| Moore's Diamond | Rebecca | | | |
| <i>Red.</i> | | | | |
| Catawba | Jefferson | | | |
| Delaware | Wyoming Red | | | |
| Iona | | | | |
| <i>Black.</i> | | | | |
| Barry | Moore's Early | | | |
| Concord | Pierce | | | |
| Isabella | Worden | | | |
| Grape—Foreign | 1 and 2 years | 20 | 1 00 | 5 00 25 00 |
| <i>Black.</i> | | | | |
| Black Ferrara | Mission | | | |
| Black Hamburg | Muscat Hamburg | | | |
| Black Malvoisie | Purple Damascus | | | |
| Cornichon | Rose of Peru | | | |
| Gros Colman | Zante | | | |
| Lady Downs | | | | |

| | Each | Per 10 | Per 100 | Per 1000 |
|--|--------------------|--------|---------|----------|
| Grape—Cont'd | | | | |
| <i>Red.</i> | | | | |
| Chasselas Rose | Flame Tokay | | | |
| Emperor | | | | |
| <i>White.</i> | | | | |
| Buckland's Sweet- | Royal Muscadine | | | |
| water | Sultana | | | |
| Chasselas de Fon- | Thompson's Seedles | | | |
| tainebleau | Verdel | | | |
| Golden Chasselas | White Frontignan | | | |
| Lady Finger | White Sweetwater | | | |
| Malaga | White Tokay | | | |
| Muscat of Alexan- | | | | |
| dria | | | | |
| Grape—Foreign Wine | 20 | 1 00 | 5 00 | 25 00 |
| <i>White.</i> | | | | |
| Burger | Franken Riesling | | | |
| <i>Black.</i> | | | | |
| Alicante Bouschet | Grenache | | | |
| Carignan | Mataro | | | |
| Charbono | Zinfandel | | | |
| Grape—Resistant Sorts, 1 and 2 years old. | | | | |
| For description of the following varieties of Resistant Vines, and for information as to the best kinds suitable to certain soils, send for our catalogue No. 4. | | | | |
| Alicante X Rupestris, No. 20..... | 20 | 1 50 | 5 00 | |
| Aramon X Rupestris-Ganzin, No. 1..... | 30 | 2 50 | | |
| Berlandieri X Riparia, No. 34 Ecole..... | 30 | 2 50 | 20 00 | |
| Berlandieri X Rupestris, No. 219 A..... | 50 | | | |
| Berlandieri X Rupestris, No. 301 A.... | 40 | 3 00 | | |
| Berlandieri X Rupestris Martin, No. 3309 | 30 | 2 50 | 20 00 | |
| Champini | 25 | 1 50 | 4 00 | |
| Canada | 40 | 3 00 | | |
| Clairette Doree Ganzin..... | 40 | | | |
| Gamay X Couderc (Columbeau X Rupe- | | | | |
| stris, No. 3103)..... | 30 | 2 00 | 15 00 | |
| Hybrid Franc | 25 | 1 50 | | |
| Hybrid de Millardet | 40 | 3 00 | | |
| Hybrid Seibel, No. 1..... | 25 | 1 50 | 10 00 | 80 00 |
| Hybrid Seibel, No. 2..... | 40 | 3 00 | 25 00 | |

| | Each | Per 10 | Per 100 | Per 1000 |
|---|------|--------|---------|----------|
| Grape—Cont'd | | | | |
| Lenoir | 20 | 1 00 | 3 50 | 25 00 |
| Morvedre X Rupestris, No. 1202 | 50 | 4 00 | 30 00 | |
| Riparia | 15 | 50 | 2 50 | 14 00 |
| Riparia, a grandes feuilles | 15 | 50 | 3 00 | 18 00 |
| Riparia, Gloire de Montpellier | 15 | 50 | 3 00 | 18 00 |
| Riparia, Grand Glabre | 40 | 3 00 | | |
| Riparia X Rupestris, No. 101-14 (Millardet) | 25 | 2 00 | 10 00 | 30 00 |
| Riparia X Rupestris, No. 3306 | 40 | 3 00 | 10 00 | 30 00 |
| Riparia X Rupestris Martin, No. 3309 | 40 | 3 00 | 25 00 | |
| Rupestris des Causettes | 25 | 1 50 | | |
| Rupestris Martin | 25 | 1 50 | 4 00 | 30 00 |
| Rupestris Metallica | 25 | 1 50 | 4 00 | |
| Rupestris Mission | 25 | 1 50 | 4 00 | |
| Rupestris St. George | 15 | 75 | 3 00 | 18 00 |
| Solonis | 15 | 50 | 2 50 | |
| Solonis X Riparia, No. 1616 | 25 | 1 50 | 5 00 | |
| Solonis X Othello, No. 1613 | 50 | | | |
| Grape—Grafted on Resisting Vines | 25 | 2 00 | 8 00 | 60 00 |
| <i>On Aramon X Rupestris Ganzin No. 1</i> | | | | |
| Muscat of Alexandria | | | | |
| <i>On Champini—Mataro</i> | | | | |
| <i>On Gamay X Couderc—Zinfandel</i> | | | | |
| <i>On Hybrid Franc—Mataro</i> | | | | |
| <i>On Hybrid Seibel, No. 1—Mataro</i> | | | | |
| <i>On Lenoir</i> | | | | |
| Black Hamburg Mission | | | | |
| Black Malvoisie Muscat of Alexandria | | | | |
| Chasselas Rose Purple Damascus | | | | |
| Cornichon Royal Muscadine | | | | |
| Emperor Thompson's Seedless | | | | |
| Flame Tokay White Sweetwater | | | | |
| Lady Downs White Tokay | | | | |
| Malaga Zante | | | | |
| Mataro | | | | |
| <i>On Riparia</i> | | | | |
| Carignan Zinfandel | | | | |
| Mataro | | | | |

| | Each | Per 10 | Per 100 | Per 1000 |
|--|------|--------|---------|----------|
| Grape—Cont'd | | | | |
| <i>On Riparia Gloire de Montpellier</i> | | | | |
| Carignan Muscat of Alexandria | | | | |
| Cornichon Sultana | | | | |
| Flame Tokay White Sweetwater | | | | |
| Mataro Zinfandel | | | | |
| <i>On Riparia a grandes feuilles</i> | | | | |
| Alicante Bouschet Zinfandel | | | | |
| Verdel | | | | |
| <i>On Riparia X Rupestris, No. 3306</i> | | | | |
| Bowood Muscat Muscat of Alexandria | | | | |
| <i>On Riparia X Rupestris Martin, No. 3309</i> | | | | |
| White Sweetwater | | | | |
| <i>On Rupestris Metallica—Emperor</i> | | | | |
| <i>On Rupestris St. George</i> | | | | |
| Alicante Bouschet Emperor | | | | |
| Black Ferrara Flame Tokay | | | | |
| Black Hamburg Golden Chasselas | | | | |
| Black Malvoisie Mataro | | | | |
| Buckland's Sweet Mission | | | | |
| water Muscat of Alexandria | | | | |
| Carignan Muscat Hamburg | | | | |
| Chasselas de Fon-Rose of Peru | | | | |
| tainebteau Thompson's Seedless | | | | |
| Cornichon Zinfandel | | | | |
| <i>On Solonis</i> | | | | |
| Carignan Zinfandel | | | | |
| <i>On Solonis Robusta</i> | | | | |
| Alicante Bouschet Zinfandel | | | | |
| Mataro | | | | |
| Eleagnus—Longipes3 to 4 ft. | 50 | | | |
| Currant | 15 | 1 00 | 5 00 | 35 00 |
| Black Naples La Versailles | | | | |
| Cherry Pomona | | | | |
| Fay's Prolific White Grape | | | | |
| Fertile du Palluau | | | | |
| Gooseberry—Champion, Houghton | 15 | 1 00 | 8 00 | 60 00 |
| Gooseberry—Columbus, Downing | 20 | 1 50 | | |
| Gooseberry—English | 25 | 2 00 | | |
| Berkeley Whitesmith | | | | |
| Crown Bob | | | | |

| | Each | Per 10 | Per 100 | Per 1000 |
|---|------|--------|---------|----------|
| Blackberry | 15 | 75 | 3 00 | 20 00 |
| Crandall's Early Lawton | | | | |
| Kittatinny | | | | |
| Blackberry —Evergreen | 25 | 2 00 | 10 00 | |
| Blackberry —Mammoth | 15 | 1 00 | 8 00 | |
| Dewberry —Lucretia | 15 | 1 00 | 8 00 | |
| Loganberry (tips) | 15 | 1 00 | 6 00 | 30 00 |
| Transplanted, 1 year..... | 20 | 1 50 | 10 00 | |
| Raspberry —Red Varieties | 15 | 1 00 | 6 00 | |
| Cuthbert | | | | |
| Franconia King | | | | |
| Herstine Marlboro | | | | |
| Raspberry —Yellow, Golden Queen..... | 20 | 1 50 | | |
| Raspberry —Black Cap (tips) | 20 | 1 50 | | |
| Transplanted, 1 year..... | 25 | 2 00 | | |
| Gregg Kansas | | | | |
| Ohio Palmer | | | | |
| Strawberry | | 50 | 2 00 | |
| Admiral Dewey Haverland | | | | |
| Arizona Everbearing Linda | | | | |
| Australian Crimson Longworth's Prolific | | | | |
| Bismarck Magoon | | | | |
| Clark's Seedling Marshall | | | | |
| Greenville Sharpless | | | | |
| Artichokes —Large Green Globe..... | 20 | 1 50 | | |
| Asparagus —Conover's Colossal, Palmetto | | | | |
| and Mammoth, 2 years, per | | | | |
| 10,000, \$50.00 | | 50 | 2 00 | 10 00 |
| Rhubarb —Myatt's Linnæus and Lorenzo, per | | | | |
| 10,000, \$200.00 | 25 | 1 50 | 5 00 | 35 00 |
| Linnæus Seedlings | 15 | 1 00 | 4 00 | 30 00 |
| Early Prince and Golden Syrup.... | 25 | 2 00 | | |
| Rhubarb —Rheum Officinale (Physic Rhubarb) | 50 | | | |
| Hop Roots | | 50 | | |
| Male | 25 | | | |
| Horse-Radish | 15 | 1 00 | | |
| Liquorice (Glycyrrhiza glabra) | 25 | 2 00 | | |
| Sage, Thyme, Rue, Lavender, Caper | 25 | | | |
| Opuntia Ficus (Indian Fig Cactus) 6-in. pot | 50 | | | |

ORNAMENTAL DEPARTMENT

DECIDUOUS ORNAMENTAL TREES

Trained Trees

This class includes a variety of large-sized trees, whose straight, regular stems were headed back or cut down to a uniform height of nine feet, and handsome, well-formed heads grown thereon. They are in splendid shape for planting on avenues, streets or roadsides for immediate effect. With ordinary care, little or no loss should occur in moving them, as they have been frequently transplanted.

Diameter given is four feet above ground.

| | Inches in Diameter | Each | Per 10 |
|---------------------------------------|-----------------------|------|--------|
| Ash —European..... | 3 to 4 | 2 50 | |
| | 2½ to 3 | 1 50 | 12 00 |
| | 2 to 2½ | 1 25 | 10 00 |
| Birch —Cut-leaved Weeping..... | 3 to 4 | 3 00 | |
| | 2½ to 3 | 2 50 | |
| European White..... | 4 to 6 | 4 00 | |
| | 3 to 4 | 3 00 | |
| | 2½ to 3 | 2 50 | |
| Catalpa —Kaempferi..... | 4 to 6 | 2 50 | |
| | 3 to 4 | 2 00 | |
| Chestnut —Marron Combale..... | 4 to 6 | 4 00 | |
| | 3 to 4 | 3 00 | |
| | 2 to 2½ | 2 00 | |
| Elm —American..... | 6 to 8 | 4 00 | 35 00 |
| | 4 to 6 | 2 50 | 20 00 |
| | 3 to 4 | 2 00 | 15 00 |
| | 2½ to 3 | 1 50 | 12 00 |
| | 2 to 2½ | 1 25 | 10 00 |
| Cork-barked..... | 6 to 8 | 4 00 | |
| | 4 to 6 | 2 00 | 15 00 |
| | 3 to 4 | 1 50 | 12 00 |
| | 2½ to 3 | 1 25 | 10 00 |
| | 2 to 2½ | 1 00 | 9 00 |
| | 1½ to 2 | 75 | 6 00 |
| Dovæi..... | 4 to 6 | 4 00 | |
| | 3 to 4 | 2 00 | |
| English or French..... | 6 to 8 | 4 00 | 35 00 |
| | 4 to 6 | 2 50 | 20 00 |
| | 3 to 4 | 2 00 | 15 00 |
| | 2½ to 3 | 1 50 | 12 00 |
| | 2 to 2½ | 1 25 | 10 00 |

| | Inches in Diameter | Each | Per 10 |
|---|-----------------------|------|--------|
| Elm—Cont'd | | | |
| Huntingdon | 6 to 8 | 4 00 | |
| | 4 to 6 | 4 00 | 20 00 |
| | 3 to 4 | 2 00 | 15 00 |
| | 2½ to 3 | 1 50 | 12 00 |
| Purple-leaved | 4 to 6 | 3 00 | |
| | 3 to 4 | 2 00 | |
| | 2½ to 3 | 1 50 | |
| Wheatley's | 3 to 4 | 2 00 | 15 00 |
| | 2½ to 3 | 1 50 | 12 00 |
| Horse Chestnut—Red-flowering | 3 to 4 | 3 00 | 25 00 |
| | 2½ to 3 | 2 50 | 20 00 |
| | 2 to 2½ | 2 00 | |
| White-flowering | 4 to 6 | 2 50 | 20 00 |
| | 3 to 4 | 2 00 | 15 00 |
| | 2½ to 3 | 1 50 | 12 00 |
| | 2 to 2½ | 1 25 | 10 00 |
| Judas Tree—(Red Bud) | 3 to 4 | 2 00 | |
| | 2½ to 3 | 1 50 | |
| Kentucky Coffee Tree | 2½ to 3 | 3 00 | |
| Laburnum | 2½ to 3 | 2 50 | 20 00 |
| | 2 to 2½ | 2 00 | 15 00 |
| Linden—European | 4 to 6 | 4 00 | |
| | 3 to 4 | 3 00 | 15 00 |
| | 2½ to 3 | 2 50 | |
| | 2 to 2½ | 1 50 | |
| Locust—Black | 3 to 4 | 2 00 | |
| | 2½ to 3 | 1 25 | |
| Decaisneana | 3 to 4 | 4 00 | |
| Magnolia—Acuminata | 4 to 6 | 3 00 | |
| | 3 to 4 | 2 00 | |
| | 2 to 2½ | 1 50 | |
| Maple—English Cork | 3 to 4 | 1 50 | 12 00 |
| | 2½ to 3 | 1 25 | 10 00 |
| | 2 to 2½ | 1 00 | |
| Oregon | 4 to 6 | 4 00 | 30 00 |
| | 3 to 4 | 2 50 | 20 00 |
| | 2½ to 3 | 2 00 | 15 00 |
| Silver | 6 to 8 | 4 00 | |
| | 3 to 4 | 2 50 | |
| | 2½ to 3 | 2 00 | 15 00 |
| Sycamore | 4 to 6 | 4 00 | |
| | 3 to 4 | 2 00 | 15 00 |
| | 2½ to 3 | 1 50 | 12 50 |
| Oak—English | 4 to 6 | 4 00 | 20 00 |
| | 3 to 4 | 2 50 | 15 00 |
| | 2½ to 3 | 2 00 | 12 00 |

| | Inches in Diameter | Each | Per 10 |
|------------------------------------|-----------------------|------|--------|
| Paulownia —Imperialis..... | 4 to 6 | 3 00 | 25 00 |
| | 3 to 4 | 2 00 | |
| Poplar —Bolleana..... | 3 to 4 | 2 50 | |
| | 2½ to 3 | 2 00 | 15 00 |
| Lombardy..... | 4 to 6 | 2 50 | |
| | 3 to 4 | 2 00 | |
| | 2½ to 3 | 1 75 | |
| Poplar —Silver..... | 6 to 8 | 4 00 | |
| | 4 to 6 | 3 00 | |
| | 3 to 4 | 2 00 | |
| Sophora —Japonica..... | 4 to 6 | 4 00 | 30 00 |
| | 3 to 4 | 2 00 | 15 00 |
| | 2½ to 3 | 1 50 | |
| Sycamore —European..... | 3 to 4 | 3 00 | |
| | 2½ to 3 | 2 50 | 20 00 |
| | 2 to 2½ | 2 00 | 15 00 |
| Tulip Tree | 3 to 4 | 3 00 | |
| | 2½ to 3 | 2 50 | |
| Virgilia —Lutea..... | 3 to 4 | 3 00 | |
| Walnut —American Black..... | 3 to 4 | 2 00 | |
| | 2½ to 3 | 1 50 | |
| California Black..... | 3 to 4 | 2 00 | |
| | 2½ to 3 | 1 50 | |

DECIDUOUS ORNAMENTAL TREES

General Assortment

To save freight, unless otherwise directed, all trees over sixteen feet tall will have tops cut back to a uniform height of sixteen feet.

| | | Each | Per 10 | Per 100 |
|------------------------------------|-------------|------|--------|---------|
| Acacia —Julibrissin..... | 8 to 10 ft. | 2 50 | | |
| | 6 to 8 ft. | 1 50 | 12 50 | |
| | 4 to 6 ft. | 1 00 | | |
| | 3 to 4 ft. | 75 | | |
| | 2 to 3 ft. | 50 | | |
| Almond —Davidiana alba..... | 4 to 6 ft. | 50 | 3 50 | |
| | 3 to 4 ft. | 40 | | |
| Davidiana rubra..... | 4 to 6 ft. | 50 | 3 50 | |
| | 3 to 4 ft. | 40 | | |
| Large double-flowering..... | 6 to 8 ft. | 75 | 6 00 | |
| | 4 to 6 ft. | 50 | 3 50 | |
| | 3 to 4 ft. | 40 | | |

| | | Each | Per 10 | Per 100 |
|--|--|------|--------|---------|
| Apple —Flowering | 6 to 8 ft. | 75 | 6 00 | |
| | 4 to 6 ft. | 50 | 3 50 | |
| | 3 to 4 ft. | 40 | 3 00 | |
| | Carnea pleno, flesh color, double | | | |
| | Floribunda | | | |
| | Fragrant Garland | | | |
| | Kaido | | | |
| | Medwietzkyanas, flowers red, all parts of tree red | | | |
| | Spectabilis albo pleno | | | |
| | Spectabilis roseo pleno | | | |
| Ash —American | 10 to 12 ft. | 80 | 7 00 | |
| | 8 to 10 ft. | 70 | 6 00 | |
| | 6 to 8 ft. | 60 | 5 00 | |
| | 4 to 6 ft. | 50 | | |
| | European 12 to 14 ft. | 1 50 | 12 50 | |
| | 10 to 12 ft. | 1 25 | 10 00 | 90 00 |
| | 8 to 10 ft. | 1 00 | 8 00 | 75 00 |
| | 6 to 8 ft. | 75 | 6 00 | 50 00 |
| | Flowering (Ornus) 8 to 10 ft. | 1 00 | | |
| | Mariesi 4 to 6 ft. | 2 00 | | |
| | Beech —Cut-leaved 3 to 4 ft. | 1 50 | | |
| | 2 to 3 ft. | 1 25 | | |
| | European 8 to 10 ft. | 1 50 | 12 00 | |
| | 6 to 8 ft. | 1 00 | 8 00 | |
| | Purple-leaved 10 to 12 ft. | 4 00 | | |
| Birch —Cut-leaved (see Weeping Trees) | 8 to 10 ft. | 3 50 | 30 00 | |
| | 6 to 8 ft. | 3 00 | 25 00 | |
| | 4 to 6 ft. | 2 00 | 15 00 | |
| | 3 to 4 ft. | 1 50 | | |
| | European White 12 to 14 ft. | 1 50 | 12 50 | |
| | 10 to 12 ft. | 1 25 | 10 00 | |
| | 8 to 10 ft. | 1 00 | 8 00 | |
| | 6 to 8 ft. | 75 | 7 00 | |
| | 4 to 6 ft. | 60 | | |
| | Paper 12 to 14 ft. | 2 50 | 20 00 | |
| | 10 to 12 ft. | 2 00 | | |
| | 6 to 8 ft. | 1 50 | | |
| | Poplar 14 to 16 ft. | 2 00 | 18 00 | |
| | 10 to 12 ft. | 1 50 | | |
| | 8 to 10 ft. | 1 25 | | |
| | 4 to 6 ft. | 1 00 | | |
| | Purple-leaved 4 to 6 ft. | 75 | | |
| | Sweet (Lenta) 4 to 6 ft. | 1 00 | 8 00 | |
| | Upright 12 to 14 ft. | 1 50 | 12 50 | |
| | 10 to 12 ft. | 1 00 | | |
| | 8 to 10 ft. | 75 | | |

| | | Each | Per 10 | Per 100 |
|---|--------------------------------|-------------------|--------|---------|
| Birch—Cont'd— | Water (Nigra) | 10 to 12 ft. 1 50 | | |
| | 8 to 10 ft. 1 25 | | | |
| | 6 to 8 ft. 1 00 | | 7 50 | |
| | 4 to 6 ft. 75 | | 6 00 | |
| Buckeye—Ohio | 8 to 10 ft. 1 75 | | | |
| | 6 to 8 ft. 1 50 | | | |
| | 4 to 6 ft. 1 25 | | | |
| | 3 to 4 ft. 1 00 | | | |
| Catalpa—Bungei | 10 to 12 ft. 1 25 | | 10 00 | |
| | 8 to 10 ft. 1 00 | | 8 00 | |
| | 6 to 8 ft. 75 | | 6 00 | |
| Golden | 8 to 10 ft. 1 00 | | | |
| Kaempferi | 12 to 14 ft. 1 50 | | | |
| | 8 to 10 ft. 1 25 | | | |
| | 6 to 8 ft. 1 00 | | | |
| Nana (grafted high) | 10 to 12 ft. 1 50 | | | |
| | 8 to 10 ft. 1 25 | | | |
| Speciosa | 12 to 14 ft. 1 50 | | | |
| | 10 to 12 ft. 1 25 | | | |
| | 8 to 10 ft. 1 00 | | 8 00 | 60 00 |
| | 6 to 8 ft. 75 | | 6 00 | 40 00 |
| | 4 to 6 ft. 50 | | 3 50 | 25 00 |
| Catalpa—Syringifolia | 10 to 12 ft. 1 00 | | 7 50 | |
| | 8 to 10 ft. 75 | | 6 00 | |
| | 6 to 8 ft. 50 | | 4 00 | |
| | 4 to 6 ft. 40 | | 3 00 | |
| Cedrela—Sinensis | 12 to 14 ft. 4 00 | | | |
| | 8 to 10 ft. 3 00 | | | |
| | 6 to 8 ft. 2 50 | | | |
| | 4 to 6 ft. 2 00 | | | |
| Celtis—Australis | 8 to 10 ft. 1 00 | | 8 00 | 65 00 |
| Occidentalis | 8 to 10 ft. 1 00 | | 8 00 | 65 00 |
| Dinorphanthus—Mandshuricus | 8 to 10 ft. 1 00 | | | |
| | 6 to 8 ft. 75 | | | |
| Elm—American | 12 to 14 ft. 1 50 | | 12 50 | |
| | 10 to 12 ft. 1 25 | | 10 00 | 75 00 |
| | 8 to 10 ft. 1 00 | | 8 00 | 60 00 |
| | 6 to 8 ft. 75 | | 6 00 | 50 00 |
| | 4 to 6 ft. 50 | | 4 00 | 35 00 |
| Clemmeri | 8 to 10 ft. 1 50 | | | |
| | 6 to 8 ft. 1 25 | | | |
| Cork-barked | 12 to 14 ft. 1 00 | | 7 50 | 60 00 |
| | 10 to 12 ft. 75 | | 6 00 | 50 00 |
| | 8 to 10 ft. 60 | | 5 00 | 40 00 |
| | 6 to 8 ft. 50 | | 4 00 | 35 00 |
| Dovæi | 8 to 10 ft. 1 00 | | | |
| | 6 to 8 ft. 75 | | | |

| | | Each | Per 10 | Per 100 |
|---|--------------|------|--------|---------|
| Elm—Cont'd | | | | |
| English or French | 12 to 14 ft. | 1 00 | 7 50 | 60 00 |
| | 10 to 12 ft. | 75 | 6 00 | 50 00 |
| | 8 to 10 ft. | 60 | 5 00 | 40 00 |
| | 6 to 8 ft. | 50 | 4 00 | 35 00 |
| | 4 to 6 ft. | 40 | 3 00 | |
| Huntingdon | 12 to 14 ft. | 1 50 | 12 50 | 100 00 |
| | 10 to 12 ft. | 1 25 | 10 00 | 80 00 |
| | 8 to 10 ft. | 1 00 | 8 00 | 65 00 |
| | 6 to 8 ft. | 75 | 6 00 | 50 00 |
| Purple | 10 to 12 ft. | 1 50 | 12 50 | |
| | 8 to 10 ft. | 1 25 | 10 00 | |
| | 6 to 8 ft. | 1 00 | | |
| Scotch | 8 to 10 ft. | 1 00 | 8 00 | 75 00 |
| | 6 to 8 ft. | 75 | 6 00 | 50 00 |
| | 4 to 6 ft. | 50 | 4 00 | 35 00 |
| Variegated | 6 to 8 ft. | 1 00 | | |
| | 4 to 6 ft. | 75 | | |
| Wheatley's | 10 to 12 ft. | 75 | 6 00 | 50 00 |
| | 6 to 8 ft. | 50 | 4 00 | 35 00 |
| | 4 to 6 ft. | 40 | 3 00 | 25 00 |
| Hickory—Swamp (Carya Amara) | 2 to 3 ft. | 1 00 | | |
| Horse Chestnut—European or White-flowering | 10 to 12 ft. | 1 00 | 7 50 | 60 00 |
| | 8 to 10 ft. | 75 | 6 00 | 50 00 |
| | 6 to 8 ft. | 50 | 4 00 | 35 00 |
| | 4 to 6 ft. | 40 | 3 50 | |
| Red-flowering | 10 to 12 ft. | 1 50 | | |
| | 8 to 10 ft. | 1 25 | 10 00 | |
| | 6 to 8 ft. | 1 00 | 8 00 | |
| | 4 to 6 ft. | 75 | 6 00 | |
| | 3 to 4 ft. | 50 | | |
| | 2 to 3 ft. | 40 | | |
| Hornbeam | 4 to 6 ft. | 75 | 6 00 | 50 00 |
| Judas Tree—Red and White | 10 to 12 ft. | 1 25 | | |
| | 8 to 10 ft. | 1 00 | | |
| | 6 to 8 ft. | 75 | | |
| | 3 to 4 ft. | 40 | | |
| | 2 to 3 ft. | 30 | | |
| Kentucky Coffee Tree | 16 to 18 ft. | 1 50 | | |
| | 8 to 10 ft. | 1 00 | | |
| Laburnum | 10 to 12 ft. | 1 25 | 10 00 | 80 00 |
| | 8 to 10 ft. | 1 00 | 8 00 | 60 00 |
| | 6 to 8 ft. | 75 | | |
| | 4 to 6 ft. | 60 | | |
| | 3 to 4 ft. | 50 | | |

| | | Each | Per 10 | Per 100 |
|---|--------------|------|--------|---------|
| Larch—European | 6 to 8 ft. | 1 50 | | |
| | 6 in. pot | 75 | | |
| | 5 in. pot | 50 | | |
| Linden—American | 8 to 10 ft. | 1 00 | | |
| | 6 to 8 ft. | 75 | 6 00 | |
| | 4 to 6 ft. | 50 | 4 00 | |
| European | 10 to 12 ft. | 1 25 | | |
| | 8 to 10 ft. | 1 00 | 8 00 | |
| | 6 to 8 ft. | 75 | 6 00 | 50 00 |
| | 4 to 6 ft. | 50 | 4 00 | 35 00 |
| Silver-leaved | 6 to 8 ft. | 1 25 | 10 00 | 80 00 |
| | 4 to 6 ft. | 1 00 | 8 00 | 65 00 |
| | 3 to 4 ft. | 75 | | |
| Liquidambar | 4 to 6 ft. | 1 25 | 10 00 | 80 00 |
| | 3 to 4 ft. | 1 00 | 8 00 | |
| Locust—Bessoniana (Thornless) | 10 to 12 ft. | 1 00 | 7 50 | 60 00 |
| | 8 to 10 ft. | 75 | 6 00 | 50 00 |
| | 6 to 8 ft. | 60 | 5 00 | 40 00 |
| | 4 to 6 ft. | 50 | 4 00 | |
| Common or Black | 12 to 14 ft. | 1 00 | 8 00 | 65 00 |
| | 10 to 12 ft. | 75 | 6 00 | 50 00 |
| | 8 to 10 ft. | 60 | 5 00 | 40 00 |
| | 6 to 8 ft. | 50 | 4 00 | |
| Decaisneana (Pink-flowering) | 12 to 14 ft. | 1 50 | 12 50 | |
| | 10 to 12 ft. | 1 25 | 10 00 | 80 00 |
| | 8 to 10 ft. | 1 00 | 8 00 | 65 00 |
| | 6 to 8 ft. | 75 | 6 00 | 50 00 |
| Honey (Gleditschia tricanthos) | 10 to 12 ft. | 1 25 | 10 00 | 80 00 |
| | 8 to 10 ft. | 1 00 | 8 00 | 65 00 |
| | 6 to 8 ft. | 75 | 6 00 | |
| Neo Mexicana | 8 to 10 ft. | 1 00 | 8 00 | |
| | 6 to 8 ft. | 75 | 6 00 | |
| Rose-flowering | 6 to 8 ft. | 75 | 6 00 | |
| Maiden Hair Tree | 8 to 10 ft. | 1 75 | 15 00 | |
| | 6 to 8 ft. | 1 50 | 12 00 | |
| | 4 to 6 ft. | 1 00 | 8 00 | |
| Magnolia—Acuminata | 10 to 12 ft. | 1 50 | 12 00 | |
| | 3 to 4 ft. | 50 | 4 00 | |
| Maple—Box Elder (Acer Negundo) | 8 to 10 ft. | 1 25 | 10 00 | 80 00 |
| | 6 to 8 ft. | 1 00 | 8 00 | 75 00 |
| | 4 to 6 ft. | 75 | 6 00 | 50 00 |
| California | 10 to 12 ft. | 75 | 6 00 | |
| | 8 to 10 ft. | 60 | 5 00 | |
| | 6 to 8 ft. | 50 | 4 00 | 35 00 |
| | 4 to 6 ft. | 40 | 3 50 | 30 00 |
| | 3 to 4 ft. | 25 | 2 00 | |

| | | | Each | Per 10 | Per 100 |
|---|---------------------------------|--------------|------|--------|---------|
| Maple —English | Cork-barked..... | 12 to 14 ft. | 1 25 | 10 00 | |
| | | 8 to 10 ft. | 75 | 6 00 | 50 00 |
| | | 6 to 8 ft. | 50 | 4 00 | 35 00 |
| | | 4 to 6 ft. | 40 | 3 50 | 30 00 |
| | Golden Variegated | 6 to 8 ft. | 1 00 | 8 00 | |
| | Norway | 10 to 12 ft. | 1 00 | | |
| | | 8 to 10 ft. | 75 | 6 00 | 50 00 |
| | | 6 to 8 ft. | 60 | 5 00 | 40 00 |
| | | 4 to 6 ft. | 50 | 4 00 | 35 00 |
| | Oregon. | 10 to 12 ft. | 75 | 6 00 | 50 00 |
| | | 8 to 10 ft. | 60 | 5 00 | |
| | | 6 to 8 ft. | 50 | 4 00 | 35 00 |
| | Purple-leaved (Schwedleri)..... | 14 to 16 ft. | 1 25 | | |
| | | 10 to 12 ft. | 1 00 | 8 00 | 65 00 |
| | | 8 to 10 ft. | 75 | 6 00 | |
| | | 6 to 8 ft. | 60 | | |
| | Reitenbach's. | 10 to 12 ft. | 1 00 | 8 00 | |
| | | 8 to 10 ft. | 75 | 6 00 | |
| | | 6 to 8 ft. | 60 | | |
| | Scarlet. | 10 to 12 ft. | 1 25 | | |
| | | 8 to 10 ft. | 1 00 | 8 00 | |
| | | 6 to 8 ft. | 75 | 6 00 | |
| Silver, or Soft..... | | 12 to 14 ft. | 1 00 | 8 00 | |
| | | 10 to 12 ft. | 80 | 6 00 | 50 00 |
| | | 8 to 10 ft. | 70 | 5 00 | 40 00 |
| | | 6 to 8 ft. | 60 | 4 00 | 35 00 |
| Sugar | | 10 to 12 ft. | 1 00 | | |
| | | 8 to 10 ft. | 80 | 6 00 | |
| | | 6 to 8 ft. | 70 | 5 00 | |
| | | 4 to 6 ft. | 60 | | |
| Sycamore | | 12 to 14 ft. | 1 00 | 8 00 | 65 00 |
| | | 10 to 12 ft. | 75 | 6 00 | 50 00 |
| | | 8 to 10 ft. | 60 | 5 00 | 40 00 |
| | | 6 to 8 ft. | 50 | 4 00 | 30 00 |
| Mountain Ash —American | | 2 to 3 ft. | 25 | 2 00 | |
| | European | 10 to 12 ft. | 1 00 | | |
| | | 8 to 10 ft. | 75 | 6 00 | |
| | | 6 to 8 ft. | 60 | 5 00 | 40 00 |
| | | 4 to 6 ft. | 50 | 4 00 | |
| | Japan | 6 to 8 ft. | 60 | | |
| | | 4 to 6 ft. | 50 | | |
| | Oak-leaved | 8 to 10 ft. | 75 | 6 00 | |
| Mulberry —Multicaulis and White..... | | 12 to 14 ft. | 1 00 | 8 00 | 75 00 |
| | | 10 to 12 ft. | 75 | 6 00 | 50 00 |
| | | 8 to 10 ft. | 50 | 4 00 | 35 00 |
| | | 6 to 8 ft. | 40 | 3 00 | 25 00 |
| | | 4 to 6 ft. | 30 | 2 50 | 20 00 |

| Each | Per 10 | Per 100 |
|------|--------|---------|
|------|--------|---------|

| | | | | |
|--|--------------|------|-------|--------|
| Mulberry —Paper | 4 to 6 ft. | 1 00 | | |
| Russian | 10 to 12 ft. | 75 | 6 00 | |
| | 8 to 10 ft. | 50 | 4 00 | |
| | 6 to 8 ft. | 40 | | |
| Nyssa —Sylvatica (Sour Gum) | 3 to 4 ft. | 1 25 | | |
| | 2 to 3 ft. | 1 00 | | |
| Oak —Bur | 8 to 10 ft. | 1 50 | 12 50 | |
| | 6 to 8 ft. | 1 25 | 10 00 | |
| | 4 to 6 ft. | 1 00 | | |
| California Weeping, or Valley | 10 to 12 ft. | 1 50 | 12 00 | 100 00 |
| | 8 to 10 ft. | 1 25 | 10 00 | 80 00 |
| | 6 to 8 ft. | 1 00 | 8 00 | |
| California White (Douglasi) | 10 to 12 ft. | 1 50 | 12 50 | |
| | 8 to 10 ft. | 1 25 | 10 00 | 80 00 |
| | 6 to 8 ft. | 1 00 | 8 00 | 65 00 |
| | 4 to 6 ft. | 75 | | |
| Cut-leaved | 8 to 10 ft. | 1 25 | | |
| | 6 to 8 ft. | 1 00 | | |
| English | 12 to 14 ft. | 1 75 | 15 00 | |
| | 10 to 12 ft. | 1 50 | 12 00 | |
| | 8 to 10 ft. | 1 25 | 10 00 | |
| Pin (Palustris) | 10 to 12 ft. | 1 50 | 12 50 | |
| | 8 to 10 ft. | 1 25 | 10 00 | |
| | 6 to 8 ft. | 1 00 | 8 00 | 65 00 |
| | 4 to 6 ft. | 75 | 6 00 | 50 00 |
| | 3 to 4 ft. | 50 | 4 00 | 35 00 |
| Red (Rubra) | 6 to 8 ft. | 1 25 | 10 00 | 80 00 |
| | 4 to 6 ft. | 1 00 | 8 00 | 65 00 |
| | 3 to 4 ft. | 75 | 6 00 | 50 00 |
| Scarlet | 10 to 12 ft. | 1 50 | 12 00 | |
| | 8 to 10 ft. | 1 00 | 8 00 | |
| | 6 to 8 ft. | 75 | | |
| Serrata | 8 to 10 ft. | 1 00 | 8 00 | |
| | 6 to 8 ft. | 75 | 6 00 | |
| | 4 to 6 ft. | 50 | 4 00 | |
| Turkey | 6 to 8 ft. | 1 00 | | |
| | 4 to 6 ft. | 75 | | |
| Water | 8 to 10 ft. | 1 00 | | |
| | 6 to 8 ft. | 75 | | |
| | 4 to 6 ft. | 50 | | |
| Ohio Buckeye (see Buckeye). | | | | |
| Ostrya —Virginica | 4 to 6 ft. | 1 50 | | |
| | 8 to 10 ft. | 1 50 | | |
| Paulownia —Imperialis | 6 to 8 ft. | 1 25 | | |
| | 4 to 6 ft. | 1 00 | | |

| | | Each | Per 10 | Per 100 |
|---|--------------|------|--------|---------|
| Peach —Blood-leaved..... | 6 to 8 ft. | 50 | 4 00 | |
| | 4 to 6 ft. | 40 | 3 50 | |
| Flowering Assorted | 8 to 10 ft. | 75 | 6 00 | |
| | 6 to 8 ft. | 50 | 4 00 | |
| | 4 to 6 ft. | 35 | 3 00 | |
| | 3 to 4 ft. | 25 | 2 00 | |
| Camelliaeflora | Double White | | | |
| Double Red | Early Red | | | |
| Double Rose | | | | |
| Phellodendron —Amurense (Chinese Cork) | 8 to 10 ft. | 2 00 | | |
| | 6 to 8 ft. | 1 75 | | |
| | 4 to 6 ft. | 1 50 | 12 50 | 100 00 |
| Plane Tree (see Sycamore). | | | | |
| Plum —Purple-leaved (Pissardi)..... | 10 to 12 ft. | 1 00 | 8 00 | 65 00 |
| | 8 to 10 ft. | 75 | 6 00 | 50 00 |
| | 6 to 8 ft. | 50 | 4 00 | 30 00 |
| | 4 to 6 ft. | 40 | 3 50 | 25 00 |
| Pterocarya Caucasica | 4 to 6 ft. | 1 00 | 8 00 | 65 00 |
| Poplar —Angulata robusta. | 10 to 12 ft. | 1 00 | 8 00 | |
| | 8 to 10 ft. | 75 | | |
| Balsam. | 8 to 10 ft. | 1 00 | 8 00 | 65 00 |
| | 6 to 8 ft. | 75 | 6 00 | 50 00 |
| | 4 to 6 ft. | 50 | 4 00 | |
| Bolleana. | 12 to 14 ft. | 1 50 | 12 00 | |
| | 10 to 12 ft. | 1 00 | 8 00 | 65 00 |
| | 8 to 10 ft. | 75 | 6 00 | 50 00 |
| | 6 to 8 ft. | 60 | 5 00 | 40 00 |
| | 4 to 6 ft. | 50 | | |
| Carolina. | 12 to 14 ft. | 1 00 | 7 50 | |
| | 10 to 12 ft. | 75 | 6 00 | 50 00 |
| | 8 to 10 ft. | 50 | 4 00 | 35 00 |
| | 6 to 8 ft. | 40 | 3 00 | 25 00 |
| Lombardy | 12 to 14 ft. | 1 00 | 7 50 | 65 00 |
| | 10 to 12 ft. | 75 | 6 00 | 50 00 |
| | 8 to 10 ft. | 50 | 4 00 | 35 00 |
| | 6 to 8 ft. | 40 | 3 00 | 25 00 |
| Pyramidal. | 12 to 14 ft. | 1 00 | | |
| | 10 to 12 ft. | 75 | | |
| | 6 to 8 ft. | 50 | | |
| White or Silver. | 12 to 14 ft. | 1 00 | 7 50 | 65 00 |
| | 10 to 12 ft. | 75 | 6 00 | 50 00 |
| | 8 to 10 ft. | 50 | 4 00 | 35 00 |
| | 6 to 8 ft. | 40 | 3 00 | 25 00 |
| Sophora —Japonica..... | 12 to 14 ft. | 1 50 | 12 00 | |
| | 10 to 12 ft. | 1 25 | 10 00 | |
| | 8 to 10 ft. | 1 00 | 8 00 | |
| | 6 to 8 ft. | 75 | 6 00 | |

| | | Each | Per 10 | Per 100 |
|--|----------------------------|------|--------|---------|
| Sorbus Domestica (Service Tree)..... | 12 to 14 ft. | 1 75 | 15 00 | |
| |10 to 12 ft. | 1 50 | 12 50 | |
| |8 to 10 ft. | 1 25 | | |
| |6 to 8 ft. | 1 00 | 8 00 | |
| Sterculia —Platanifolia—10x12 in. box.. | 3 to 4 ft. | 1 00 | | |
| |10 to 12 ft. | 2 00 | 17 50 | 150 00 |
| |8 to 10 ft. | 1 75 | 15 00 | 125 00 |
| |6 to 8 ft. | 1 50 | 12 00 | 100 00 |
| |4 to 6 ft. | 1 00 | 8 00 | |
| Sycamore —American Plane | 8 to 10 ft. | 1 00 | 8 00 | 65 00 |
| |6 to 8 ft. | 75 | 6 00 | |
| |4 to 6 ft. | 50 | 4 00 | |
| European (Oriental Plane) .. | 12 to 14 ft. | 1 50 | 12 00 | 100 00 |
| |10 to 12 ft. | 1 25 | 10 00 | 80 00 |
| |8 to 10 ft. | 1 00 | 7 50 | 60 00 |
| |6 to 8 ft. | 80 | 6 00 | 50 00 |
| |4 to 6 ft. | 60 | 5 00 | 40 00 |
| Variegated . |10 to 12 ft. | 1 50 | | |
| Taxodium —Distichum (Deciduous Cypress) | | | | |
| |8 to 10 ft. | 1 25 | 10 00 | 80 00 |
| |6 to 8 ft. | 1 00 | 8 00 | 60 00 |
| |5-in. pots 2 to 3 ft. | 40 | | |
| Texas Umbrella | 9 to 10 ft. | 1 00 | 8 00 | 75 00 |
| |8 to 9 ft. | 80 | 7 50 | 65 00 |
| |7 to 8 ft. | 70 | 6 00 | 50 00 |
| |6 to 7 ft. | 60 | 5 00 | 40 00 |
| |5 to 6 ft. | 50 | 4 00 | 30 00 |
| |4 to 5 ft. | 40 | 3 00 | 20 00 |
| Thorn —Assorted | 12 to 14 ft. | 1 50 | 12 00 | 100 00 |
| |10 to 12 ft. | 1 00 | 8 00 | 65 00 |
| |8 to 10 ft. | 80 | 7 00 | 50 00 |
| |6 to 8 ft. | 70 | 6 00 | 40 00 |
| |4 to 6 ft. | 60 | 5 00 | 35 00 |
| Cockspur | Pyramidal | | | |
| Double White | Rubra Splendens | | | |
| English Hawthorne | Tomentosa | | | |
| Paul's Double Scarlet | Washington (Cordata) | | | |
| Tulip Tree | 10 to 12 ft. | 1 50 | | |
| |6 to 8 ft. | 75 | 6 00 | 50 00 |
| |4 to 6 ft. | 50 | 4 00 | 35 00 |
| Virgilia —Lutea (Yellow Wood)..... | 8 to 10 ft. | 1 25 | 12 00 | |
| |6 to 8 ft. | 1 00 | 8 00 | |
| |4 to 6 ft. | 75 | 6 00 | |
| Willow —Black Sallow | 4 to 6 ft. | 50 | 4 00 | |
| |3 to 4 ft. | 25 | | |

| | | Each | Per 10 | Per 100 |
|---|--------------|------|--------|---------|
| Willow —Golden. | 8 to 10 ft. | 1 00 | | |
| | 6 to 8 ft. | 75 | | |
| | 4 to 6 ft. | 50 | 4 00 | 35 00 |
| | 3 to 4 ft. | 25 | 2 00 | |
| Ural Golden | 6 to 8 ft. | 60 | 5 00 | |
| | 4 to 6 ft. | 40 | | |
| | 3 to 4 ft. | 25 | 2 00 | 18 00 |
| Zelkova —Kaki (Japanese Elm) | 10 to 12 ft. | 1 00 | 8 00 | |
| | 8 to 10 ft. | 75 | 6 00 | 50 00 |

DECIDUOUS WEEPING TREES

| | | Each | Per 10 | Per 100 |
|--|--------------|------|--------|---------|
| Ash —European Weeping | 10 to 12 ft. | 1 25 | 10 00 | |
| | 8 to 10 ft. | 1 00 | 8 00 | |
| Golden. | 8 to 10 ft. | 1 00 | 8 00 | |
| Beech —Weeping. | 6 to 8 ft. | 2 00 | 15 00 | |
| | 4 to 6 ft. | 1 50 | 12 00 | |
| Birch —Cut-leaved. | 12 to 14 ft. | 2 00 | 15 00 | |
| | 10 to 12 ft. | 1 50 | 12 00 | |
| | 8 to 10 ft. | 1 25 | | |
| | 6 to 8 ft. | 1 00 | 8 00 | |
| Young's. | 10 to 12 ft. | 1 25 | 10 00 | |
| | 8 to 10 ft. | 1 00 | | |
| Elm —Camperdown. | 10 to 12 ft. | 1 75 | 15 00 | |
| | 8 to 10 ft. | 1 50 | 12 00 | |
| | 6 to 8 ft. | 1 25 | 10 00 | |
| Cork-barked Weeping. | 12 to 14 ft. | 1 50 | | |
| | 10 to 12 ft. | 1 25 | | |
| Rough-leaved Weeping. | 8 to 10 ft. | 1 50 | | |
| | 6 to 8 ft. | 1 25 | | |
| Laburnum —Weeping | 8 to 10 ft. | 1 00 | 8 00 | |
| Locust —Honey Weeping | 8 to 10 ft. | 1 50 | | |
| Purple-leaved Weeping | 12 to 14 ft. | 1 50 | | |
| Maple —Wier's Cut-leaved. | 12 to 14 ft. | 1 25 | 10 00 | |
| | 10 to 12 ft. | 1 00 | 8 00 | |
| | 8 to 10 ft. | 75 | 6 00 | |
| | 6 to 8 ft. | 50 | 4 00 | |
| Mulberry —Tea's. | 8 to 10 ft. | 2 00 | | |
| | 6 to 8 ft. | 1 50 | 12 50 | |
| Poplar —Weeping | 10 to 12 ft. | 1 50 | 12 00 | |
| Sophora —Japonica Weeping | 6 to 8 ft. | 2 00 | | |
| Thorn —Weeping. | 8 to 10 ft. | 1 25 | 10 00 | |
| | 6 to 8 ft. | 1 00 | | |

| | | Each | Per 10 | Per 100 |
|----------------------------|--------------|------|--------|---------|
| Willow—Common | 10 to 12 ft. | 1 00 | 8 00 | |
| | 8 to 10 ft. | 60 | 5 00 | 40 00 |
| | 6 to 8 ft. | 50 | 4 00 | 35 00 |
| | 4 to 6 ft. | 40 | 3 00 | |
| Lick's | 12 to 14 ft. | 1 00 | 8 00 | |
| | 10 to 12 ft. | 75 | 6 00 | 50 00 |
| | 8 to 10 ft. | 60 | 5 00 | 40 00 |
| | 6 to 8 ft. | 50 | | |
| Ring Leaf | 8 to 10 ft. | 75 | | |
| | 6 to 8 ft. | 50 | | |

EVERGREEN TREES AND SHRUBS

Nearly all the Plants mentioned under this heading have been once or more transplanted, thereby greatly adding to the certainty of their growing. In order, also, to reduce the amount of soil and consequent freight charges, we have grown those varieties most in demand in pots. In shipping to distant points this is especially advantageous.

| | | Each | Per 10 | Per 100 |
|----------------------------|------------------------|------|--------|---------|
| Acacia—Armata | 5 in. pot, 5 to 6 ft. | 60 | 5 00 | 40 00 |
| | 5 in. pot, 4 to 5 ft. | 50 | 4 00 | 35 00 |
| Baileyana | 4 in. pot, 1 to 2 ft. | 75 | 6 00 | 50 00 |
| Cultriformis | 6 in. pot, 4 to 5 ft. | 75 | 6 00 | 50 00 |
| | 5 in. pot, 3 to 4 ft. | 50 | 4 00 | 35 00 |
| | 4 in. pot, 2 to 3 ft. | 35 | 3 00 | 25 00 |
| Cyanophylla | 5 in. pot, 5 to 6 ft. | 50 | 4 00 | |
| | 5 in. pot, 4 to 5 ft. | 40 | 3 50 | 30 00 |
| Dealbata | 4 in. pot, 3 to 4 ft. | 30 | 2 50 | 20 00 |
| | 4 in. pot, 2 to 3 ft. | 25 | 2 00 | 15 00 |
| Decurrens | 4 in. pot, 2 to 3 ft. | 35 | | |
| Farnesiana | 6 in. pot, 2 to 2½ ft. | 75 | | |
| Grandis | 4 in. pot, 1 to 2 ft. | 50 | | |
| Latifolia | 5 in. pot, 5 to 6 ft. | 50 | 4 00 | 35 00 |
| | 5 in. pot, 4 to 5 ft. | 40 | 3 50 | 30 00 |
| | 4 in. pot, 3 to 4 ft. | 25 | 2 00 | 15 00 |
| Leucophylla | 4 in. pot, 1 to 2 ft. | 25 | 2 00 | |
| Linifolia | 6 in. pot, 4 to 5 ft. | 75 | | |
| Lophantha | 6 in. pot, 4 to 5 ft. | 40 | 3 00 | |
| | 5 in. pot, 4 to 5 ft. | 25 | 2 00 | |
| Macradema | 5 in. pot, 2 to 3 ft. | 50 | | |
| Melanoxylon | 8 in. pot, 8 to 9 ft. | 1 00 | 8 00 | |
| | 6 in. pot, 7 to 8 ft. | 75 | 6 00 | |
| | 6 in. pot, 6 to 7 ft. | 60 | 5 00 | 40 00 |
| | 5 in. pot, 5 to 6 ft. | 50 | 4 00 | 35 00 |

| | | | | | | Each | Per 10 | Per 100 |
|----------------------------------|-------------------|----|-------|-----|--|-------|--------|---------|
| Acacia—Melanoxylon—Cont'd | | | | | | | | |
| | 5 in. pot, | 4 | to 5 | ft. | | 40 | 3 50 | 30 00 |
| | 3 in. pot, | 3 | to 4 | ft. | | 30 | 2 50 | 20 00 |
| | 3 in. pot, | 2 | to 3 | ft. | | 25 | 2 00 | 15 00 |
| Mollissima | 6 in. pot, | 5 | to 6 | ft. | | 75 | 6 00 | |
| | 6 in. pot, | 4 | to 5 | ft. | | 50 | 4 00 | |
| | 5 in. pot, | 3 | to 4 | ft. | | 40 | 3 50 | 30 00 |
| | 4 in. pot, | 2 | to 3 | ft. | | 30 | 2 50 | 20 00 |
| | 4 in. pot, | 1 | to 2 | ft. | | 25 | 2 00 | 15 00 |
| Odoratissima | 4 in. pot, | 1 | to 1½ | ft. | | 50 | | |
| Pinifolia | 6 in. pot, | 4 | to 5 | ft. | | 75 | 6 00 | 50 00 |
| | 5 in. pot, | 4 | to 5 | ft. | | 50 | 4 00 | 35 00 |
| | 4 in. pot, | 3 | to 4 | ft. | | 40 | 3 50 | |
| Pycnantha | 6 in. pot, | 5 | to 6 | ft. | | 50 | 4 00 | 35 00 |
| | 5 in. pot, | 4 | to 5 | ft. | | 40 | 3 50 | |
| | 4 in. pot, | 3 | to 4 | ft. | | 30 | 2 50 | |
| Retinodes floribunda | 5 in. pot, | 4 | to 5 | ft. | | 50 | 4 00 | 35 00 |
| | 5 in. pot, | 3 | to 4 | ft. | | 40 | 3 50 | 30 00 |
| | 5 in. pot, | 2 | to 3 | ft. | | 35 | 3 00 | 25 00 |
| | 4 in. pot, | 2 | to 3 | ft. | | 30 | 2 50 | |
| Salicina | 5 in. pot, | 4 | to 5 | ft. | | 50 | 4 00 | 35 00 |
| Verticillata | 5 in. pot, | 4 | to 5 | ft. | | 50 | 4 00 | 35 00 |
| | 4 in. pot, | 3 | to 4 | ft. | | 40 | 3 00 | |
| Aralia—Sieboldii | | | | | | | | |
| | 12x12 in. box, | 2 | to 3 | ft. | | 2 00 | | |
| | 10x12 in. box, | 1½ | to 2 | ft. | | 1 50 | | |
| | balled, | 2 | to 3 | ft. | | 1 00 | 8 00 | |
| | 7 in. pot, | 2 | to 2½ | ft. | | 1 00 | 8 00 | |
| | 7 in. pot, | 1½ | to 2 | ft. | | 75 | 6 00 | |
| | 5 in. pot, | 1 | to 1½ | ft. | | 50 | 4 00 | 35 00 |
| Variegated | 7 and 8 in. pots, | 1 | to 1½ | ft. | | 1 50 | | |
| Araucaria—Bidwillii | | | | | | | | |
| | 20x24 in. box, | 10 | to 11 | ft. | | 25 00 | | |
| | 20x24 in. box, | 8 | to 9 | ft. | | 20 00 | | |
| | 18x22 in. box, | 6 | to 7 | ft. | | 16 00 | | |
| | 18x22 in. box, | 5 | to 6 | ft. | | 14 00 | | |
| | 16x22 in. box, | 5 | to 6 | ft. | | 13 00 | | |
| | 16x18 in. box, | 5 | to 6 | ft. | | 12 00 | | |
| | 10x12 in. box, | 2½ | to 3 | ft. | | 4 00 | | |
| | 6 in. pot, | 1½ | to 2 | ft. | | 1 50 | | |
| | 5 in. pot, | 1 | to 1½ | ft. | | 1 00 | | |
| Brasiliensis | balled, | 2 | to 3 | ft. | | 1 00 | | |
| | balled, | 1½ | to 2 | ft. | | 75 | 6 00 | |
| | balled, | 1 | to 1½ | ft. | | 50 | 4 00 | |
| | 4 in. pot, | 1 | to 1½ | ft. | | 40 | 3 00 | 25 00 |
| Excelsa | 10 in. pot, | | 3½ | ft. | | 6 00 | | |
| | 6 in. pot, | 2 | to 2½ | ft. | | 2 00 | | |
| | 5 in. pot, | 6 | to 8 | in. | | 1 00 | | |
| | 4 in. pot, | 1 | to 1½ | ft. | | 50 | | |

| | | | Each | Per 10 | Per 100 |
|--------------------|---|--------|-------|--------|---------|
| Araucaria — | Excelsa glauca. 10 in. pot, | 2½ ft. | 8 00 | | |
| |8 in. pot, 1½ to 2 | ft. | 4 00 | | |
| |6 in. pot, 8 to 10 | in. | 3 00 | | |
| | Excelsa robusta compacta | | | | |
| |10 in. pot, | 2 ft. | 6 00 | | |
| |7 in. pot, | 1½ ft. | 3 50 | | |
| |6 and 7 in. pot, | 1 ft. | 3 00 | | |
| | Imbricata ..14x16 in. box, 2 to 2½ | ft. | 4 00 | | |
| |14x16 in. box, 1½ to 2 | ft. | 2 50 | | |
| |12x12 in. box, 1½ to 2 | ft. | 2 00 | | |
| |boxed, 14 to 15 | ft. | 40 00 | | |
| |boxed, 13 to 14 | ft. | 35 00 | | |
| |boxed, 12 to 13 | ft. | 30 00 | | |
| |boxed, 9 to 10 | ft. | 20 00 | | |
| |boxed, 7 to 8 | ft. | 15 00 | | |
| |boxed, 6 to 7 | ft. | 12 00 | | |
| |balled, 2 to 3 | ft. | 2 00 | | |
| |balled, 1 to 1½ | ft. | 1 50 | 12 50 | |
| | Arbor Vitae —Chineseballed, 4 to 5 | ft. | 1 50 | 12 50 | |
| |balled, 3 to 4 | ft. | 1 00 | 8 00 | |
| |balled, 2 to 3 | ft. | 75 | 6 00 | |
| |balled, 1½ to 2 | ft. | 60 | 5 00 | 40 00 |
| | Chinese Golden ..balled, 6 to 8 | in. | 50 | 4 00 | |
| | Chinese Silver....balled, 1 to 1½ | ft. | 1 00 | | |
| | Evergoldenballed, 2 to 3 | ft. | 1 50 | | |
| |balled, 1½ to 2 | ft. | 1 25 | 10 00 | |
| |balled, 1 to 1½ | ft. | 1 00 | 8 00 | |
| | Geo. Peabodyballed, 5 to 6 | ft. | 2 00 | | |
| |balled, 4 to 5 | ft. | 1 50 | | |
| | Gigantea . 20x20 in. box, 11 to 12 | ft. | 8 00 | | |
| |boxed, 11 to 12 | ft. | 5 00 | 40 00 | |
| |boxed, 10 to 11 | ft. | 4 50 | 35 00 | |
| |boxed, 9 to 10 | ft. | 4 00 | 30 00 | |
| |boxed, 8 to 9 | ft. | 3 50 | | |
| |balled, 7 to 8 | ft. | 3 00 | | |
| |balled, 6 to 7 | ft. | 2 50 | | |
| |balled, 4 to 5 | ft. | 2 00 | | |
| |balled, 3 to 4 | ft. | 1 50 | | |
| |balled, 2 to 3 | ft. | 1 00 | | |
| | Gigantea aurea | | | | |
| |10x12 in. box, 5 to 6 | ft. | 2 50 | | |
| |boxed, 9 to 10 | ft. | 5 00 | | |
| |balled, 7 to 8 | ft. | 4 00 | | |
| |balled, 3 to 4 | ft. | 2 00 | 18 00 | |
| |balled, 2 to 3 | ft. | 1 50 | | |
| | Goldenballed, 2 to 3 | ft. | 1 25 | | |

| | | | | Each | Per 10 | Per 100 |
|---|--|--|--|-------|--------|---------|
| Arbor Vitae —Japan (Filiformis) balled, 2 ft. 1 50 | | | | | | |
| balled, 1 to 1½ ft. | | | | 75 | | |
| Japan Weeping... balled, | | | | 1 ft. | | |
| balled, 1½ to 2 ft. | | | | 75 | | |
| Arbutus —Unedo 4 in. pot, 1½ to 2 ft. | | | | 50 | 4 00 | |
| Aucuba —Japonica 12x12 in. box, 2 to 3 ft. | | | | 1 50 | | |
| 8 in. pot, 1½ to 2 ft. | | | | 75 | | |
| 6 in. pot, 1 ft. | | | | 50 | | |
| Viridis latifolia. 12x12 in. box, 2 to 3 ft. | | | | 1 50 | | |
| 8 in. pot, 1½ to 2 ft. | | | | 75 | | |
| 6 in. pot, 1 ft. | | | | 50 | 4 00 | |
| Azara —Microphylla balled, 5 to 6 ft. | | | | 1 50 | 12 50 | |
| balled, 4 to 5 ft. | | | | 1 00 | 8 00 | |
| balled, 3 to 4 ft. | | | | 75 | | |
| balled, 2 to 3 ft. | | | | 50 | | |
| 5 in. pot, 2 to 3 ft. | | | | 50 | | |
| Berberis —Darwini balled, 2 to 3 ft. | | | | 1 50 | | |
| Ilicifolia balled, 2 to 3 ft. | | | | 1 00 | 8 00 | |
| Neuberti balled, 3 to 4 ft. | | | | 1 00 | | |
| Stenophylla balled, 1 ft. | | | | 1 00 | | |
| Blue Gum (see Eucalyptus). | | | | | | |
| Box —Arborescens balled, 6 to 8 in. | | | | 20 | 1 50 | |
| Balearica balled, 2 to 3 ft. | | | | 1 00 | | |
| balled, 1½ to 2 ft. | | | | 75 | | |
| Dwarf balled, 1½ to 2 ft. | | | | 1 00 | | |
| balled, 6 to 12 in. | | | | 40 | 3 00 | |
| balled, 4 to 6 in. | | | | 10 | 80 | 4 00 |
| Elegans variegata balled, 6 to 12 in. | | | | 20 | 1 50 | |
| Fortunei rotundifolia balled, 1 to 1½ ft. | | | | 75 | 6 00 | |
| Japan Broad-leaved.... balled, 6 to 8 in. | | | | 20 | 1 50 | 10 00 |
| Japan Narrow-leaved.... balled, 6 to 8 in. | | | | 20 | 1 50 | 10 00 |
| Microphylla rotundifolia. balled, 1 to 1½ ft. | | | | 50 | 4 00 | |
| Sempervirens balled, 2 to 3 ft. | | | | 75 | 6 00 | 50 00 |
| balled, 1½ to 2 ft. | | | | 50 | 4 00 | 30 00 |
| balled, 6 to 8 in. | | | | 20 | 1 50 | 10 00 |
| Sempervirens argentea, | | | | | | |
| 12x12 in. box, 3 to 4 ft. | | | | 2 00 | | |
| balled, 4 to 5 ft. | | | | 1 50 | | |
| balled, 3 to 4 ft. | | | | 1 00 | 8 00 | |
| balled, 6 to 8 in. | | | | 15 | 1 00 | 8 00 |
| Sempervirens oleifolia, | | | | | | |
| 12x12 in. box, 2 to 3 ft. | | | | 2 00 | | |
| balled, 3 to 4 ft. | | | | 1 50 | 12 50 | |
| balled, 2 to 3 ft. | | | | 1 00 | | |
| balled, 6 to 8 in. | | | | 15 | 1 00 | 8 00 |

| | | | | Each | Per 10 | Per 100 |
|--|----|-------|-----|------|--------|---------|
| Brachychiton — <i>Acerifolium</i> . . . 3 in. pot, | 1 | to 2 | ft. | 50 | 4 00 | |
| <i>Diversifolium</i> . . . balled, | 3 | to 4 | ft. | 1 00 | | |
| balled, | 2 | to 3 | ft. | 75 | | |
| balled, | 1½ | to 2 | ft. | 50 | | |
| <i>Populifolium</i> 18x28 in. box, | 12 | to 13 | ft. | 5 00 | | |
| 14x14 in. box, | 11 | to 12 | ft. | 4 00 | | |
| boxed, | 13 | to 14 | ft. | 6 00 | | |
| balled, | 4 | to 5 | ft. | 1 00 | 8 00 | |
| balled, | 3 | to 4 | ft. | 75 | 6 00 | |
| balled, | 2 | to 3 | ft. | 50 | 4 00 | |
| Buddleia — <i>Globosa</i> 3 in. pot, | 1 | to 2 | ft. | 40 | 3 50 | |
| <i>Variabilis</i> 3 in. pot, | 1 | to 2 | ft. | 40 | 3 50 | |
| Bursaria — <i>Spinosa</i> 6 in. pot, | | 1 | ft. | 75 | | |
| California Big Tree —(<i>Sequoia Gigantea</i>) | | | | | | |
| 24x24 in. box, | 7 | to 8 | ft. | 8 00 | | |
| 22x22 in. box, | 6 | to 7 | ft. | 6 00 | | |
| 20x20 in. box, | 5 | to 6 | ft. | 5 00 | | |
| 16x18 in. box, | 4 | to 5 | ft. | 4 00 | | |
| 14x16 in. box, | 3 | to 4 | ft. | 3 50 | | |
| boxed, | 8 | to 9 | ft. | 8 00 | | |
| balled, | 7 | to 8 | ft. | 6 00 | | |
| balled, | 6 | to 7 | ft. | 5 00 | | |
| balled, | 5 | to 6 | ft. | 4 00 | 35 00 | |
| balled, | 4 | to 5 | ft. | 3 00 | 25 00 | |
| balled, | 3 | to 4 | ft. | 2 50 | | |
| 7 in. pot, | 1½ | to 2 | ft. | 1 50 | 12 50 | |
| 7 in. pot, | 1 | to 1½ | ft. | 1 25 | 10 00 | |
| 5 in. pot, | 1 | to 1½ | ft. | 1 00 | 7 50 | 60 00 |
| 5 in. pot, | 8 | to 12 | in. | 75 | 6 00 | 50 00 |
| <i>Gigantea glauca</i> balled, | 8 | to 12 | in. | 2 00 | | |
| <i>Gigantea pendula</i> balled, | 2½ | to 3 | ft. | 3 00 | | |
| California Evergreen Cherry . . . 5 in. pot, | 5 | to 8 | in. | 35 | 3 00 | 25 00 |
| Broad-leaved 5 in. pot, | 1½ | to 2 | ft. | 50 | 4 00 | 30 00 |
| California Nutmeg 16x18 in. box, | 6 | to 7 | ft. | 6 00 | | |
| boxed, | 7 | to 8 | ft. | 6 00 | | |
| balled, | 6 | to 7 | ft. | 5 00 | | |
| balled, | 5 | to 6 | ft. | 4 00 | | |
| balled, | 4 | to 5 | ft. | 3 00 | | |
| 4 in. pot, | 8 | to 10 | in. | 75 | | |
| California Wild Coffee balled, | 5 | to 6 | ft. | 2 00 | | |
| Camellia — <i>Baroness Rothschild</i> . . . balled, | 1 | to 1½ | ft. | 1 50 | | |
| Double Pink balled, | 2 | to 2½ | ft. | 2 00 | | |
| balled, | 1½ | to 2 | ft. | 1 50 | | |
| balled, | 1 | to 1½ | ft. | 1 00 | | |
| 5 in. pot, | 2 | to 2½ | ft. | 1 00 | | |
| Double Red balled, | 2 | to 2½ | ft. | 2 00 | | |
| balled, | 1½ | to 2 | ft. | 1 50 | | |

| | | | | | Each | Per 10 | Per 100 |
|---------------------------------------|---------------|-------|-----|--|------|--------|---------|
| Camellia—Cont'd | | | | | | | |
| Double White..... | balled, 3 | to 4 | ft. | | 2 00 | | |
| | balled, 2 | to 3 | ft. | | 1 50 | | |
| | 7 in. pot, | 2 | ft. | | 1 50 | | |
| | 6 in. pot, 2 | to 2½ | ft. | | 1 25 | | |
| | 5 in. pot, 1½ | to 2 | ft. | | 1 00 | | |
| Perfection | balled, 2 | to 2½ | ft. | | 2 00 | | |
| Seedling | balled, 4 | to 5 | ft. | | 2 00 | | |
| | balled, 2 | to 3 | ft. | | 1 50 | | |
| | balled, 1½ | to 2 | ft. | | 75 | | |
| Variegated | balled, 2 | to 2½ | ft. | | 2 00 | | |
| | balled, 1½ | to 2 | ft. | | 1 50 | | |
| Camphor Tree..... | balled, 4 | to 5 | ft. | | 2 00 | | |
| | 6 in. pot, 2 | to 3 | ft. | | 75 | 6 00 | |
| | 6 in. pot, 1½ | to 2 | ft. | | 60 | 5 00 | |
| | 5 in. pot, 1 | to 2 | ft. | | 50 | 4 00 | |
| Carpenteria—Californica | balled, 3 | to 4 | ft. | | 1 00 | | |
| | 6 in. pot, 1½ | to 2 | ft. | | 1 00 | | |
| Cassia—Corymbosa | 5 in. pot, 3 | to 4 | ft. | | 50 | 4 00 | |
| Floribunda grandiflora | | | | | | | |
| | 5 in. pot, 3 | to 4 | ft. | | 50 | | |
| Polyantha | 5 in. pot, 3 | to 4 | ft. | | 50 | | |
| Tomentosa | 4 in. pot, 4 | to 5 | ft. | | 50 | 4 00 | |
| Casuarina—Cunninghami | balled, 9 | to 10 | ft. | | 1 50 | 12 50 | |
| | balled, 8 | to 9 | ft. | | 1 25 | | |
| | balled, 7 | to 8 | ft. | | 1 00 | | |
| | balled, 4 | to 5 | ft. | | 50 | 4 00 | |
| | balled, 3 | to 4 | ft. | | 40 | 3 50 | |
| | 5 in. pot, 4 | to 5 | ft. | | 50 | 4 00 | |
| Quadrivalvis | balled, 8 | to 9 | ft. | | 1 25 | 10 00 | |
| | balled, 6 | to 7 | ft. | | 1 00 | 8 00 | |
| | balled, 5 | to 6 | ft. | | 75 | 6 00 | |
| | balled, 4 | to 5 | ft. | | 50 | 4 00 | |
| | balled, 3 | to 4 | ft. | | 40 | 3 50 | |
| | 5 in. pot, 3 | to 4 | ft. | | 40 | 3 50 | |
| Ceanothus—Azureus grandiflorus | | | | | | | |
| | 4 in. pot, 8 | to 12 | in. | | 50 | | |
| Gloire de Versailles | | | | | | | |
| | 5 in. pot, | 2 | ft. | | 1 50 | | |
| | 4 in. pot, 4 | to 6 | in. | | 50 | | |
| Thyrsoflorus | 7 in. pot, | 4 | ft. | | 1 00 | | |
| | 4 in. pot, 6 | to 12 | in. | | 50 | 4 00 | |
| Cedar—Atlantica | balled, 4 | to 5 | ft. | | 3 00 | 25 00 | |
| | balled, 3 | to 4 | ft. | | 2 50 | 20 00 | |
| | balled, 2 | to 3 | ft. | | 2 00 | | |
| | 7 in. pot, 2 | to 2½ | in. | | 1 00 | 8 00 | |

| | | | Each | Per 10 | Per 100 |
|-----------------------------|---------------------|--------------|-------|--------|---------|
| Cedar—Cont'd | | | | | |
| Atlantica glauca. | 16x18 in. box, | 8 to 9 ft. | 10 00 | | |
| |balled, | 8 to 9 ft. | 8 00 | | |
| |balled, | 7 to 8 ft. | 6 00 | | |
| |balled, | 6 to 7 ft. | 5 00 | | |
| |balled, | 5 to 6 ft. | 4 50 | | |
| |balled, | 4 to 5 ft. | 4 00 | | |
| |balled, | 3 to 4 ft. | 3 00 | | |
| |balled, | 2 to 3 ft. | 2 50 | | |
| |7 in. pot, | 2 to 2½ ft. | 2 00 | 18 00 | |
| Deodara | 20x20 in. box, | 9 to 10 ft. | 8 00 | | |
| |16x18 in. box, | 15 to 16 ft. | 15 00 | | |
| |16x18 in. box, | 5 ft. | 6 00 | | |
| |10x10 in. box, | 4 to 5 ft. | 4 00 | | |
| |boxed, | 18 to 20 ft. | 30 00 | | |
| |balled, | 5 to 6 ft. | 5 00 | | |
| |balled, | 4 to 5 ft. | 4 00 | | |
| |balled, | 3 to 4 ft. | 3 00 | 25 00 | |
| |balled, | 2 to 3 ft. | 2 50 | 20 00 | |
| |balled, | 1½ to 2 ft. | 1 50 | | |
| |8 in. pot, | 2½ to 3 ft. | 2 00 | 18 00 | |
| |8 in. pot, | 2 to 2½ ft. | 1 50 | 12 50 | |
| |7 in. pot, | 2 to 2½ ft. | 1 25 | 10 00 | |
| |7 in. pot, | 1½ to 2 ft. | 1 00 | 8 00 | |
| |4 in. pot, | 1 to 1½ ft. | 50 | 4 00 | |
| Deodara verticillata glauca | | | | | |
| |balled, | 8 to 9 ft. | 10 00 | | |
| |balled, | 6 to 7 ft. | 8 00 | | |
| |balled, | 5 to 6 ft. | 6 00 | | |
| |balled, | 4 to 5 ft. | 5 00 | 45 00 | |
| |balled, | 2 to 3 ft. | 3 00 | | |
| Lebanon | 20x24 in. box, | 14 to 15 ft. | 20 00 | | |
| |16x18 in. box, | 4 to 5 ft. | 6 00 | | |
| |14x14 in. box, | 10 to 11 ft. | 8 00 | | |
| |boxed, | 16 to 17 ft. | 20 00 | 150 00 | |
| |boxed, | 10 to 11 ft. | 12 00 | | |
| |boxed, | 6 to 7 ft. | 8 00 | | |
| |balled, | 5 to 6 ft. | 5 00 | | |
| |balled, | 4 to 5 ft. | 4 00 | | |
| |balled, | 2 to 3 ft. | 2 00 | | |
| |balled, | 1½ to 2 ft. | 1 50 | 12 50 | |
| |4 in. pot, | 8 to 12 in. | 50 | 4 00 | 30 00 |
| Cestrum— Aurantiacum |5 in. pot, | 1 to 2 ft. | 35 | 3 00 | |
| |4 in. pot, | 8 to 12 in. | 25 | 2 00 | |
| Laurifolia |5 in. pot, | 1 to 2 ft. | 35 | 3 00 | |
| Nocturnum |6 in. pot, | 1 to 2 ft. | 75 | | |
| |3 in. pot, | 1 ft. | 50 | 4 00 | |

| | | | | Each | Per 10 | Per 100 |
|-------------------------------------|--------------------------|----|-------|------|--------|------------|
| Cestrum—Cont'd—Parqui | . 5 in. pot, | 1 | to 2 | ft. | 50 | 4 00 |
| | 3 in. pot, | | 1 | ft. | 40 | 3 00 |
| Chamaecyparis—Obtusa pendula | | | | | | |
| | balled, | 4 | to 5 | ft. | 2 00 | |
| | balled, | 3 | to 4 | ft. | 1 50 | |
| Choisya—Ternata | balled, | 1 | to 1½ | ft. | 75 | 6 00 |
| Christmas Berry | 6 in. pot, | | 1 | ft. | 1 00 | |
| Cleyera—Japonica | balled, | 2 | to 3 | ft. | 1 00 | |
| Coronilla—Glauc | 5 in. pot, | 2 | to 3 | ft. | 50 | 4 00 |
| Corynocarpus—Laevigatus | balled, | 2 | to 3 | ft. | 50 | |
| Cotoneaster—Horizontalis | balled, | 1 | to 1½ | ft. | 50 | |
| | Microphylla | | 1½ | to 2 | ft. | 50 |
| Crataegus—Lalandi | balled, | 5 | to 6 | ft. | 1 50 | 12 50 |
| | balled, | 4 | to 5 | ft. | 1 00 | 8 00 |
| | balled, | 3 | to 4 | ft. | 75 | 5 00 |
| | balled, | 2 | to 3 | ft. | 50 | 4 00 |
| | Pyracantha | | | | | |
| | balled, | 7 | to 8 | ft. | 2 00 | |
| | balled, | 5 | to 6 | ft. | 1 50 | 12 50 |
| | balled, | 4 | to 5 | ft. | 75 | 5 00 |
| | balled, | 3 | to 4 | ft. | 50 | |
| | balled, | 2 | to 3 | ft. | 40 | |
| Cryptomeria—Elegans | balled, | 3 | to 4 | ft. | 1 50 | |
| | balled, | 2 | to 3 | ft. | 75 | 5 00 |
| | balled, | 1 | to 2 | ft. | 50 | 4 00 |
| | 6 in. pot, | | 2 | ft. | 75 | |
| | 5 in. pot, | | 1½ | to 2 | ft. | 50 |
| | Japonica .10x12 in. box, | 6 | to 7 | ft. | 1 50 | 4 00 30 00 |
| | balled, | 6 | to 7 | ft. | 1 00 | 8 00 |
| | balled, | 5 | to 6 | ft. | 75 | 6 00 |
| | balled, | 4 | to 5 | ft. | 50 | |
| | 4 in. pot, | 1 | to 1½ | ft. | 35 | 2 50 |
| Cunninghamia—Sinensis | | | | | | |
| | 18x20 in. box, | 7 | to 8 | ft. | 10 00 | |
| | 16x18 in. box, | 5 | to 6 | ft. | 8 00 | |
| | 14x16 in. box, | 4 | to 5 | ft. | 6 00 | |
| | balled, | 4 | to 5 | ft. | 5 00 | |
| | balled, | 3 | to 4 | ft. | 3 00 | |
| | balled, | 2 | to 3 | ft. | 2 50 | |
| Cypress—Funeral | balled, | 1½ | to 2 | ft. | 50 | 4 00 |
| Goveniana | balled, | 2 | to 3 | ft. | 75 | 6 00 |
| | balled, | 1 | to 2 | ft. | 50 | 4 00 |
| Guadalupensis | balled, | 9 | to 10 | ft. | 1 50 | |
| | balled, | 6 | to 7 | ft. | 1 25 | |
| | balled, | 2 | to 3 | ft. | 75 | 6 00 |
| | balled, | 1 | to 2 | ft. | 50 | 4 00 |
| Guadalupensis glauca | | | | | | |
| | 12x12 in. box, | 5 | to 6 | ft. | 2 00 | |

| | | | | Each | Per 10 | Per 100 |
|--|----------------|-------|-------|------|--------|---------|
| Cypress—Guadalupensis glauca—Cont'd | | | | | | |
|balled, | 7 | to 8 | ft. | 2 50 | 20 00 | |
|balled, | 6 | to 7 | ft. | 2 00 | | |
|balled, | 3 | to 4 | ft. | 1 00 | | |
|5 in. pot, | 3 | to 4 | ft. | 1 00 | 8 00 | |
|5 in. pot, | 2 | to 3 | ft. | 75 | 6 00 | |
|5 in. pot, | 1 | to 1½ | ft. | 50 | 4 00 | |
| Italian | 16x18 in. box, | 9 | to 10 | ft. | 2 50 | |
|balled, | 9 | to 10 | ft. | 2 00 | | |
|balled, | 8 | to 9 | ft. | 1 50 | | |
|balled, | 6 | to 7 | ft. | 1 25 | 10 00 | |
|balled, | 5 | to 6 | ft. | 1 00 | 8 00 | 60 00 |
|balled, | 4 | to 5 | ft. | 75 | 6 00 | |
|balled, | 3 | to 4 | ft. | 50 | 4 50 | |
| Knightiana | balled, | 6 | to 7 | ft. | 1 50 | 10 00 |
|balled, | 5 | to 6 | ft. | 1 00 | 8 00 | |
|4 in. pot, | 1 | to 1½ | ft. | 25 | 2 00 | |
| Lawsoniana .. | 12x12 in. box, | 5 | to 6 | ft. | 2 00 | |
|12x12 in. box, | 4 | to 5 | ft. | 1 75 | | |
|balled, | 5 | to 6 | ft. | 1 50 | 12 50 | 100 00 |
|balled, | 4 | to 5 | ft. | 1 25 | 10 00 | 90 00 |
|balled, | 3 | to 4 | ft. | 1 00 | 8 00 | 75 00 |
|balled, | 2 | to 3 | ft. | 75 | 6 00 | |
|balled, | 1½ | to 2 | ft. | 50 | 4 50 | |
| Lawsoniana argentea.. | balled, | 11 | to 12 | ft. | 5 00 | |
| Lawsoniana densa... | balled, | 1 | to 1½ | ft. | 1 00 | 8 00 |
| Lawsoniana glauca cœrulea | | | | | | |
|balled, | 2 | to 2½ | ft. | 1 25 | | |
|balled, | 1 | to 1½ | ft. | 1 00 | 8 00 | |
| Lawsoniana lutea | | | | | | |
|14x16 in. box, | 4 | to 5 | ft. | 2 50 | | |
|14x14 in. box, | 3 | to 4 | ft. | 2 00 | | |
|balled, | 4 | to 5 | ft. | 1 50 | | |
|balled, | 3 | to 4 | ft. | 1 25 | | |
| Lawsoniana stricta viridis | | | | | | |
|balled, | 7 | to 8 | ft. | 5 00 | | |
|balled, | 4 | to 5 | ft. | 3 00 | | |
|balled, | 3 | to 4 | ft. | 2 00 | | |
|balled, | 2 | to 3 | ft. | 1 50 | | |
| Lusitanica | balled, | 6 | to 7 | ft. | 1 00 | 8 00 |
|balled, | 5 | to 6 | ft. | 75 | 6 00 | 75 00 |
|balled, | 4 | to 5 | ft. | 50 | 4 00 | |
| Lusitanica glauca.. | 5 in. pot, | 2 | to 3 | ft. | 35 | 3 00 |
| Monterey | balled, | 13 | to 14 | ft. | 2 00 | 15 00 |
|balled, | 10 | to 11 | ft. | 1 50 | 12 50 | |
|balled, | 8 | to 9 | ft. | 1 25 | 10 00 | 25 00 |

| | | | | Each | Per 10 | Per 100 |
|-----------------------------------|---------------|-------|-----|------|--------|---------|
| Cypress—Monterey —Cont'd | balled, 7 | to 8 | ft. | 1 00 | 8 00 | 75 00 |
| | balled, 6 | to 7 | ft. | 75 | 6 50 | 50 00 |
| | balled, 5 | to 6 | ft. | 60 | 5 00 | 40 00 |
| | balled, 4 | to 5 | ft. | 50 | 4 50 | 35 00 |
| | balled, 3 | to 4 | ft. | 40 | 3 50 | |
| | balled, 2 | to 3 | ft. | 35 | 3 00 | 25 00 |
| | balled, 1½ | to 2 | ft. | 25 | 2 00 | 15 00 |
| Transplanted, per box | | | | | | |
| of 100 each..... | 6 | to 8 | in. | 2 50 | | |
| Monterey Golden..... | balled, 6 | to 7 | ft. | 2 00 | | |
| | balled, 5 | to 6 | ft. | 1 50 | | |
| | balled, 1½ | to 2 | ft. | 75 | 6 00 | |
| | 5 in. pot, 8 | to 12 | in. | 50 | 4 00 | 30 00 |
| Monterey Variegated..... | balled, 7 | to 8 | ft. | 3 00 | | |
| | balled, 5 | to 6 | ft. | 2 00 | | |
| | balled, 4 | to 5 | ft. | 1 50 | | |
| | balled, 3 | to 4 | ft. | 1 25 | | |
| | balled, 1 | to 1½ | ft. | 75 | 6 00 | |
| | 5 in. pot, 10 | to 12 | in. | 50 | 4 00 | |
| Daphne—Variegated | balled, 1 | to 1½ | ft. | 1 50 | | |
| | balled, 4 | to 6 | in. | 50 | 4 00 | |
| White | balled, 1½ | to 2 | ft. | 1 50 | 12 50 | |
| | balled, 1 | to 1½ | ft. | 1 00 | 8 00 | |
| | balled, 4 | to 6 | in. | 50 | 4 00 | |
| | 7 in. pot, 2 | | ft. | 1 00 | 8 00 | |
| Daphniphyllum—Glaucescens | balled, 1½ | to 2 | ft. | 1 00 | 8 00 | |
| Macropodum | balled, 2 | to 3 | ft. | 1 50 | | |
| Deeringea—Variegata | balled, 4 | to 5 | ft. | 50 | 4 00 | |
| Dendropanax—Japonicus | 7 in. pot, 2½ | to 3 | ft. | 1 00 | | |
| Diosma—Alba | balled, 1 | to 1½ | ft. | 50 | 4 00 | 35 00 |
| | 5 in. pots, 1 | to 1½ | ft. | 50 | 4 00 | 30 00 |
| | 3 in. pots, 8 | to 12 | in. | 25 | 2 00 | 15 00 |
| Duranta—Plumieri | 5 in. pot, 1 | to 2 | ft. | 50 | 4 00 | |
| | 3 in. pot, 1 | to 1½ | ft. | 40 | 3 00 | 25 00 |
| Edwardsia—Grandiflora | balled, 6 | to 7 | ft. | 2 00 | | |
| Elæagnus —Reflexa argentea | balled, 2 | to 3 | ft. | 1 00 | | |
| | 4 in. pot, 10 | to 12 | in. | 50 | 4 00 | |
| Reflexa aurea | balled, 5 | to 6 | ft. | 2 00 | | |
| | balled, 4 | to 5 | ft. | 1 50 | | |
| | balled, 1½ | to 2 | ft. | 1 00 | | |
| | 4 in. pot, 10 | to 12 | in. | 50 | | |
| Escallonia—Berteriana | balled, 3 | to 4 | ft. | 60 | 5 00 | |
| | balled, 2 | to 3 | ft. | 50 | 4 00 | |
| Leucantha | balled, 2 | to 3 | ft. | 50 | 4 00 | |
| Macrantha | balled, 5 | to 6 | ft. | 1 00 | 8 00 | |
| | balled, 3 | to 4 | ft. | 75 | 6 00 | |
| Rubra | balled, 1 | to 1½ | ft. | 50 | 4 00 | |

| | | | Each | Per 10 | Per 100 |
|---------------------|-------------------------------|------------------------|------|--------|---------|
| Eucalyptus — | Amygdalina . . . | 4 in. pot, 1½ to 2 ft. | 25 | 2 00 | 15 00 |
| | Angulosa | 4 in. pot, 1 to 1½ ft. | 25 | | |
| | Citriodora | 4 in. pot, 1 to 1½ ft. | 40 | 3 50 | |
| | Coccifera | 5 in. pot, 2 to 3 ft. | 50 | | |
| | | 4 in. pot, 8 to 12 in. | 25 | 2 00 | |
| | Cornuta | 5 in. pot, 3 to 4 ft. | 40 | 3 50 | |
| | Corynocalyx (Sugar Gum) | | | | |
| | | 5 in. pot, 2 to 3 ft. | 30 | 2 50 | 20 00 |
| | | 4 in. pot, 2 to 3 ft. | 25 | 2 00 | |
| | Ficifolia (Scarlet-flowering) | | | | |
| | | 6 in. pot, 2 to 3 ft. | 1 00 | 8 00 | |
| | | 6 in. pot, 1½ to 2 ft. | 75 | 6 00 | |
| | | 5 in. pot, 1 to 2 ft. | 50 | 4 00 | |
| | Globulus (Blue Gum) | | | | |
| | | 6 in. pot, 4 to 5 ft. | 40 | 3 50 | |
| | | 5 in. pot, 3 to 4 ft. | 35 | 3 00 | 25 00 |
| | | 4 in. pot, 2 to 3 ft. | 30 | 2 50 | 20 00 |
| | Transplanted, per | | | | |
| | box of 100 each . . . | 6 to 8 in. | 2 50 | | |
| | Gunnii | 5 in. pot, 2 to 3 ft. | 30 | 2 50 | 20 00 |
| | | 3 in. pot, 1 to 2 ft. | 25 | 2 00 | |
| | Jugalis | 4 in. pot, 1½ to 2 ft. | 25 | 2 00 | |
| | Lehmannii | 4 in. pot, 1 to 2 ft. | 30 | 2 50 | |
| | Leucoxylon | 4 in. pot, 2 to 3 ft. | 35 | 3 00 | |
| | Melliodora | 4 in. pot, 1½ to 2 ft. | 30 | 2 50 | |
| | Occidentalis . . . | 5 in. pot, 3 to 4 ft. | 30 | 2 50 | 20 00 |
| | | 4 in. pot, 2 to 3 ft. | 25 | 2 00 | |
| | Robusta | 4 in. pot, 2 to 3 ft. | 30 | 2 50 | 20 00 |
| | Rostrata | 7 in. pot, 3 to 4 ft. | 35 | 3 00 | |
| | | 5 in. pot, 3 to 4 ft. | 30 | 2 50 | |
| | Rudis | 4 in. pot, 2 to 3 ft. | 30 | 2 50 | |
| | Siderophloia . . . | 4 in. pot, 2 to 3 ft. | 25 | 2 00 | 15 00 |
| | Sideroxylon . . . | 7 in. pot, 3 to 4 ft. | 50 | 4 00 | |
| | | 4 in. pot, 2 to 3 ft. | 40 | 3 50 | 25 00 |
| | Tereticornis . . . | 5 in. pot, 3 to 4 ft. | 35 | 3 00 | 25 00 |
| | Viminalis | 4 in. pot, 3 to 4 ft. | 25 | 2 00 | 15 00 |
| | | 4 in. pot, 2 to 3 ft. | 20 | 1 50 | 12 00 |
| | Transplanted, per | | | | |
| | box of 100 each . . . | 6 to 8 in. | 2 50 | | |
| | Viminalis fertilis | | | | |
| | | 6 in. pot, 3 to 4 ft. | 50 | 4 00 | |
| Eugenia — | Australis | balled, 1 to 1½ ft. | 75 | | |
| | | 6 in. pot, 1½ to 2 ft. | 75 | | |
| | | 5 in. pot, 1 to 1½ ft. | 50 | 4 00 | |
| | Jambos | 6 in. pot, 1½ ft. | 1 00 | | |
| | Michellii | 6 in. pot, 2 ft. | 1 00 | | |

| | | | | | | Each | Per 10 | Per 100 |
|--|--|--|--|--|--|------|--------|---------|
| Euonymus—Japonicusballed, 2 to 3 ft. | | | | | | 50 | 4 00 | |
|balled, 1½ to 2 ft. | | | | | | 35 | 3 00 | |
| Jap. Duc d'Anjou.balled, 3 to 4 ft. | | | | | | 75 | 6 00 | 50 00 |
|balled, 2 to 3 ft. | | | | | | 50 | 4 00 | 35 00 |
|balled, 1½ to 2 ft. | | | | | | 40 | 3 50 | |
| Jap. Golden-leaved.balled, 2 to 3 ft. | | | | | | 75 | | |
|balled, 1½ to 2 ft. | | | | | | 50 | 4 00 | |
| Jap. Golden-margined | | | | | | | | |
|balled, 3 to 4 ft. | | | | | | 75 | | |
|balled, 2 to 3 ft. | | | | | | 50 | 4 00 | |
|balled, 1½ to 2 ft. | | | | | | 40 | 3 50 | |
|balled, 1 ft. | | | | | | 25 | 2 00 | |
| Pulchellusballed, 6 to 12 in. | | | | | | 40 | | |
| Radicans variegatus | | | | | | | | |
|12x12 in. box, 1½ to 2 ft. | | | | | | 1 00 | | |
|balled, 2 to 3 ft. | | | | | | 1 00 | | |
|balled, 1 to 1½ ft. | | | | | | 50 | 4 00 | |
| Silver Variegated.balled, 3 to 4 ft. | | | | | | 50 | 4 00 | |
|balled, 2 to 3 ft. | | | | | | 40 | 3 50 | |
|balled, 1½ to 2 ft. | | | | | | 35 | 3 00 | |
| Tricolorballed, 1 to 1½ ft. | | | | | | 50 | | |
| Fabiana—Imbricataballed, 2 to 3 ft. | | | | | | 50 | 4 00 | |
| Ficus—Elastica (India Rubber Plant) | | | | | | | | |
| branched10x12 in. box, 7 to 8 ft. | | | | | | 5 00 | | |
| branched10x12 in. box, 6 to 7 ft. | | | | | | 4 00 | | |
|9 in. pot, 5 to 6 ft. | | | | | | 3 00 | | |
|8 in. pot, 4 to 5 ft. | | | | | | 2 00 | | |
|7 in. pot, 3 to 4 ft. | | | | | | 1 50 | | |
|5 in. pot, 2 to 2½ ft. | | | | | | 1 00 | | |
|5 in. pot, 1 to 1½ ft. | | | | | | 75 | | |
| Macrophylla, | | | | | | | | |
| branched12x12 in. box, 6 to 7 ft. | | | | | | 5 00 | | |
| branched10x12 in. box, 5 to 6 ft. | | | | | | 4 00 | | |
|9 in. pot, 4 to 5 ft. | | | | | | 2 00 | | |
|8 in. pot, 3 to 4 ft. | | | | | | 1 50 | | |
|4 in. pot, 1 to 1½ ft. | | | | | | 75 | | |
| Niponica6 in. pot, 1½ to 2 ft. | | | | | | 1 00 | | |
| Repens5 in. pot, | | | | | | 50 | 4 00 | |
| Garrya—Elliptica12x12 in. box, 4 to 5 ft. | | | | | | 1 50 | | |
|7 in. pot, 3 to 4 ft. | | | | | | 1 00 | | |
|5 in. pot, 1 ft. | | | | | | 75 | | |
| Genista (Broom)—Candicans .5 in. pot, 2 to 3 ft. | | | | | | 40 | 3 00 | |
|4 in. pot, 2 to 3 ft. | | | | | | 35 | 3 00 | 25 00 |
| Portugal, White | | | | | | | | |
|5 in. pot, 2 to 3 ft. | | | | | | 50 | 4 00 | |
|3 in. pot, 1 to 2 ft. | | | | | | 40 | 3 50 | 25 00 |

| | | | | Each | Per 10 | Per 100 |
|---------------------------------|---------------------------------|----|-----------|-------|--------|---------|
| Genista—Cont'd | | | | | | |
| Scotch, Yellow | | | | | | |
| | 5 in. pot, | 3 | to 4 ft. | 40 | 3 50 | 25 00 |
| Spanish, Yellow | | | | | | |
| | 5 in. pot, | 2 | to 3 ft. | 50 | 4 00 | 35 00 |
| | 5 in. pot, | 1 | to 2 ft. | 35 | 3 00 | 25 00 |
| Grevillea—Robusta | | | | | | |
| | 5 in. pot, | 1½ | to 2 ft. | 40 | 3 50 | |
| | 4 in. pot, | 1 | to 1½ ft. | 35 | 3 00 | |
| Habrothamnus—Elegans | | | | | | |
| | 5 in. pot, | 2 | to 3 ft. | 35 | 3 00 | |
| | Fasciculatus. 5 in. pot, | 2 | to 3 ft. | 35 | 3 00 | |
| | 4 in. pot, | 1 | to 2 ft. | 25 | 2 00 | |
| Hakea—Eucalyptoides | | | | | | |
| | 5 in. pot, | 2 | to 3 ft. | 50 | | |
| Heath—Mediterranean | | | | | | |
| | balled, | 2 | to 3 ft. | 75 | 6 00 | |
| | balled, | 1½ | to 2 ft. | 50 | 4 00 | |
| | 6 in. pot, | 1½ | to 2 ft. | 50 | 4 00 | |
| | 5 in. pot, | 1½ | to 2 ft. | 40 | 3 50 | 30 00 |
| | 4 in. pot, | 1 | to 1½ ft. | 30 | 2 50 | 20 00 |
| | Multiflora grandiflora. balled, | 6 | to 12 in. | 25 | 2 00 | |
| | 4 in. pot, | 1 | ft. | 25 | 2 00 | |
| | Persoluta alba. 3 in. pot, | 4 | to 10 in. | 50 | 4 00 | |
| | Persoluta rosea 4 in. pot, | | 1 ft. | 50 | | |
| | Regerminans 5 in. pot, | 1 | to 1½ ft. | 50 | 4 00 | |
| | 4 in. pot, | | 1 ft. | 40 | 3 50 | |
| | Vagans alba. balled, | 6 | to 12 in. | 40 | 3 50 | |
| | 3 in. pot, | 6 | to 8 in. | 25 | 2 00 | |
| Holly—European (English) | | | | | | |
| | boxed, | 11 | to 12 ft. | 10 00 | | |
| | boxed, | 10 | to 11 ft. | 8 00 | | |
| | boxed, | 9 | to 10 ft. | 7 00 | | |
| | boxed, | 8 | to 9 ft. | 6 00 | | |
| | balled, | 7 | to 8 ft. | 5 00 | | |
| | balled, | 6 | to 7 ft. | 4 00 | | |
| | balled, | 5 | to 6 ft. | 3 00 | | |
| | balled, | 2 | to 3 ft. | 1 00 | 8 00 | |
| | balled, | 1½ | to 2 ft. | 75 | 6 00 | 50 00 |
| | Ferox variegata. balled, | 1½ | to 2 ft. | 1 50 | | |
| | Flamula aurea. balled, | 2 | to 3 ft. | 3 00 | 25 00 | |
| | Golden-margined boxed, | 7 | to 8 ft. | 15 00 | | |
| | balled, | 1½ | to 2 ft. | 1 50 | | |
| | Golden Queen. balled, | 8 | to 12 in. | 1 00 | | |
| | Handworth Variegated. balled, | 1 | to 1½ ft. | 2 00 | | |
| | Latifolia variegata. balled, | 2½ | to 3 ft. | 1 50 | | |
| | Scotch Golden. balled, | 8 | to 12 in. | 1 00 | | |
| | Serratifolia aurea. balled, | 1 | to 1½ ft. | 2 00 | | |
| | Silver-margined balled, | 2 | to 3 ft. | 2 00 | | |
| | balled, | 1½ | to 2 ft. | 1 50 | | |
| | Silver Queen. balled, | 2 | to 2½ ft. | 2 00 | | |

| | | | | | | Each | Per 10 | Per 100 |
|------------------------------------|----------------|----|-------|-----|--|------|--------|---------|
| Holly—Cont'd | | | | | | | | |
| Silver Tricolor..... | balled, | 2 | to 3 | ft. | | 2 50 | | |
| Silver Variegated..... | balled, | 2 | to 3 | ft. | | 3 00 | | |
| | balled, | 1 | to 1½ | ft. | | 2 00 | | |
| Variabilis Tricolor..... | balled, | 1 | to 1½ | ft. | | 2 00 | | |
| Hymenosporum—Flavum . . . | 6 in. pot, | 3 | to 4 | ft. | | 75 | | |
| Hypericum—Moserianum . . . | balled, | 1½ | to 2 | ft. | | 50 | 4 00 | 30 00 |
| | balled, | 1 | to 1½ | ft. | | 40 | 3 50 | 25 00 |
| Ichroma—Fuchsioides . . . | 5 in. pot, | 3 | to 4 | ft. | | 50 | 4 00 | |
| Lanceolata . . . | 5 in. pot, | 2 | to 3 | ft. | | 50 | 4 00 | |
| Jacaranda—Mimosæfolia . . . | 6 in. pot, | 3 | to 4 | ft. | | 50 | 4 00 | |
| Juniper—Bermudiana .. | 20x20 in. box, | 9 | to 10 | ft. | | 4 00 | | |
| | balled, | 8 | to 9 | ft. | | 3 00 | | |
| | balled, | 7 | to 8 | ft. | | 2 50 | 20 00 | |
| | balled, | 6 | to 7 | ft. | | 2 00 | 18 00 | |
| | balled, | 5 | to 6 | ft. | | 1 50 | 12 50 | |
| Drupacea . . . | balled, | 6 | to 7 | ft. | | 2 00 | | |
| | balled, | 3 | to 4 | ft. | | 1 50 | 12 50 | |
| | balled, | 2 | to 3 | ft. | | 1 00 | 8 00 | |
| Irish . . . | balled, | 1½ | to 2 | ft. | | 75 | 6 00 | |
| | balled, | 1 | to 1½ | ft. | | 60 | 5 00 | 40 00 |
| Japan . . . | 18x18 in. box, | 6 | to 7 | ft. | | 3 00 | | |
| | balled, | 6 | to 7 | ft. | | 2 00 | | |
| | balled, | 5 | to 6 | ft. | | 1 50 | | |
| | balled, | 4 | to 5 | ft. | | 1 25 | | |
| | balled, | 3 | to 4 | ft. | | 1 00 | 8 00 | |
| Japan Creeping . . . | balled, | 6 | to 12 | in. | | 1 00 | | |
| Japan Variegated | | | | | | | | |
| | 18x18 in. box, | 7 | to 8 | ft. | | 3 00 | | |
| | 14x16 in. box, | 4 | to 5 | ft. | | 2 00 | | |
| | balled, | 7 | to 8 | ft. | | 2 50 | | |
| | balled, | 5 | to 6 | ft. | | 2 00 | | |
| | balled, | 4 | to 5 | ft. | | 1 50 | | |
| Japan Weeping | | | | | | | | |
| | 18x18 in. box, | 7 | to 8 | ft. | | 3 00 | | |
| | balled, | 7 | to 8 | ft. | | 2 50 | | |
| | balled, | 6 | to 7 | ft. | | 2 00 | 18 00 | |
| | balled, | 4 | to 5 | ft. | | 1 25 | | |
| Prostrata . . . | balled, | 2 | to 3 | ft. | | 1 00 | 8 00 | |
| | balled, | 1½ | to 2 | ft. | | 75 | 6 00 | |
| Sabina . . . | balled, | 2 | to 3 | ft. | | 1 00 | 8 00 | |
| | balled, | 1½ | to 2 | ft. | | 75 | 6 00 | |
| Lagunaria—Patersonii . . . | 6 in. pot, | 4 | to 5 | ft. | | 50 | 4 00 | |
| Laurel—California . . . | balled, | 10 | to 11 | ft. | | 3 00 | | |
| | balled, | 9 | to 10 | ft. | | 2 50 | | |
| | balled, | 8 | to 9 | ft. | | 2 25 | | |

| | | | | Each | Per 10 | Per 100 |
|--|------------------|-------|-----|-------|--------|---------|
| Laurel —California | balled, 7 | to 8 | ft. | 2 00 | | |
| | balled, 6 | to 7 | ft. | 1 75 | | |
| | balled, 5 | to 6 | ft. | 1 50 | | |
| Camelliafolia | balled, 11½ | to 2 | ft. | 50 | 4 00 | |
| Cinnamomum | balled, 3 | to 4 | ft. | 2 00 | | |
| | 5 in. pot, 1 | to 2 | ft. | 50 | 4 00 | |
| Elliptica | balled, 4 | to 5 | ft. | 1 50 | 12 00 | |
| | balled, 6 | to 12 | in. | 40 | 3 00 | |
| English | balled, 4 | to 5 | ft. | 1 50 | 12 50 | |
| | balled, 2 | to 3 | ft. | 75 | 6 00 | 50 00 |
| English, large-leaved | balled, 3 | to 4 | ft. | 1 50 | | |
| | balled, 1 | to 2 | ft. | 75 | 6 00 | 50 00 |
| Nobilis (Sweet Bay) | | | | | | |
| | 16x18 in. box, 7 | to 8 | ft. | 5 00 | | |
| | boxed, 8 | to 9 | ft. | 8 00 | | |
| | boxed, 7 | to 8 | ft. | 7 00 | | |
| | balled, 4 | to 5 | ft. | 3 00 | | |
| | balled, 1 | to 1½ | ft. | 50 | 4 00 | |
| Portugal | balled, 11½ | to 2 | ft. | 1 00 | 8 00 | 75 00 |
| Rotundifolia | balled, 2 | to 3 | ft. | 75 | 6 00 | |
| Laurustinus —Common | balled, 3 | to 4 | ft. | 1 00 | | |
| | balled, 2 | to 3 | ft. | 75 | 6 00 | |
| | balled, 11½ | to 2 | ft. | 50 | 4 00 | 35 00 |
| Grandiflora | balled, 2 | to 3 | ft. | 75 | 6 00 | |
| | balled, 11½ | to 2 | ft. | 50 | 4 00 | |
| Rotundifolia | balled, 3 | to 4 | ft. | 75 | 6 00 | 50 00 |
| | balled, 2 | to 3 | ft. | 50 | 4 00 | |
| | balled, 1 | to 2 | ft. | 40 | 3 50 | |
| Variegated | balled, 2 | to 3 | ft. | 75 | 6 00 | |
| | balled, 11½ | to 2 | ft. | 50 | 4 00 | |
| Leptospermum —Laevigatum 5 in. pot, 2 | to 3 | ft. | | 50 | 4 00 | |
| Libocedrus —Chilensis | boxed, 9 | to 10 | ft. | 6 00 | 50 00 | |
| | balled, 7 | to 8 | ft. | 5 00 | | |
| Decurrens 20x20 in. box, 8 | to 9 | ft. | | 12 00 | | |
| | 20x20 in. box, 7 | to 8 | ft. | 10 00 | | |
| | boxed, 12 | to 13 | ft. | 10 00 | 80 00 | 600 00 |
| | boxed, 11 | to 12 | ft. | 10 00 | 85 00 | |
| | boxed, 10 | to 11 | ft. | 9 00 | 80 00 | |
| | boxed, 9 | to 10 | ft. | 8 00 | 75 00 | |
| | boxed, 8 | to 9 | ft. | 7 00 | 60 00 | |
| | balled, 6 | to 7 | ft. | 5 00 | | |
| | balled, 5 | to 6 | ft. | 4 00 | | |
| Viridis | balled, 8 | to 9 | ft. | 4 00 | | |
| Ligustrum —Ciliatum | balled, 2 | to 3 | ft. | 75 | | |

| | | | | Each | Per 10 | Per 100 | | | | | |
|--|----|-------|-----|------|--------|---------|----|-------|-----|-------|-------|
| Ligustrum—Ciliatum Variegatum | | | | | | | | | | | |
|balled, | 2 | to 3 | ft. | 75 | | | | | | | |
| Coriaceumballed, | 1½ | to 2 | ft. | 50 | | | | | | | |
| Ibotanaked roots, | 5 | to 6 | ft. | 75 | 6 00 | | | | | | |
|naked roots, | 3 | to 4 | ft. | 40 | 3 50 | | | | | | |
|naked roots, | 2 | to 3 | ft. | 25 | | | | | | | |
| Japonicum 12x12 in. box, | 4 | to 5 | ft. | 1 50 | | | | | | | |
|balled, | 4 | to 5 | ft. | 75 | 6 00 | 40 00 | | | | | |
|balled, | 3 | to 4 | ft. | 50 | 4 00 | 35 00 | | | | | |
| Regelianumballed, | 2 | to 3 | ft. | 50 | 4 00 | | | | | | |
| Sinenseballed, | 2 | to 3 | ft. | 50 | 4 00 | | | | | | |
| Spicatum microphyllum | | | | | | | | | | | |
|balled, | 2 | to 3 | ft. | 50 | 4 00 | | | | | | |
| Tricolorballed, | 5 | to 6 | ft. | 75 | 6 00 | | | | | | |
|5 in. pot, | 1 | to 1½ | ft. | 40 | 3 50 | 25 00 | | | | | |
| Variegatedballed, | 1 | to 1½ | ft. | 50 | 4 00 | 35 00 | | | | | |
|5 in. pot, | 1 | to 1½ | ft. | 40 | 3 50 | 25 00 | | | | | |
| Loquat—Variegatedballed, | | | | | | | 5 | to 6 | ft. | 1 50 | 12 50 |
|balled, | | | | | | | 4 | to 5 | ft. | 1 00 | 7 50 |
| Magnolia —Crispaboxed, | | | | | | | 10 | to 11 | ft. | 8 00 | 60 00 |
|boxed, | | | | | | | 9 | to 10 | ft. | 7 00 | 50 00 |
|boxed, | | | | | | | 8 | to 9 | ft. | 6 00 | 45 00 |
| Fuscata12x12 in. box, | | | | | | | 4 | to 5 | ft. | 2 50 | |
|balled, | | | | | | | 2½ | to 3 | ft. | 2 00 | |
|balled, | | | | | | | 1½ | to 2 | ft. | 1 00 | |
| Grandiflora20x20 in. box, | | | | | | | 8 | to 9 | ft. | 10 00 | 80 00 |
|18x18 in. box, | | | | | | | 10 | to 11 | ft. | 8 00 | 60 00 |
|16x18 in. box, | | | | | | | 8 | to 9 | ft. | 7 00 | |
|14x16 in. box, | | | | | | | 6 | to 7 | ft. | 3 00 | 25 00 |
|boxed, | | | | | | | 12 | to 13 | ft. | 8 00 | 75 00 |
|balled, | | | | | | | 8 | to 10 | ft. | 6 00 | 50 00 |
|balled, | | | | | | | 7 | to 8 | ft. | 3 00 | 25 00 |
|balled, | | | | | | | 6 | to 7 | ft. | 2 50 | 20 00 |
|balled, | | | | | | | 5 | to 6 | ft. | 2 00 | 18 00 |
|balled, | | | | | | | 4 | to 5 | ft. | 1 50 | 12 50 |
|balled, | | | | | | | 3 | to 4 | ft. | 1 00 | 8 00 |
| La Gallisoniereboxed, | | | | | | | 9 | to 10 | ft. | 7 00 | 60 00 |
| Oxoniensis18x18 in. box, | | | | | | | 11 | to 12 | ft. | 10 00 | |
|14x14 in. box, | | | | | | | 7 | to 8 | ft. | 8 00 | |
|boxed, | | | | | | | 10 | to 11 | ft. | 8 00 | 75 00 |
|boxed, | | | | | | | 8 | to 9 | ft. | 6 00 | 50 00 |
|balled, | | | | | | | 3 | to 4 | ft. | 1 50 | 12 50 |
| Præcox du Grand Jardin | | | | | | | | | | | |
|boxed, | | | | | | | 9 | to 10 | ft. | 5 00 | 40 00 |
| Præcox du Mans...boxed, | | | | | | | 12 | to 13 | ft. | 8 00 | 75 00 |
| Mahonia—Aquifoliumballed, | | | | | | | 2 | to 3 | ft. | 75 | 6 00 |
|balled, | | | | | | | 1 | to 2 | ft. | 50 | 4 00 |

| | | | | | | Each | Per 10 | Per 100 |
|-----------------------------------|------------------|-------|-----|--|--|------|--------|---------|
| Mahonia—Cont'd | | | | | | | | |
| Beallii | balled, 2 | to 3 | ft. | | | 75 | 6 00 | |
| | balled, 1 | to 2 | ft. | | | 50 | 4 00 | |
| Fascicularis | balled, 2 | to 3 | ft. | | | 75 | 6 00 | 50 00 |
| | balled, 1 | to 2 | ft. | | | 50 | 4 00 | 35 00 |
| Japonica | balled, 1 | to 2 | ft. | | | 50 | | |
| Madrone | 5 in. pot, 4 | to 6 | in. | | | 1 00 | | |
| Maytenus | 5 in. pot, 3 | to 4 | ft. | | | 50 | 4 00 | |
| Melaleuca—Decussata | balled, 2 | to 3 | ft. | | | 50 | 4 00 | |
| | 6 in. pot, 2 | to 2½ | ft. | | | 50 | 4 00 | |
| Ericifolia | balled, 2 | to 3 | ft. | | | 50 | 4 00 | |
| | 6 in. pot, 2 | to 2½ | ft. | | | 50 | 4 00 | |
| Staphyleoides | balled, 6 | to 7 | ft. | | | 75 | 6 00 | |
| Metinea—Chilensis | 5 in. pot, 3 | to 4 | ft. | | | 50 | 4 00 | |
| Metrosideros—Semperflorens | balled, 2 | to 3 | ft. | | | 75 | | |
| | 4 in. pot, 1 | | ft. | | | 50 | 4 00 | |
| Murraya—Exotica | 6 in. pot, 1 | to 2 | ft. | | | 1 00 | | |
| Myoporum—Laetum | 5 in. pot, 1 | | ft. | | | 50 | | |
| Myrtle—Common | balled, 2 | to 3 | ft. | | | 75 | | |
| | balled, 1 | to 1½ | ft. | | | 50 | 4 00 | 35 00 |
| | balled, 6 | to 12 | in. | | | 35 | 3 00 | 25 00 |
| Double-flowering | balled, 1½ | to 2 | ft. | | | 75 | | |
| | balled, 6 | to 8 | in. | | | 40 | | |
| Microphylla | balled, 2 | to 3 | ft. | | | 75 | 5 00 | |
| | balled, 6 | to 8 | in. | | | 35 | 3 00 | 25 00 |
| Thymifolia | balled, 3 | to 4 | ft. | | | 1 00 | 7 50 | |
| | balled, 6 | to 8 | in. | | | 35 | 3 00 | 25 00 |
| Variegated | balled, 2 | to 3 | ft. | | | 75 | 6 00 | |
| Nandina—Domestica | 12x12 in. box, 3 | to 4 | ft. | | | 3 00 | 25 00 | |
| | balled, 4 | to 5 | ft. | | | 2 00 | 18 00 | |
| Oak—Acuta | balled, 4 | to 5 | ft. | | | 2 00 | 17 50 | |
| | balled, 2 | to 3 | ft. | | | 1 50 | | |
| California Live | balled, 6 | to 7 | ft. | | | 2 00 | 17 50 | |
| | balled, 5 | to 6 | ft. | | | 1 50 | 12 00 | |
| | 7 in. pot, 2 | to 3 | ft. | | | 75 | 6 00 | |
| | 5 in. pot, 1 | to 1½ | ft. | | | 50 | 4 00 | |
| Cork | balled, 6 | to 7 | ft. | | | 2 00 | 18 00 | |
| | balled, 5 | to 6 | ft. | | | 1 50 | 12 50 | |
| | balled, 4 | to 5 | ft. | | | 1 00 | 8 00 | |
| | balled, 3 | to 4 | ft. | | | 75 | 6 00 | |
| | 7 in. pot, 2 | to 3 | ft. | | | 50 | 4 00 | |
| Cuspidata | balled, 10 | to 11 | ft. | | | 3 00 | | |
| | balled, 6 | to 7 | ft. | | | 2 00 | | |
| | balled, 5 | to 6 | ft. | | | 1 50 | | |
| | balled, 4 | to 5 | ft. | | | 1 25 | | |
| | balled, 3 | to 4 | ft. | | | 1 00 | 8 00 | |

| | | | | Each | Per 10 | Per 100 |
|---|---------------|-------|-----|------|--------|---------|
| Oak—Cont'd | | | | | | |
| Glauca | balled, 3 | to 4 | ft. | 1 50 | 12 50 | |
| Holly-leaved | balled, 6 | to 7 | ft. | 2 00 | 18 00 | |
| | balled, 4 | to 5 | ft. | 1 50 | 12 50 | |
| | balled, 3 | to 4 | ft. | 1 00 | 8 00 | |
| | 6 in. pot, 1½ | to 2 | ft. | 50 | 4 50 | 40 00 |
| Olea—Aquifolium | balled, 3 | to 4 | ft. | 1 50 | | |
| Fragrans, white | balled, 2 | to 3 | ft. | 1 00 | | |
| | 5 in. pot, 1 | | ft. | 50 | 4 00 | |
| Fragrans, yellow. | balled, 2 | to 3 | ft. | 1 00 | | |
| | 5 in. pot, 2 | to 3 | ft. | 75 | 6 00 | |
| | 5 in. pot, 1 | to 2 | ft. | 50 | 4 00 | |
| Oleander—Double Pink . 14x14 in. box, 5 | | to 6 | ft. | 2 00 | | |
| Assorted | balled, 5 | to 6 | ft. | 1 50 | 12 50 | |
| | balled, 4 | to 5 | ft. | 1 25 | 10 00 | 80 00 |
| | balled, 3 | to 4 | ft. | 1 00 | 8 00 | 60 00 |
| | balled, 2 | to 3 | ft. | 75 | | |
| Double Pink. Double White. | | | | | | |
| Single White. Yellow. | | | | | | |
| Dr. Golfin, single, bright lilac rose. | | | | | | |
| Mad. Chas. Baltet, rosy carmine, semi-double. | | | | | | |
| Mad. Dubois, single, pure white. | | | | | | |
| Mad. Peyre, straw colored, semi-double. | | | | | | |
| Madonna Grandiflorum, large white, semi-double. | | | | | | |
| Purpureum Grandiflorum, single purple. | | | | | | |
| Orange—Flowering. | | | | | | |
| Bigardia | 8 in. pot, 1½ | to 2 | ft. | 1 50 | | |
| Assorted | balled, 5 | to 6 | ft. | 2 00 | | |
| | balled, 4 | to 5 | ft. | 1 50 | 12 50 | 100 00 |
| | balled, 3 | to 4 | ft. | 1 25 | 10 00 | 80 00 |
| | balled, 2 | to 3 | ft. | 1 00 | | |
| Bouquet des Fleurs. | | | | | | |
| Golden Variegated. Seville. | | | | | | |
| Osmanthus—Aquifolium | balled, 3 | to 4 | ft. | 1 00 | 8 00 | |
| | balled, 2 | to 3 | ft. | 75 | 6 00 | |
| | 5 in. pot, 1 | | ft. | 50 | 4 00 | |
| Marginata alba. 5 in. pot, 1 | | | ft. | 50 | | |
| Variegata aurea. 5 in. pot, 1 | | | ft. | 75 | | |
| Pepper Tree | 5 in. pot, 4 | to 5 | ft. | 50 | 4 00 | 35 00 |
| | 5 in. pot, 3 | to 4 | ft. | 40 | 3 50 | 30 00 |
| | 4 in. pot, 4 | to 5 | ft. | 40 | 3 50 | 30 00 |
| | 4 in. pot, 3 | to 4 | ft. | 35 | 3 00 | 25 00 |
| | 4 in. pot, 2 | to 3 | ft. | 30 | 2 50 | 20 00 |
| | 4 in. pot, 1 | to 2 | ft. | 25 | 2 00 | 15 00 |
| Terebinthifolius | | | | | | |
| | 5 in. pot, 2 | to 2½ | ft. | 50 | | |

| | | | | | | Each | Per 10 | Per 100 |
|---------------------------------------|-------------------|-------|-----|------|-------|-------|--------|---------|
| Pereskia —Aculeata | 5 in. pot, 1 | to 2 | ft. | 50 | | 4 00 | | |
| Phillyrea —Latifolia | balled, 1 | to 1½ | ft. | 75 | | 6 00 | | |
| Photinia —Serrulata | balled, 5 | to 6 | ft. | 1 25 | 10 00 | 80 00 | | |
| | balled, 4 | to 5 | ft. | 1 00 | 8 00 | 60 00 | | |
| | balled, 3 | to 4 | ft. | 75 | 6 00 | | | |
| | balled, 2 | to 3 | ft. | 50 | 4 00 | | | |
| | 5 in. pot, 2 | to 3 | ft. | 50 | 4 00 | | | |
| Pine —Austrian | balled, 3 | to 4 | ft. | 1 00 | 8 00 | | | |
| | balled, 2 | to 3 | ft. | 75 | 6 00 | 50 00 | | |
| | 6 in. pot, 2 | to 2½ | ft. | 75 | 6 00 | 50 00 | | |
| Canariensis | boxed, 11 | to 12 | ft. | 8 00 | | | | |
| | balled, 5 | to 6 | ft. | 3 00 | | | | |
| | balled, 4 | to 5 | ft. | 2 00 | 18 00 | | | |
| | balled, 3 | to 4 | ft. | 1 50 | 12 50 | | | |
| | 5 in. pot, 1 | to 1½ | ft. | 50 | 4 00 | 35 00 | | |
| Contorta | boxed, 13 | to 14 | ft. | 3 00 | | | | |
| | balled, 4 | to 5 | ft. | 1 50 | | | | |
| | balled, 2 | to 3 | ft. | 1 00 | | | | |
| Coulteri | boxed, 11 | to 12 | ft. | 8 00 | | | | |
| | balled, 4 | to 5 | ft. | 1 50 | | | | |
| | 5 in. pot, 8 | to 12 | in. | 50 | 4 00 | | | |
| Densiflora | balled, 3 | to 4 | ft. | 1 50 | | | | |
| | balled, 2 | to 3 | ft. | 1 00 | | | | |
| Edulis | balled, 1½ | to 2 | ft. | 1 00 | | | | |
| Halepensis | balled, 5 | to 6 | ft. | 1 50 | 12 00 | | | |
| | balled, 3 | to 4 | ft. | 1 00 | 8 00 | | | |
| | 5 in. pot, 2 | to 3 | ft. | 50 | 4 00 | 35 00 | | |
| Transplanted, per box of | | | | | | | | |
| 100 each | 4 | to 6 | in. | 2 50 | | | | |
| Laricio | balled, 4 | to 5 | ft. | 1 50 | | | | |
| | balled, 3 | to 4 | ft. | 1 00 | 8 00 | | | |
| Maritima | 16x18 in. box, 10 | to 11 | ft. | 4 00 | | | | |
| | boxed, 13 | to 14 | ft. | 5 00 | | | | |
| | boxed, 8 | to 9 | ft. | 3 00 | | | | |
| | balled, 6 | to 7 | ft. | 2 00 | | | | |
| Mascayana | balled, 3 | to 4 | ft. | 2 00 | | | | |
| | balled, 2 | to 3 | ft. | 1 50 | 12 50 | | | |
| Massoniana | balled, 3 | to 4 | ft. | 1 50 | | | | |
| | balled, 2 | to 3 | ft. | 1 00 | | | | |
| Massoniana pendula | | | | | | | | |
| | 10x10 in. box, 2 | to 3 | ft. | 3 50 | | | | |
| Monterey | 14x16 in. box, 7 | to 8 | ft. | 3 50 | | | | |
| | 10x12 in. box, 8 | to 9 | ft. | 3 00 | | | | |
| | boxed, 8 | to 9 | ft. | 2 50 | 20 00 | | | |

| | | | | | | Each | Per 10 | Per 100 |
|--------------------------------------|------------------|-------|-----|--|--|------|--------|---------|
| Pine—Monterey —Cont'd | | | | | | | | |
| | balled, 7 | to 8 | ft. | | | 2 00 | 18 00 | |
| | balled, 6 | to 7 | ft. | | | 1 50 | 12 50 | 100 00 |
| | balled, 5 | to 6 | ft. | | | 1 00 | 8 00 | 75 00 |
| | balled, 4 | to 5 | ft. | | | 75 | 6 00 | 50 00 |
| | balled, 3 | to 4 | ft. | | | 50 | 4 00 | 30 00 |
| | balled, 2 | to 3 | ft. | | | 40 | 3 00 | |
| Pinea | 14x16 in. box, 6 | to 7 | ft. | | | 5 00 | | |
| | balled, 3 | to 4 | ft. | | | 2 00 | | |
| | 5 in. pot, 1 | to 1½ | ft. | | | 50 | 4 00 | |
| Ponderosa | balled, 3 | to 4 | ft. | | | 1 00 | | |
| | balled, 2 | to 3 | ft. | | | 75 | 6 00 | |
| Scotch | balled, 7 | to 8 | ft. | | | 1 75 | | |
| | balled, 6 | to 7 | ft. | | | 1 50 | | |
| | balled, 5 | to 6 | ft. | | | 1 25 | 10 00 | |
| | balled, 4 | to 5 | ft. | | | 1 00 | 7 50 | |
| Strobilus glauca | balled, | 8 | in. | | | 1 00 | | |
| Sylvestris | 4 in. pot, 6 | to 8 | in. | | | 50 | | |
| Torreyana | 4 in. pot, 8 | to 12 | in. | | | 75 | | |
| Pittosporum—Eugenioides, | | | | | | | | |
| | 12x12 in. box, 4 | to 5 | ft. | | | 1 50 | | |
| | 10x12 in. box, 4 | to 5 | ft. | | | 1 25 | | |
| | 10x12 in. box, 3 | to 4 | ft. | | | 1 00 | | |
| | balled, 6 | to 7 | ft. | | | 1 50 | | |
| | balled, 5 | to 6 | ft. | | | 1 25 | | |
| | balled, 4 | to 5 | ft. | | | 1 00 | 7 50 | |
| | balled, 3 | to 4 | ft. | | | 75 | 6 00 | 50 00 |
| | balled, 2 | to 3 | ft. | | | 60 | 5 00 | 40 00 |
| | balled, 1½ | to 2 | ft. | | | 50 | 4 00 | 30 00 |
| Nigricans, 10x12 in. box, 5 | to 6 | ft. | | | | 1 50 | 12 50 | |
| | balled, 6 | to 7 | ft. | | | 1 25 | | |
| | balled, 5 | to 6 | ft. | | | 1 00 | | |
| | balled, 4 | to 5 | ft. | | | 75 | 6 00 | 50 00 |
| | balled, 3 | to 4 | ft. | | | 60 | 5 00 | |
| | balled, 2 | to 3 | ft. | | | 50 | 4 00 | |
| | 4 in. pot, 2 | to 3 | ft. | | | 35 | 3 00 | |
| Tobira | balled, 3 | to 4 | ft. | | | 1 00 | | |
| | balled, 6 | to 12 | in. | | | 40 | 3 00 | |
| Tobira, Variegated, | | | | | | | | |
| | balled, 2 | to 3 | ft. | | | 50 | 4 00 | |
| Podocarpus—Macrophylla | | | | | | | | |
| | balled, 4 | to 5 | ft. | | | 1 50 | | |
| | balled, 3 | to 4 | ft. | | | 1 00 | | |
| | 7 in. pot, 4 | to 5 | ft. | | | 75 | 6 00 | |
| | 7 in. pot, 3 | to 4 | ft. | | | 50 | | |
| Polygala—Dalmatiana | 5 in. pot, 1 | to 1½ | ft. | | | 50 | | |
| Redwood—Sequoia Sempervirens, | | | | | | | | |
| | boxed, 8 | to 9 | ft. | | | 3 50 | | |

| | | | | | | Each | Per 10 | Per 100 |
|--|----------------|----|-------|-----|--|------|--------|---------|
| Redwood—Sequoia Sempervirens | | | | | | | | |
| | boxed, | 7 | to 8 | ft. | | 3 00 | | |
| | balled, | 6 | to 7 | ft. | | 2 00 | 18 00 | |
| | balled, | 5 | to 6 | ft. | | 1 50 | 12 50 | 100 00 |
| | balled, | 4 | to 5 | ft. | | 1 00 | 8 00 | |
| | balled, | 3 | to 4 | ft. | | 75 | | |
| | balled, | 2 | to 3 | ft. | | 50 | 4 00 | |
| | 5 in. pot, | 2 | to 3 | ft. | | 50 | 4 00 | 30 00 |
| Sempervirens glauca. | balled, | 6 | to 7 | ft. | | 2 00 | 18 00 | |
| | balled, | 5 | to 6 | ft. | | 1 50 | 12 50 | 100 00 |
| | balled, | 4 | to 5 | ft. | | 1 25 | 10 00 | |
| | balled, | 3 | to 4 | ft. | | 1 00 | | |
| | balled, | 2 | to 3 | ft. | | 75 | | |
| Retinispora—Plumosa | balled, | 3 | to 4 | ft. | | 1 25 | 10 00 | |
| | balled, | 2 | to 3 | ft. | | 1 00 | 8 00 | |
| Plumosa aurea. | balled, | 3 | to 4 | ft. | | 1 25 | | |
| | balled, | 1 | to 1½ | ft. | | 75 | 6 00 | |
| Viridis | balled, | 1½ | to 2 | ft. | | 75 | 6 00 | 50 00 |
| Rhododendron—Grafted Varieties, | | | | | | | | |
| | 9 in. pot, | 1½ | to 2 | ft. | | 3 00 | | |
| | 7 in. pot, | 1½ | to 2 | ft. | | 1 50 | | |
| Ponticum | balled, | 1 | to 1½ | ft. | | 1 50 | | |
| Rosemary | balled, | 1½ | to 2 | ft. | | 25 | | |
| Ruscus—Aculeatus | balled, | 1 | to 1½ | ft. | | 50 | 4 00 | |
| Sciadopitys—Verticillata, | | | | | | | | |
| | 10x12 in. box, | 6 | to 7 | ft. | | 5 00 | | |
| | 10x12 in. box, | 4 | to 5 | ft. | | 4 00 | | |
| | 10 in. pot, | 4 | to 5 | ft. | | 4 00 | 35 00 | |
| | 9 in. pot, | 4 | to 5 | ft. | | 3 00 | | |
| | 8 in. pot, | 3 | to 4 | ft. | | 2 50 | 20 00 | |
| | 8 in. pot, | 2½ | to 3 | ft. | | 2 00 | 17 50 | |
| Spruce—Alba | | | | | | | | |
| | 20x20 in. box, | 6 | to 7 | ft. | | 5 00 | | |
| | 18x18 in. box, | 5 | to 6 | ft. | | 4 00 | | |
| | boxed, | 7 | to 8 | ft. | | 5 00 | | |
| | balled, | 6 | to 7 | ft. | | 4 00 | | |
| | balled, | 5 | to 6 | ft. | | 3 00 | 25 00 | |
| | balled, | 4 | to 5 | ft. | | 2 00 | 18 00 | |
| | balled, | 3 | to 4 | ft. | | 1 50 | 12 50 | |
| Alcockiana | balled, | 4 | to 5 | ft. | | 3 00 | | |
| | balled, | 3 | to 4 | ft. | | 2 50 | | |
| | balled, | 2 | to 3 | ft. | | 2 00 | | |
| Balsam | 20x20 in. box, | 6 | to 7 | ft. | | 3 50 | | |
| | 18x18 in. box, | 5 | to 6 | ft. | | 3 00 | | |
| | balled, | 5 | to 6 | ft. | | 2 50 | 20 00 | |
| | balled, | 4 | to 5 | ft. | | 2 00 | 18 00 | |
| | balled, | 3 | to 4 | ft. | | 1 50 | 12 50 | |

| | | | | | | Each | Per 10 | Per 100 |
|--|--|--|--|--|--|------|--------|---------|
| Spruce—Cephalonicaballed, 3 | | | | | | 1 50 | | |
|balled, 2 | | | | | | 1 00 | 8 00 | |
| Coeruleaballed, 3 | | | | | | 1 50 | 12 50 | |
|balled, 2 | | | | | | 1 00 | 8 00 | |
| Concolor14x16 in. box, 3 | | | | | | 3 00 | | |
|12x12 in. box, 2 | | | | | | 2 50 | | |
|balled, 3 | | | | | | 2 00 | | |
|balled, 2 | | | | | | 1 50 | 12 50 | 100 00 |
|balled, 1½ | | | | | | 1 00 | 8 00 | 75 00 |
| Douglas22x22 in. box, 8 | | | | | | 5 00 | | |
|22x22 in. box, 7 | | | | | | 4 00 | | |
|balled, 9 | | | | | | 4 00 | | |
|balled, 7 | | | | | | 3 00 | | |
|balled, 6 | | | | | | 2 50 | | |
|balled, 5 | | | | | | 2 00 | 18 00 | |
|balled, 4 | | | | | | 1 50 | 12 50 | |
| Engelmanniballed, 2 | | | | | | 1 50 | 12 50 | 100 00 |
|balled, 1½ | | | | | | 1 00 | 8 00 | 75 00 |
| Excelsa (Norway) . . .balled, 4 | | | | | | 1 50 | 12 50 | |
|balled, 3 | | | | | | 1 00 | 8 00 | |
|balled, 2 | | | | | | 75 | 6 00 | 50 00 |
| Excelsa aureaballed, 6 | | | | | | 2 00 | | |
|balled, 5 | | | | | | 1 50 | | |
| Excelsa aurea pendula , | | | | | | | | |
|balled, 3 | | | | | | 1 50 | | |
| Firmaballed, 2 | | | | | | 1 50 | | |
| Grandisballed, 1 | | | | | | 1 00 | 8 00 | |
| Lasiocarpaballed, 1 | | | | | | 1 50 | | |
| Mariesiiballed, 3 | | | | | | 2 50 | | |
|balled, 2 | | | | | | 2 00 | 18 00 | |
| Menzies18x18 in. box, 8 | | | | | | 5 00 | | |
|16x18 in. box, 4 | | | | | | 4 00 | | |
|14x16 in. box, 3 | | | | | | 2 50 | | |
|balled, 3 | | | | | | 1 50 | 12 50 | 100 00 |
|balled, 2 | | | | | | 1 00 | 8 00 | 75 00 |
| Morindaballed, 2 | | | | | | 2 00 | 17 50 | |
| Nobilisballed, 2 | | | | | | 2 50 | | |
|balled, 1½ | | | | | | 2 00 | | |
| Nobilis glaucaballed, 1½ | | | | | | 2 00 | | |
| Nordman's Silver , | | | | | | | | |
|18x20 in. box, 3 | | | | | | 5 00 | | |
|18x16 in. box, 4 | | | | | | 6 00 | | |
|18x16 in. box, 3 | | | | | | 5 00 | | |
|balled, 3 | | | | | | 3 00 | | |
|balled, 2 | | | | | | 2 50 | | |
| Orientalisballed, 1 | | | | | | 1 00 | 8 00 | |

| | | | | | | Each | Per 10 | Per 100 |
|---|--|--|--|--|--|-------|--------|---------|
| Spruce —Pinsapo balled, 2 to 3 ft. | | | | | | 3 00 | 25 00 | |
| balled, 1½ to 2 ft. | | | | | | 2 00 | 18 00 | |
| Polita 14x16 in. box, 3 to 4 ft. | | | | | | 4 00 | | |
| balled, 3 to 4 ft. | | | | | | 3 00 | | |
| balled, 2 to 3 ft. | | | | | | 2 00 | | |
| Pungens 16x18 in. box, 6 to 7 ft. | | | | | | 10 00 | | |
| balled, 6 to 7 ft. | | | | | | 8 00 | | |
| balled, 4 to 5 ft. | | | | | | 5 00 | | |
| balled, 2 to 3 ft. | | | | | | 3 00 | | |
| Pungens glauca (Colorado | | | | | | | | |
| Blue Spruce) 22x22 in. box, 6 to 7 ft. | | | | | | 15 00 | | |
| 20x20 in. box, 5 to 6 ft. | | | | | | 12 00 | | |
| boxed, 5 to 6 ft. | | | | | | 10 00 | | |
| balled, 3 to 4 ft. | | | | | | 3 50 | | |
| balled, 2 to 3 ft. | | | | | | 3 00 | | |
| Pungens Kosteriana . . balled, 1 to 1½ ft. | | | | | | 2 50 | | |
| Remonti balled, 10 to 12 in. | | | | | | 1 00 | | |
| Sterculia —See Brachychiton. | | | | | | | | |
| Sutherlandia —Frutescens . . . 5 in. pot, 3 to 4 ft. | | | | | | 50 | 4 00 | |
| Thuyopsis —Dolobrata 10 to 12 in. | | | | | | 75 | | |
| Dolobrata variegata, | | | | | | | | |
| balled, 2 to 3 ft. | | | | | | 75 | 6 00 | |
| balled, 1 to 1½ ft. | | | | | | 50 | 4 00 | |
| Torreya —Nucifera (Japan Nutmeg), | | | | | | | | |
| balled, 2 to 3 ft. | | | | | | 1 00 | | |
| Umbrella Pine —See Sciadopitys. | | | | | | | | |
| Veronica —Andersonii balled, 3 to 4 ft. | | | | | | 50 | 4 00 | |
| balled, 2 to 3 ft. | | | | | | 25 | 2 00 | |
| Decussata balled, 2 to 3 ft. | | | | | | 50 | 4 00 | |
| balled, 1½ to 2 ft. | | | | | | 40 | 3 50 | 30 00 |
| Imperialis balled, 1½ to 2 ft. | | | | | | 50 | 4 00 | |
| Variegated balled, 2 to 3 ft. | | | | | | 50 | 4 00 | |
| Viburnum —Awabucki balled, 4 to 5 ft. | | | | | | 1 50 | | |
| balled, 3 to 4 ft. | | | | | | 1 00 | | |
| Odoratum variegatum, | | | | | | | | |
| balled, 4 to 5 ft. | | | | | | 1 50 | | |
| Vitex —Agnus-castus 6 in. pot, 1½ to 2 ft. | | | | | | 25 | | |
| Yew —Dwarf Golden (Elegantissima). | | | | | | | | |
| 12x12 in. box, 2 to 3 ft. | | | | | | 3 00 | | |
| English balled, 2 to 3 ft. | | | | | | 1 00 | | |
| balled, 1½ to 2 ft. | | | | | | 75 | | |
| Erecta balled, 1 to 1½ ft. | | | | | | 50 | 4 00 | |
| Irish 10x10 in. box, 2 to 3 ft. | | | | | | 1 50 | | |
| balled, 2 to 3 ft. | | | | | | 1 00 | | |
| balled, 1 to 1½ ft. | | | | | | 75 | | |
| Washingtoni balled, 2 to 3 ft. | | | | | | 2 50 | 20 00 | |
| balled, 1½ to 2 ft. | | | | | | 2 00 | 18 00 | |
| Washingtoni variegata.. balled, 1½ to 2 ft. | | | | | | 2 00 | 18 00 | |

HEDGE PLANTS

| | | | | Each | Per 10 | Per 100 |
|--|------------|-------|-----|------|--------|---------|
| Box—Dwarf | 4 | to 6 | in. | 10 | 80 | 4 00 |
| Japan Broad-leaved | 6 | to 8 | in. | 20 | 1 50 | 10 00 |
| Japan Narrow-leaved | 6 | to 8 | in. | 20 | 1 50 | 10 00 |
| Sempervirens (Tree Box) | 6 | to 8 | in. | 20 | 1 50 | 10 00 |
| Cypress—Monterey | balled, 3 | to 4 | ft. | | 3 50 | 30 00 |
| | balled, 2 | to 3 | ft. | | 3 00 | 25 00 |
| | balled, 1½ | to 2 | ft. | | 2 00 | 15 00 |
| Laurostinus—Common | balled, 6 | to 12 | in. | | 2 50 | 20 00 |
| Pomegranate | 6 | to 12 | in. | 15 | 1 25 | 8 00 |
| Privet—California 2 yrs., (Per 1000) 50 00, | 1½ | to 2 | ft. | 20 | 1 50 | 8 00 |
| 1 yr., " 40 00, | 8 | to 12 | in. | 15 | 1 25 | 7 00 |
| Evergreen 2 yrs., " 50 00 | 1½ | to 2 | ft. | 20 | 1 50 | 8 00 |
| . . . 1 yr., " 40 00, | 8 | to 12 | in. | 15 | 1 25 | 7 00 |
| Japanese | balled, 3 | to 4 | ft. | | 4 00 | 35 00 |
| Rose—Gloire des Rosemanes | 1 | to 2 | ft. | 25 | 2 00 | 15 00 |

DECIDUOUS FLOWERING SHRUBS

| | | | | Each | Per 10 | Per 100 |
|--|--------------|------|-----|------|--------|---------|
| Almond—Dwarf, Double White and | | | | | | |
| Double Red | 2 | to 3 | ft. | 40 | 3 00 | |
| Althea—(Rose of Sharon) | 3 | to 4 | ft. | 50 | 4 00 | |
| | 2 | to 3 | ft. | 40 | 3 50 | |
| Double pink, Double red, Double white. | | | | | | |
| Amplissima, double, white. | | | | | | |
| Aurantiaca, semi-double, flesh. | | | | | | |
| Fastiosa, double, white. | | | | | | |
| Grandiflora, pink. | | | | | | |
| Jeanne d'Arc, double, white. | | | | | | |
| Leopoldi, double, flesh, shaded rose. | | | | | | |
| Rosea, rose color. | | | | | | |
| Variegated, violet, semi-double. | | | | | | |
| Violacea flore plena, double, violet, lilac. | | | | | | |
| Apple—Flowering | 6 | to 8 | ft. | 75 | 6 00 | |
| | 4 | to 6 | ft. | 50 | 4 00 | |
| | 3 | to 4 | ft. | 40 | 3 50 | |
| Atropurpurea, dark purple, semi-double. | | | | | | |
| Halliana, rose-colored. | | | | | | |
| Scheideckers, pink. | | | | | | |
| Apple—Bechtels Double Rose | 4 | to 6 | ft. | 75 | 6 00 | |
| | 3 | to 4 | ft. | 50 | 4 00 | |
| | 2 | to 3 | ft. | 40 | 3 50 | |
| | 8 in. pot, 2 | to 3 | ft. | 1 00 | 8 00 | |




| | | | Each | Per 10 | Per 100 |
|---|------------|-------|------|--------|---------|
| Apricot —Flowering | 4 | to 6 | ft. | 50 | 4 00 |
| | 3 | to 4 | ft. | 40 | 3 00 |
| Azalea —Mollis 8 in. pot, | 11½ | to 2 | ft. | 1 00 | 8 00 |
| | 8 | to 10 | in. | 75 | 6 00 |
| Carmine, Cherry Red, Cream, Red, Salmon, White. | | | | | |
| Berberry —Common, yellow | 4 | to 6 | ft. | 50 | 4 00 |
| Purple-leaved, yellow | 4 | to 6 | ft. | 60 | 5 00 |
| | 2 | to 3 | ft. | 50 | 4 00 |
| Thunbergii balled, | 2 | to 3 | ft. | 75 | 6 00 |
| | 5 in. pot, | 1 | ft. | 40 | |
| Broom —See Genista. | | | | | |
| Calycanthus —Floridus (Sweet Shrub) | | | | | |
| double purple | 2 | to 3 | ft. | 40 | 3 50 |
| Præcox, yellow | 3 | to 4 | ft. | 75 | |
| Caragana —(Siberian Pea Tree) yellow | 8 | to 10 | ft. | 75 | 6 00 |
| | 6 | to 8 | ft. | 50 | 4 00 |
| Ceanothus —Americanus, white | 2 | to 3 | ft. | 50 | 4 00 |
| Cercidiphyllum —Japonicum | 2 | to 3 | ft. | 75 | |
| Chamaecerasus —Alberti, violet | 1 | to 2 | ft. | 40 | 3 00 |
| Cherry —Flowering | 6 | to 8 | ft. | 1 00 | 7 50 |
| | 4 | to 6 | ft. | 75 | 6 00 |
| | 3 | to 4 | ft. | 50 | 4 00 |
| Japan Double Red. | | | | | |
| Japan Weeping, rose-colored. | | | | | |
| Large Double White. | | | | | |
| Ranunculiflora, double, white. | | | | | |
| Rhexii. | | | | | |
| Sinensis flore plena. | | | | | |
| Single Red. | | | | | |
| Cistus —Albidus 4 in. pot, | 1 | to 2 | ft. | 25 | 2 00 |
| Colutea —Arborescens | 8 | to 10 | ft. | 50 | 4 00 |
| Corchorus —Japonicus, yellow | 2 | to 3 | ft. | 40 | 3 00 |
| Japonicus aureus | 2 | to 3 | ft. | 50 | |
| Corylopsis —Spicata 7 in. pot, | 11½ | to 2 | ft. | 75 | |
| Crape Myrtle | 4 | to 6 | ft. | 1 50 | 12 00 |
| | 3 | to 4 | ft. | 1 00 | 8 00 |
| | 2 | to 3 | ft. | 75 | 6 00 |
| Crimson, Pink, Purple, Regia (Scarlet), White. | | | | | |
| Crataegus —Cuneata | 4 | to 6 | ft. | 50 | |
| Currant —Flowering | 6 | to 8 | ft. | 75 | 6 00 |
| | 4 | to 6 | ft. | 50 | 4 00 |
| | 3 | to 4 | ft. | 45 | 3 50 |
| Crimson, Gordonianum (pink), Sanguineum (deep rose), Yellow. | | | | | 30 00 |

| | | | | | | Each | Per 10 | Per 100 |
|--------------------|---|-------------------|---|-------|-----|------|--------|---------|
| Cytisus | —Monspeliens | 4 in. pot, | 1 | to 2 | ft. | 50 | 4 00 | |
| | Nigricans Carlieri | | 3 | to 4 | ft. | 40 | | |
| | Sessilifolius | 4 in. pot, | 1 | to 1½ | ft. | 50 | 4 00 | |
| | Triflorus | 5 in. pot, | 3 | to 4 | ft. | 40 | 3 00 | |
| | Trifolio purpureus. 4 in. pot, | | | | | 50 | 4 00 | |
| Deutzia | —Crenata | | 3 | to 4 | ft. | 50 | 4 00 | |
| | Fortunei | | 3 | to 4 | ft. | 50 | 4 00 | 30 00 |
| | | | 2 | to 3 | ft. | 40 | 3 00 | |
| | Hybrid Lemoinei | | 2 | to 3 | ft. | 75 | 6 00 | |
| | Lemoinei, fl. pl. | | 2 | to 3 | ft. | 50 | 4 00 | |
| | Pride of Rochester | | 4 | to 6 | ft. | 50 | 4 00 | 30 00 |
| | | | 2 | to 3 | ft. | 40 | 3 50 | |
| Dogwood | | | 4 | to 6 | ft. | 50 | | |
| | | | 3 | to 4 | ft. | 40 | 3 50 | |
| | | | 2 | to 3 | ft. | 35 | 3 00 | |
| | Red Twigged. | | | | | | | |
| | Sanguinea, reddish stems. | | | | | | | |
| | Siberica (white), red twigs. | | | | | | | |
| Elder | —Cut-leaved | | 8 | to 10 | ft. | 50 | 4 00 | |
| | | | 3 | to 4 | ft. | 30 | 2 50 | |
| | Golden-leaved | | 4 | to 6 | ft. | 50 | 4 00 | |
| | | | 2 | to 3 | ft. | 40 | 3 00 | |
| | Variegated | | 6 | to 8 | ft. | 50 | 4 00 | |
| | | | 2 | to 3 | ft. | 40 | 3 00 | |
| Erythrina | —(Coral Plant), crimson | | | | | 50 | 4 00 | |
| Euonymus | —(Spindle Tree), | | | | | | | |
| | American | | 3 | to 4 | ft. | 50 | | |
| | European | | 4 | to 6 | ft. | 50 | 4 00 | |
| | | | 3 | to 4 | ft. | 40 | 3 00 | 25 00 |
| Exochorda | —Grandiflora, white | | 6 | to 8 | ft. | 1 00 | 8 00 | |
| | | | 4 | to 6 | ft. | 75 | 5 00 | |
| Filbert | —Purple-leaved | | 6 | to 8 | ft. | 1 00 | 8 00 | |
| | | | 4 | to 6 | ft. | 75 | 6 00 | |
| Forsythia | | | 4 | to 6 | ft. | 50 | 4 00 | |
| | | | 3 | to 4 | ft. | 40 | | |
| | | | 2 | to 3 | ft. | 35 | 3 00 | |
| | Fortunei, yellow. | Suspensa, yellow. | | | | | | |
| Fringe | | | 8 | to 10 | ft. | 75 | 6 00 | |
| | | | 6 | to 8 | ft. | 50 | 4 00 | |
| | Atropurpurea, Purple (Smoke Tree), White. | | | | | | | |
| Fuchsia | —Riccartoni, red | | 3 | to 4 | ft. | 50 | 4 00 | |
| Hamamelis | —Virginica (Witch Hazel) | | | | | | | |
| | | | 3 | to 4 | ft. | 50 | | |
| Honeysuckle | —Bush | | 4 | to 6 | ft. | 75 | 6 00 | |
| | | | 3 | to 4 | ft. | 50 | 4 00 | |
| | | | 2 | to 3 | ft. | 40 | 3 50 | |
| | | | 1 | to 2 | ft. | 35 | 3 00 | |
| | Tartarian, pink. | Tartarian, white. | | | | | | |
| | Tartarian Grandiflora, pink. | | | | | | | |

| | | | Each | Per 10 | Per 100 |
|--|-------|-----------|------|--------|---------|
| Hibiscus—Mutabilis | 6 | to 8 ft. | 1 00 | | |
| | 2 | to 3 ft. | 50 | 4 00 | |
| Syriacus | 2 | to 3 ft. | 50 | | |
| Hydrangea—Hortensis 6 in. pot, | 1 | to 1½ ft. | 75 | 6 00 | |
| 5 in. pot, | 1 | ft. | 50 | 4 00 | |
| Hortensis Aigaka 6 in. pot, | 1 | ft. | 75 | 6 00 | |
| Hortensis rosea.. 7 in. pot, | 1 | ft. | 75 | | |
| Paniculata grandiflora (white) 5 in. pot, | 1 | ft. | 50 | 4 00 | |
| Ramulis coccineis (deep rose) .. 6 in. pot, | 1 | ft. | 50 | 4 00 | |
| Stellata rubra... 6 in. pot, | 1 | ft. | 50 | | |
| Thos. Hogg 2 | to 3 | ft. | 75 | 6 00 | |
| 6 in. pot, | 1 | ft. | 40 | 3 50 | |
| Variegated 8 in. pot, 2 | to 3 | ft. | 75 | 6 00 | |
| 5 in. pot, 1 | to 1½ | ft. | 50 | 4 00 | |
| Hypericum—Hircinum 5 | to 6 | ft. | 50 | 4 00 | 30 00 |
| Jasmine—Fruticans 4 | to 6 | ft. | 1 00 | 8 00 | |
| 3 | to 4 | ft. | 75 | 6 00 | |
| Lemon Verbena 4 | to 6 | ft. | 50 | 4 00 | 35 00 |
| 2 | to 3 | ft. | 25 | 2 00 | 15 00 |
| 6 in. pot, 2 | to 3 | ft. | 35 | 3 00 | |
| Leycesteria—Elegans, reddish purple. 4 | to 5 | ft. | 50 | 4 00 | |
| Lilac—Assorted 6 | to 8 | ft. | 75 | 6 00 | 50 00 |
| 4 | to 6 | ft. | 60 | 5 00 | 45 00 |
| 3 | to 4 | ft. | 50 | 4 50 | 40 00 |
| Purple. Rothomagensis rubra. Rubra de Marley, purple. Sanguinea, red. White. | | | | | |
| Lilac—Grafted Varieties 6 | to 8 | ft. | 1 25 | 10 00 | 80 00 |
| 4 | to 6 | ft. | 1 00 | 8 00 | 70 00 |
| 3 | to 4 | ft. | 75 | 6 00 | 55 00 |
| 2 | to 3 | ft. | 50 | 4 00 | 35 00 |
| A Fleur des Orangers. Alba Grandiflora, white. Charles the Tenth, reddish purple. Chas. Joly, reddish purple. Comte de Paris, purple. de Croncels, lilac. Frau Dammann, white. Gigantea, blue. Gloire de Lorraine, red and lilac. Gloire des Moulins, rosy lilac. | | | | | |

| | | | | Each | Per 10 | Per 100 |
|--|------------------------------------|---|------|------|--------|------------|
| Lilac —Grafted Varieties— Cont'd | | | | | | |
| Japonica, creamy white. | | | | | | |
| Lemoinei, fl. pl., reddish. | | | | | | |
| Ludwig Spaeth, purplish red. | | | | | | |
| Mad. Casimir-Perier, double white. | | | | | | |
| Michel Buchner, double, pale lilac. | | | | | | |
| Persian Cut-leaf. | | | | | | |
| Pres. Grevy, blue. | | | | | | |
| Pres. Massart, red and purple. | | | | | | |
| Rubella, fl. pl., lilac. | | | | | | |
| Rubra Insignis, red and purple. | | | | | | |
| Villosa. | | | | | | |
| Virginalis. | | | | | | |
| Lycium — | Europæum, violet | 3 | to 4 | ft. | 50 | 4 00 30 00 |
| Magnolia —Chinese. | | | | | | |
| | Conspicua, large, white, fragrant | 1 | to 2 | ft. | 1 00 | 8 00 |
| | Gracilis, reddish purple | 6 | to 8 | ft. | 1 00 | |
| | Kobus, bluish white | 6 | to 8 | ft. | 1 50 | |
| | | 4 | to 6 | ft. | 1 25 | |
| | Lennei | 4 | to 6 | ft. | 1 25 | |
| | Soulangeana, white with purple. | 3 | to 4 | ft. | 2 00 | |
| | Soulangeana nigra | 3 | to 4 | ft. | 2 00 | |
| | Stellata, semi-double, white . . . | 3 | to 4 | ft. | 2 00 | |
| Maple — | Japanese | 3 | to 4 | ft. | 1 00 | 8 00 |
| |7 in. pot, | 2 | to 3 | ft. | 1 00 | 8 00 |
| |6 in. pot, | 1 | to 2 | ft. | 75 | 6 00 |
| | Atro-aureum. | | | | | |
| | Atropurpureum. | | | | | |
| | Atropurpureum dissectum. | | | | | |
| | Atropurpureum nomura. | | | | | |
| | Atropurpureum var. | | | | | |
| | Atrosanguineum. | | | | | |
| | Palmatum aureum | | | | | |
| | Polymorphum. | | | | | |
| | Polymorphum var. | | | | | |
| | Polyporum. | | | | | |
| | Scolopendrifolium | | | | | |
| | rubrum. | | | | | |
| Mock Orange —Coronarius, fragrant, | | | | | | |
| | white | 4 | to 6 | ft. | 75 | 6 00 50 00 |
| | | 3 | to 4 | ft. | 50 | 4 00 |
| | Coronarius fl. pl., | | | | | |
| | double white | 1 | to 2 | ft. | 50 | 4 00 35 00 |
| | Golden-leaved : | 2 | to 3 | ft. | 75 | |
| | Grandiflorus, white | 6 | to 8 | ft. | 75 | 6 00 |
| | | 4 | to 6 | ft. | 50 | 4 00 35 00 |
| | | 3 | to 4 | ft. | 40 | 3 50 |
| Paliurus —Aculeatus (Christ's Thorn) | | | | | | |
| | yellow | 6 | to 8 | ft. | 75 | 6 00 |
| | | 4 | to 6 | ft. | 50 | 4 00 |
| |6 in. pot, | | 2 | ft. | 50 | 4 00 |
| Phlomis — | Suffrutica | 2 | to 3 | ft. | 75 | 6 00 |

| | | | Each | Per 10 | Per 100 |
|--|---|-------|------|--------|---------|
| Photinia —Villosa, flowers white, berries red | | | | | |
| | 8 | to 10 | ft. | 1 00 | 8 00 |
| Plum —Flowering | 4 | to 6 | ft. | 50 | 4 00 |
| | 3 | to 4 | ft. | 40 | 3 50 |
| | 2 | to 3 | ft. | 35 | 3 00 |
| Mume, assorted colors. | | | | | |
| Spinosa, white (Sloe). | | | | | |
| Tomentosa, pink flowers, red fruit. | | | | | |
| Tomentosa, white. | | | | | |
| Triloba, double flowering, pink. | | | | | |
| Poinciana —Gilliesii, yellow | 6 | to 8 | ft. | 50 | 4 00 |
| | 3 | to 4 | ft. | 40 | 3 50 |
| | 2 | to 3 | ft. | 35 | 3 00 |
| Pomegranate | 4 | to 6 | ft. | 75 | 6 00 |
| | 3 | to 4 | ft. | 50 | 4 00 |
| | 2 | to 3 | ft. | 40 | 3 50 |
| Double White. | | | | | |
| Dwarf Scarlet. | | | | | |
| Mad. Legrelle. | | | | | |
| Quince | 4 | to 6 | ft. | 60 | 5 00 |
| | 3 | to 4 | ft. | 50 | 4 00 |
| | 2 | to 3 | ft. | 30 | 2 50 |
| | 1 | to 2 | ft. | 25 | 2 00 |
| Candidissima. | | | | | |
| Chenomella Japonica. | | | | | |
| Columbus. | | | | | |
| Gaujardi. | | | | | |
| Grandiflora rosea. | | | | | |
| Japan Scarlet. | | | | | |
| Japan White. | | | | | |
| Maulei alba. | | | | | |
| Maulei superba. | | | | | |
| Moeroosii. | | | | | |
| Sang. multiflora. | | | | | |
| Sang. plena. | | | | | |
| Simonii. | | | | | |
| Sinensis. | | | | | |
| Umbilicata. | | | | | |
| Rhodotypos —Kerrioides, white | 4 | to 6 | ft. | 40 | 3 00 |
| | 3 | to 4 | ft. | 25 | 2 00 |
| Rhus | 6 | to 8 | ft. | 60 | 5 00 |
| | 4 | to 6 | ft. | 50 | 4 00 |
| | 3 | to 4 | ft. | 40 | 3 50 |
| Glabra laciniata. | | | | | |
| Radicans. | | | | | |
| Vernicifera. | | | | | |
| Rose Acacia —(Robinia hispida) | 6 | to 8 | ft. | 50 | 4 00 |
| | 4 | to 6 | ft. | 40 | 3 50 |
| Snowball | 6 | to 8 | ft. | 75 | 6 00 |
| | 4 | to 6 | ft. | 50 | 3 50 |
| | 2 | to 3 | ft. | 40 | 3 00 |
| Snowberry | 3 | to 4 | ft. | 50 | 4 00 |
| | 2 | to 3 | ft. | 35 | 3 00 |
| Red Fruited. | | | | | |
| Variegated. | | | | | |

| | | | Each | Per 10 | Per 100 |
|--|---|------|------|--------|---------|
| Spirea | 4 | to 6 | ft. | 1 00 | 8 00 |
| | 3 | to 4 | ft. | 75 | 6 00 |
| | 2 | to 3 | ft. | 50 | 4 00 |
| | 1 | to 2 | ft. | 40 | 3 50 |
| Anthony Waterer, crimson to deep pink. | | | | | |
| Blue (Caryopteris Mastacanthus). | | | | | |
| Bumalda, deep rosy pink. | | | | | |
| Californica, crimson to pink. | | | | | |
| Lanceolata, white. | | | | | |
| Prunifolia fl. pl., double white. | | | | | |
| Reevesii, fl. pl., white. | | | | | |
| Thunbergii, single white. | | | | | |
| Van Houttei, white. | | | | | |
| Staphylea —Colchica | 3 | to 4 | ft. | 75 | 6 00 |
| Pinnata | 4 | to 6 | ft. | 75 | 6 00 |
| | 2 | to 3 | ft. | 50 | 4 00 |
| Styrax —Japonica, white | 6 | to 8 | ft. | 1 00 | |
| Tamarix —Pink flowers | 6 | to 8 | ft. | 50 | 4 00 |
| | 3 | to 4 | ft. | 40 | 3 50 |
| Africana. Odessana. | | | | | |
| Algerica. Purpurea. | | | | | |
| Germanica. | | | | | |
| Tree Peony —Assorted colors, mostly purple. | | | | | |
| 4 and more shoots with buds | | | | 2 00 | 18 00 |
| 3 shoots with buds | | | | 1 50 | 12 00 |
| 2 shoots with buds | | | | 1 00 | 8 00 |
| 1 shoot with buds | | | | 75 | 6 00 |
| Viburnum —Dentatum, greenish white | 3 | to 4 | ft. | 50 | |
| Macrocephalum, white | 2 | to 3 | ft. | 1 00 | |
| Nepalense, white | 4 | to 6 | ft. | 75 | |
| Oxycoccus | 3 | to 4 | ft. | 50 | |
| Weigela —Assorted | 4 | to 6 | ft. | 50 | 4 00 |
| | 3 | to 4 | ft. | 40 | 3 50 |
| | 2 | to 3 | ft. | 30 | 2 50 |
| | 1 | to 2 | ft. | 25 | 2 00 |
| Abel Carriere, deep rose.  Rosea, rose colored. | | | | | |
| Dr. Baillon, red.  Van Houttei, carmine. | | | | | |
| Hendersonii, deep rose.  Variegated, white. | | | | | |
| Lavallei, dark red. | | | | | |
| Xanthoceras —Sorbifolia, white | 3 | to 4 | ft. | 40 | 3 00 |
| | 2 | to 3 | ft. | 25 | 25 00 |

CLIMBING AND TRAILING PLANTS

| | Each | Per 10 | Per 100 |
|---|------|--------|---------|
| Akebia —Lobata 5 in. pot | 50 | 4 00 | |
| Quinata 5 in. pot | 40 | 3 50 | 30 00 |
| Ampelopsis —Engelmanni | 75 | 6 00 | 50 00 |
| Quinquefolia, 3 years | 35 | 3 00 | 25 00 |
| Veitchi (Japan Ivy) 5 in. pot | 50 | 4 00 | |
| Bigonia —Alba 5 in. pot | 50 | | |
| Copreolata, orange 6 in. pot | 50 | | |
| Grandiflora (Trumpet Creeper), orange scarlet | 25 | 2 00 | 15 00 |
| Speciosa, mauve 5 and 6 in. pot | 75 | | |
| Tweediana 5 and 6 in. pot | 75 | | |
| Thunbergii, crimson | 50 | 4 00 | |
| Venusta 5 in. pot | 75 | | |
| Sanguinea | 50 | 4 00 | 35 00 |
| Bougainvillea | | | |
| Glabra Sanderiana 6 in. pot | 75 | | |
| 5 in. pot | 50 | | |
| 4 in. pot | 40 | 3 00 | 25 00 |
| Spectabilis 7 in. pot | 1 25 | | |
| 6 in. pot | 1 00 | | |
| 5 in. pot | 50 | 4 00 | |
| 4 in. pot | 40 | 3 50 | 30 00 |
| Chorizema —Ilicifolium, yellow 3 in. pot | 50 | | |
| Clematis —Albert Victor | 75 | | |
| Candiope | 75 | | |
| Duchess of Edinburg, double white | 1 00 | 8 00 | |
| Flammula | 50 | 4 00 | 35 00 |
| Gem, lavender blue | 75 | | |
| Gipsy Queen, velvet purple | 75 | | |
| Henryi, white | 75 | | |
| Jackmani, intense violet | 75 | | |
| Kermesina, red | 75 | 6 00 | |
| Lawsoniana, rose with purple | 75 | 6 00 | 50 00 |
| Madam Baron Veillard, pale purplish red | 75 | | |
| Madam Grange | 75 | | |
| Montana | 50 | 4 00 | |
| Paniculata, white 5 in. pot | 50 | 4 00 | |
| Ramona, lavender | 75 | | |
| Standishi, light mauve | 75 | 6 00 | |
| Symeiana, white | 75 | 6 00 | |
| Clerodendron —Balfouri 4 in. pots | 75 | | |
| Clianthus —Puniceus, crimson 5 in. pots | 50 | | |
| Cobea —Scandens | 25 | 2 00 | |
| Scandens alba | 25 | 2 00 | |

| | Each | Per 10 | Per 100 |
|--|-----------------------|--------|---------|
| Coprosma —Baueriana, variegated | 5 in. pot 50 | 4 00 | |
| Decumeria —Barbara, white | 5 in. pot 50 | 4 00 | |
| Dolichos —Lignosus (Australia Pea Vine), purple, | 5 in. pot 40 | 3 50 | |
| Honeysuckle —Fuchsoides, brilliant scarlet. | 50 | | |
| Assorted | 35 | 2 50 | 20 00 |
| Aureo reticulata. Halleana. | | | |
| Belgian. Sempervirens. | | | |
| Chinese Evergreen. | | | |
| Hoya —Carnosa | 2 in. pot 15 | 1 00 | |
| Ipomoea —Mexicana, purple with crimson (bulbs) | 75 | | |
| Ivy —Giant | 4 in. pot 40 | 3 50 | |
| Irish | 4 in. pot 40 | | |
| Variegated. | 5 in. pot 50 | | |
| Jasmine —Catalonian, fragrant, double white. . . . | 4 in. pot 50 | 4 00 | 30 00 |
| Capensis, fragrant, white. | 4 and 5 in. pot 50 | | |
| Ligustrifolium, white | 5 and 6 in. pot 50 | 4 00 | |
| Nitidum | 3 in. pot 50 | 4 00 | |
| Officinale, white | 25 | 2 00 | |
| Sieboldianum | 6 in. pot 75 | | |
| Kennedya —Alba | 5 in. pot 50 | | |
| Ovata | 5 in. pot 50 | 4 00 | 35 00 |
| Rosea, rose-colored | 5 in. pot 50 | 4 00 | 35 00 |
| Violacea coerulea, blue | 5 in. pot 50 | | |
| Lycium —Barbarum (Matrimony Vine), pink with scarlet berries | 3 to 4 ft. 50 | 4 00 | |
| Vulgare, purple | 3 to 4 ft. 50 | 4 00 | |
| Mandevilla —Suaveolens (Chili Jasmine), white, fragrant | 40 | 3 50 | 30 00 |
| Muehlenbeckia —Complexa | 4 in. pot 50 | 4 00 | 35 00 |
| Passion Vine —Coccinea | 3 in. pot 40 | 3 00 | |
| Assorted | 5 in. pot 40 | 3 00 | 25 00 |
| | 3 in. pot 30 | 2 50 | 20 00 |
| Colvillei. Pink (Tacsonia) | | | |
| Constance Elliott. Buchanani). | | | |
| Floribunda. Scarlet (Tacsonia | | | |
| Jamesoni. Ignea). | | | |
| Pfordtii. Violaeca. | | | |
| Phaseolus —Caracalla (Snail Vine), purple and yellow | 50 | 4 00 | |
| Physianthus —Albens, white | 6 in. pot 40 | | |
| Silk Vine —(Periploca), purple | 40 | | |
| Smilax —. | 5 in. pot 25 | 2 00 | |

| | Each | Per 10 | Per 100 |
|--|------|--------|---------|
| Solanum —Jasminoides, bluish white 5 in. pot | 40 | 3 50 | 30 00 |
| Wendlandii 7 in. pot | 1 00 | | |
| 6 in. pot | 75 | | |
| Swainsona —Galegifolia albiflora, white. 5 in. pot | 50 | 4 00 | |
| Grayana, pink 5 in. pot | 50 | 4 00 | |
| Tecoma —Australis, yellowish white with purple 5 in. pot | 50 | 4 00 | 30 00 |
| Jasminoides, light pink and red. 5 in. pot | 40 | 3 50 | 30 00 |
| Mackenzii, pink | 75 | | |
| Smithii 6 in. pot | 40 | | |
| Thunbergia —Coccinea, scarlet 4 in. pot | 50 | 4 00 | |
| Trumpet Vine —See Bignonia Grandiflora. | | | |
| Virginia Creeper —See Ampelopsis Quinquefolia. | | | |
| Vitis —Heterophylla (Japanese Grape) | 50 | | |
| Wistaria —Chinese, purple | 50 | 4 00 | 30 00 |
| Chinese, double purple | 50 | 4 00 | |
| Chinese, white. | 50 | 4 00 | |
| Fragrance (new), fragrant, white. | 1 50 | | |
| Magnifica, purplish white | 50 | 4 00 | 30 00 |
| Multijuga, light purple | 50 | 4 00 | 30 00 |
| Multijuga alba, pure white. | 50 | | |

BAMBOOS

Bamboos cannot be too highly recommended in garden decoration. This class of plants forms one of the striking characteristics of the vegetation of China and Japan, where many species occur that are hardy here in California. They thrive best in a deep, rich soil, and require plenty of water when in a growing state. Under the general name of Bamboo are included species belonging to several genera, as Arundinaria, Bambusa, Phyllostachys, etc.

Stock offered is very fine. Plants are bushy.

| | Each | Per 10 | Per 100 |
|--|------|--------|---------|
| Bamboo 24x20 in. box, 12 ft. | 6 00 | | |
| 18x18 in. box, 6 to 8 ft. | 5 00 | | |
| 16x16 and 14x14 in. box, 8 to 10 ft. | 4 00 | | |
| 10x12 and 12x12 in. box, 8 to 10 ft. | 3 50 | 30 00 | |
| 12x12 in. box, 6 to 8 ft. | 3 00 | 25 00 | |
| 10x12 and 12x12 in. box, 4 to 6 ft. | 2 50 | 20 00 | |
| 10x12 and 12x12 in. box, 3 to 4 ft. | 2 00 | 15 00 | |
| balled, 8 to 10 ft. | 1 50 | 12 00 | 100 00 |
| balled, 6 to 8 ft. | 1 25 | 10 00 | 80 00 |
| balled, 4 to 6 ft. | 1 00 | 8 00 | 60 00 |

| | Each | Per 10 | Per 100 |
|---|------|--------|---------|
| Bamboo—Cont'd.balled, 3 to 4 ft. | 75 | 6 00 | 50 00 |
|balled, 2 to 3 ft. | 50 | 4 00 | 35 00 |
| Aurea. Nigra (Phyllostachys). | | | |
| Castillonis. Simoni (Bambusa). | | | |
| Falcata Verticillata. | | | |
| Hindsii (Arundinaria) Viridis striata. | | | |
| Metake (Arundinaria) | | | |
|10x10 in. box, 2 to 3 ft. | 2 50 | | |
|balled, 3 to 4 ft. | 2 50 | | |
|balled, 2 to 3 ft. | 2 00 | | |
| Palmata (Bambusa). Tessellata. | | | |

PALMS, DRACÆNAS, AGAVES, YUCCAS, ETC.

PALMS

Palms have now become almost indispensable in all decorations, whether for apartments, or conservatories, or the production of tropical effects in landscapes. No class of plants makes such a grand display, and none are of more easy culture. Rich soil, mulching and watering will, in a short time, produce grand specimens.

While our main stock of these highly desirable garden ornaments is grown in the open ground, thereby obtaining the finest plants, we also cultivate more or less of each variety in pots or boxes. These are well-established, well-furnished specimens, suitable for hall or house decorations, or, where immediate effect is desired out-of-doors, they can be used to great advantage, being almost absolutely safe from any set-back.

| | Each | Per 10 | Per 100 |
|--|------|--------|---------|
| Areca—Lutescens 6 and 7 in. pots, 2½ to 3 ft. | 3 00 | | |
| Brahea—Dulcis 18x18 in. box, 4 to 5 ft. | 5 00 | | |
|balled, 3 to 4 ft. | 4 00 | | |
|balled, 2 to 3 ft. | 3 00 | | |
| California Black Fan . . . 10x10 in. box, 2 to 3 ft. | 1 50 | | |
|balled, 2 to 3 ft. | 1 50 | 12 00 | |
| Chamærops—Argentea balled, 4 to 5 ft. | 5 00 | 40 00 | |
|balled, 3 to 4 ft. | 3 00 | 25 00 | 180 00 |
| Excelsa (Japan Fan Palm). | | | |
| 16x18 in. box, 7 to 8 ft. | 6 00 | | |
| 14x16 and 14x14 in. box, 5 to 6 ft. | 5 00 | 40 00 | |
|14x14 in. box, 4 to 5 ft. | 4 00 | 30 00 | |

| | | | | | | Each | Per 10 | Per 100 |
|---------------------------------|--------------------------|-----|-------|-----|--|-------|--------|---------|
| Chamærops—Excelsa—Cont'd | | | | | | | | |
| | 12x12 in. box, | 5 | to 6 | ft. | | 5 00 | 40 00 | |
| | 12x12 in. box, | 4 | to 5 | ft. | | 4 00 | 30 00 | |
| | 12x12 in. box, | 3 | to 4 | ft. | | 3 00 | 25 00 | |
| | 10x12 in. box, | 2 | to 3 | ft. | | 2 50 | 20 00 | |
| | boxed, | 9 | to 10 | ft. | | 10 00 | 80 00 | 600 00 |
| | boxed, | 8 | to 9 | ft. | | 8 00 | 60 00 | 500 00 |
| | boxed, | 7 | to 8 | ft. | | 6 00 | 50 00 | 400 00 |
| | balled, | 6 | to 7 | ft. | | 5 00 | 40 00 | 300 00 |
| | balled, | 5 | to 6 | ft. | | 3 00 | 25 00 | 200 00 |
| | balled, | 4 | to 5 | ft. | | 2 50 | | |
| | balled, | 3 | to 4 | ft. | | 1 00 | | |
| Fortunei | 10x12 in. box, | 3 | to 4 | ft. | | 3 00 | 25 00 | |
| | 10x12 in. box, | 2 | to 3 | ft. | | 2 00 | 18 00 | |
| | balled, | 6 | to 7 | ft. | | 8 00 | 60 00 | |
| | balled, | 5 | to 6 | ft. | | 6 00 | 50 00 | |
| | balled, | 4 | to 5 | ft. | | 4 00 | 30 00 | 250 00 |
| | balled, | 3 | to 4 | ft. | | 2 50 | 20 00 | 175 00 |
| | balled, | 2 | to 3 | ft. | | 1 50 | 12 00 | |
| Humilis (Dwarf Palm) | | | | | | | | |
| | 24x24 in. box, | 5 | to 6 | ft. | | 15 00 | | |
| | 20x20 in. box, | 4 | to 5 | ft. | | 10 00 | | |
| | 14x16 in. box, | 3 | to 4 | ft. | | 5 00 | 40 00 | |
| | 12x12 in. box, | 4 | to 5 | ft. | | 6 00 | 50 00 | |
| | 10x12 and 10x10 in. box, | 2 | to 3 | ft. | | 2 00 | 18 00 | |
| | balled, | 3 | to 4 | ft. | | 3 00 | 25 00 | 200 00 |
| | balled, | 2 | to 3 | ft. | | 2 00 | 18 00 | 150 00 |
| | 7 and 8 in. pots, | 2 | to 3 | ft. | | 2 00 | 18 00 | |
| Nepalensis | 24x24 in. box, | 9 | to 10 | ft. | | 10 00 | | |
| | 16x18 in. box, | 6 | to 7 | ft. | | 8 00 | 75 00 | |
| | 12x12 in. box, | 4 | to 5 | ft. | | 4 00 | 35 00 | |
| | 12x12 and 10x12 in. box, | 3 | to 4 | ft. | | 2 50 | | |
| | 10x10 in. box, | 2 | to 3 | ft. | | 2 00 | 18 00 | |
| | boxed, | 9 | to 10 | ft. | | 9 00 | 80 00 | |
| | boxed, | 8 | to 9 | ft. | | 7 00 | 60 00 | |
| | boxed, | 7 | to 8 | ft. | | 6 00 | 50 00 | |
| | balled, | 6 | to 7 | ft. | | 5 00 | 40 00 | 350 00 |
| | balled, | 5 | to 6 | ft. | | 4 00 | 35 00 | 325 00 |
| | balled, | 4 | to 5 | ft. | | 3 00 | 25 00 | 200 00 |
| | balled, | 3 | to 4 | ft. | | 2 00 | 18 00 | 150 00 |
| Tomentosa | balled, | 4 | to 5 | ft. | | 3 00 | 25 00 | 200 00 |
| | balled, | 3 | to 4 | ft. | | 2 50 | 20 00 | |
| Cocos—Australis | | | | | | | | |
| | balled, | 2 | to 3 | ft. | | 5 00 | 45 00 | |
| Weddelliana | | | | | | | | |
| | 3 in. pot, | 11½ | to 2 | ft. | | 1 00 | | |
| Corypha—Australis | | | | | | | | |
| | 20x20 in. box, | | 5 | ft. | | 10 00 | | |
| | 18x18 in. box, | 4 | to 5 | ft. | | 9 00 | | |
| | 9 in. pot, | 2½ | to 3 | ft. | | 1 50 | | |
| | 6 in. pot, | | 1 | ft. | | 50 | 4 00 | |

| | | | Each | Per 10 | Per 100 |
|---|---|--|-------|--------|---------|
| Gycas — <i>Revoluta</i> (Sago Palm), | | | | | |
| | 10 in. pot, 12 to 16 leaves, 11 to 16 in. trunk | | 5 00 | | |
| | 8 in. pot, 6 to 10 leaves, 6 to 8 in. trunk | | 2 50 | | |
| | 6 in. pot, 8 leaves, 8 in. trunk | | 2 00 | 18 00 | |
| Erythea — <i>Armata</i> (Blue Palm), | | | | | |
| |16x18 in. box, 3 to 4 ft. | | 4 00 | | |
| |14x14 in. box, 4 to 5 ft. | | 4 00 | | |
| |14x14 in. box, 2 to 3 ft. | | 3 00 | | |
| |balled, 4 to 5 ft. | | 4 00 | 35 00 | 300 00 |
| |balled, 3 to 4 ft. | | 3 00 | 25 00 | 200 00 |
| |balled, 2 to 3 ft. | | 2 50 | 20 00 | |
| Edulis (<i>Guadalupe Island Palm</i>) | | | | | |
| |24x24 in. box, 9 to 10 ft. | | 12 00 | | |
| |20x20 in. box, 6 to 7 ft. | | 10 00 | | |
| |14x16 in. box, 7 to 8 ft. | | 10 00 | 80 00 | |
| |12x12 in. box, 5 to 6 ft. | | 8 00 | | |
| |12x12 in. box, 3 to 4 ft. | | 5 00 | | |
| |boxed, 12 to 13 ft. | | 9 00 | 75 00 | |
| |boxed, 10 to 11 ft. | | 8 00 | | |
| |boxed, 6 to 7 ft. | | 7 00 | | |
| |balled, 5 to 6 ft. | | 3 50 | 30 00 | |
| |balled, 3 to 4 ft. | | 2 00 | 18 00 | |
| |7 in. pot, 11½ to 2 ft. | | 1 50 | 12 00 | |
| Kentia — <i>Belmoreana</i> |7 in. pot, 2 to 2½ ft. | | 1 50 | | |
| |6 in. pot, 1½ to 2 ft. | | 1 00 | | |
| |5 in. pot, 1 to 1½ ft. | | 75 | 6 00 | |
| Forsteriana |in tub, 5 ft. | | 10 00 | | |
| |10 in. pot, 4 to 5 ft. | | 9 00 | | |
| |8 in. pot, 3 to 4 ft. | | 6 00 | | |
| |7 in. pot, 2½ to 3 ft. | | 2 50 | | |
| |6 in. pot, 2 to 2½ ft. | | 2 00 | 18 00 | |
| |5 in. pot, 1 to 1½ ft. | | 1 00 | 8 00 | |
| Jubæa — <i>Spectabilis</i> |balled, 3 to 4 ft. | | 6 00 | | |
| |balled, 1½ to 2 ft. | | 4 00 | 35 00 | |
| Phoenix — <i>Canariensis</i> (Canary Island Date Palm) | | | | | |
| |36x36 in. box, 12 to 13 ft. | | 80 00 | | |
| |30x30 in. box, 10 to 12 ft. | | 40 00 | | |
| |26x26 in. box, 10 to 11 ft. | | 30 00 | | |
| |24x24 in. box, 9 to 10 ft. | | 25 00 | | |
| |24x24 in. box, 8 to 9 ft. | | 20 00 | | |
| |22x22 in. box, 9 to 10 ft. | | 18 00 | | |
| |20x20 in. box, 5 to 6 ft. | | 12 00 | | |
| |18x18 in. box, 6 to 7 ft. | | 10 00 | | |
| |18x18 in. box, 4 to 5 ft. | | 8 00 | | |
| |16x18 in. box, 4 to 5 ft. | | 5 00 | | |
| |16x16 in. box, 5 to 6 ft. | | 6 00 | | |
| |14x16 in. box, 6 to 7 ft. | | 5 00 | | |

| | | | | Each | Per 10 | Per 100 |
|---|----------------|----|-------|------|--------|---------|
| Phoenix—Canariensis (Canary I'nd Date Palm) Cont'd | | | | | | |
| | 14x14 in. box, | 5 | to 6 | ft. | 4 00 | 35 00 |
| | 14x14 in. box, | 4 | to 5 | ft. | 3 50 | |
| | 12x12 in. box, | 4 | to 5 | ft. | 3 00 | 25 00 |
| | 12x12 in. box, | 3 | to 4 | ft. | 2 50 | 20 00 |
| | 10x10 in. box, | 4 | to 5 | ft. | 3 00 | 25 00 |
| | 10x10 in. box, | 2 | to 3 | ft. | 2 00 | 18 00 |
| | boxed, | 12 | to 13 | ft. | 15 00 | |
| | boxed, | 11 | to 12 | ft. | 12 00 | |
| | boxed, | 10 | to 11 | ft. | 10 00 | |
| | boxed, | 8 | to 9 | ft. | 8 00 | |
| | balled, | 7 | to 8 | ft. | 6 00 | 50 00 |
| | balled, | 6 | to 7 | ft. | 5 00 | 40 00 |
| | balled, | 5 | to 6 | ft. | 4 50 | 40 00 |
| | balled, | 4 | to 5 | ft. | 4 00 | 35 00 |
| | balled, | 3 | to 4 | ft. | 2 50 | 20 00 |
| | balled, | 2 | to 3 | ft. | 1 00 | 7 50 |

In addition to the above quoted Phoenix Canariensis Palms, we offer some extra large plants of this variety—4 to 5 feet in diameter, 25 to 30 feet high—at \$200.00 each. Customer to pay all expense of handling, digging, boxing, etc. Further particulars about these large plants given on application.

Dactylifera (Date Palm),

| | | | | | | |
|------------------|----------------|----|-------|-----|-------|-------|
| | 18x18 in. box, | 6 | to 7 | ft. | 10 00 | |
| | 12x12 in. box, | 2 | to 3 | ft. | 2 50 | |
| | boxed, | 10 | to 11 | ft. | 10 00 | 80 00 |
| | boxed, | 7 | to 8 | ft. | 8 00 | 75 00 |
| Reclinata | | | | | | |
| | 16x18 in. box, | 5 | to 6 | ft. | 6 00 | |
| | 14x16 in. box, | 5 | to 6 | ft. | 5 00 | |
| | 14x16 in. box, | 4 | to 5 | ft. | 4 00 | |
| | 10x10 in. box, | 2 | to 3 | ft. | 2 50 | 20 00 |
| | balled, | 6 | to 7 | ft. | 5 00 | 40 00 |
| | balled, | 5 | to 6 | ft. | 4 00 | 35 00 |
| | balled, | 4 | to 5 | ft. | 3 00 | 25 00 |
| | balled, | 3 | to 4 | ft. | 2 00 | |

Pritchardia—Filifera (California Fan Palm)

| | | | | | | |
|-------|--------------------------|---|-------|-----|-------|--------|
| | 24x24 in. box, | 8 | to 9 | ft. | 15 00 | |
| | 14x14 in. box, | 7 | to 8 | ft. | 8 00 | |
| | 14x14 in. box, | 6 | to 7 | ft. | 6 00 | |
| | 14x14 in. box, | 5 | to 6 | ft. | 5 00 | |
| | 14x14 in. box, | 3 | to 4 | ft. | 4 00 | |
| | 12x12 in. box, | 5 | to 6 | ft. | 4 50 | 40 00 |
| | 10x12 in. box, | 3 | to 4 | ft. | 2 50 | 20 00 |
| | 12x12 and 10x12 in. box, | 2 | to 3 | ft. | 2 00 | |
| | boxed, | 9 | to 10 | ft. | 15 00 | 125 00 |
| | boxed, | 8 | to 9 | ft. | 12 00 | 100 00 |
| | balled, | 7 | to 8 | ft. | 8 00 | 75 00 |

| | | | | | | Each | Per 10 | Per 100 |
|--|--------------------------|----|-------|-----|--|-----------|--------|----------|
| Pritchardia—Filifera (Cal. Fan Palm) Cont'd | | | | | | | | |
| |balled, | 6 | to 7 | ft. | | 6 00 | | |
| |balled, | 5 | to 6 | ft. | | 5 00 | | |
| |balled, | 3 | to 4 | ft. | | 2 50 | | |
| |balled, | 2 | to 3 | ft. | | 2 00 | | |
| Sabal—Adansoni | | | | | | balled, 3 | to 4 | ft. 3 00 |
| Blackburnianum | | | | | | balled, 4 | to 5 | ft. 5 00 |
| | | | | | | balled, 2 | to 3 | ft. 3 00 |
| Ghiesbreghtii | | | | | | balled, 2 | to 3 | ft. 3 00 |
| Mexicanum | | | | | | balled, 2 | to 3 | ft. 3 00 |
| Palmetto | | | | | | balled, 5 | to 6 | ft. 5 00 |
| | | | | | | balled, 4 | to 5 | ft. 3 00 |
| Washingtonia—Sonoraë (Washington Palm), | | | | | | | | |
| | 36x36 in. box, | 14 | to 15 | ft. | | 80 00 | | |
| | 24x24 in. box, | 13 | to 14 | ft. | | 60 00 | | |
| | 20x20 in. box, | 6 | to 7 | ft. | | 15 00 | | |
| | 16x18 in. box, | 4 | to 5 | ft. | | 5 00 | | |
| | 14x14 in. box, | 5 | to 6 | ft. | | 3 50 | | |
| | 14x14 in. box, | 3 | to 4 | ft. | | 3 00 | | |
| | 10x12 and 14x14 in. box, | 5 | to 6 | ft. | | 3 50 | | |
| | 10x10 and 12x12 in. box, | 4 | to 5 | ft. | | 3 00 | | |
| | 12x12 in. box, | 3 | to 4 | ft. | | 2 50 | | |
| | 10x12 and 12x12 in. box, | 2 | to 3 | ft. | | 2 00 | | |
| | boxed, | 11 | to 12 | ft. | | 12 00 | 100 00 | |
| | boxed, | 10 | to 11 | ft. | | 10 00 | 80 00 | |
| | boxed, | 9 | to 10 | ft. | | 8 00 | 60 00 | |
| | boxed, | 8 | to 9 | ft. | | 6 00 | 50 00 | |
| | boxed, | 7 | to 8 | ft. | | 5 00 | 40 00 | |
| | balled, | 6 | to 7 | ft. | | 5 00 | 40 00 | |
| | balled, | 5 | to 6 | ft. | | 3 00 | | |
| | balled, | 3 | to 4 | ft. | | 2 50 | | |
| | balled, | 2 | to 3 | ft. | | 1 50 | | |

DRACÆNA

| | | | | | | Each | Per 10 | Per 100 |
|------------------------------------|--|--|--|--|--|-------------|--------|---------------|
| Dracæna—Australis | | | | | | boxed, 10 | to 11 | ft. 10 00 |
| | | | | | | boxed, 9 | to 10 | ft. 8 00 |
| | | | | | | boxed, 8 | to 9 | ft. 7 00 |
| | | | | | | boxed, 7 | to 8 | ft. 6 00 |
| | | | | | | balled, 5 | to 6 | ft. 5 00 |
| | | | | | | balled, 4 | to 5 | ft. 3 00 |
| | | | | | | balled, 3 | to 4 | ft. 2 00 |
| Congesta | | | | | | 10 in. pot, | 2 | to 3 ft. 2 00 |
| | | | | | | 7 in. pot, | 1½ | to 2 ft. 1 00 |
| | | | | | | 5 in. pot, | 1 | to 1½ ft. 50 |

| | | | | Each * | Per 10 | Per 100 |
|--------------------|--------------------------|----|-------|--------|--------|---------|
| Fosterii | 12x12 in. box, | 4 | to 5 | ft. | 5 00 | |
| |balled, | 5 | to 6 | ft. | 6 00 | 50 00 |
| |balled, | 4 | to 5 | ft. | 5 00 | 45 00 |
| |balled, | 3 | to 4 | ft. | 4 00 | 30 00 |
| Indivisa, | | | | | | |
| | 14x16 and 16x18 in. box, | 8 | to 9 | ft. | 6 00 | |
| | 14x16 in. box, | 7 | to 8 | ft. | 5 00 | |
| | 10x12 and 12x12 in. box, | 6 | to 7 | ft. | 4 00 | |
| |boxed, | 15 | to 16 | ft. | 10 00 | |
| |boxed, | 14 | to 15 | ft. | 8 00 | |
| |boxed, | 12 | to 14 | ft. | 7 00 | 65 00 |
| |boxed, | 9 | to 10 | ft. | 6 00 | 55 00 |
| |boxed, | 7 | to 8 | ft. | 5 00 | 45 00 |
| |balled, | 6 | to 7 | ft. | 4 00 | 35 00 |
| |balled, | 5 | to 6 | ft. | 3 00 | |
| |balled, | 4 | to 5 | ft. | 2 50 | |
| |7 in. pot, | 2 | to 3 | ft. | 1 00 | |

AGAVE

| | | | | Each | Per 10 | Per 100 |
|--|----------------------|----|-------|------|--------|---------|
| Agave—Americana (Century Plant) | | | | | | |
| |10x10 in. box, | 2 | to 3 | ft. | 1 50 | |
| |balled, | 3 | to 4 | ft. | 2 00 | 18 00 |
| |balled, | 2 | to 3 | ft. | 1 50 | 12 00 |
| |balled, | 1½ | to 2 | ft. | 1 00 | |
| Americana variegata | | | | | | |
| | 14x14 in. box, | 3 | to 4 | ft. | 4 00 | |
| | 10x12 in. box, | 2 | to 3 | ft. | 3 00 | |
| |balled, | 3 | to 4 | ft. | 3 00 | 25 00 |
| |balled, | 2 | to 3 | ft. | 2 00 | 18 00 |
| |balled, | 1½ | to 2 | ft. | 1 50 | 12 00 |
| Cœrulescens |balled, | 1½ | to 2 | ft. | 1 00 | |
| Ferox |balled, | 1 | to 1½ | ft. | 1 00 | |
| Potatorum |balled, | ½ | to 2 | ft. | 1 00 | |
| Recurva |balled, | 6 | to 12 | in. | 1 00 | |
| Salmiana |balled, | 2 | to 3 | ft. | 1 50 | |
| Shawii |balled, | 6 | to 12 | in. | 1 00 | |
| Sisalana |balled, | 3 | to 4 | ft. | 1 50 | |

YUCCA, DASYLIRION AND NOLINA

| | | | | | | Each | Per 10 | Per 100 |
|--------------------|---|--|----|-------|-----|------|--------|---------|
| Yucca | Aloifolia rubra , 12x12 in. box, | | 6 | to 7 | ft. | 3 00 | | |
| | 10x12 in. box, | | 3 | to 4 | ft. | 2 00 | | |
| | balled, | | 5 | to 6 | ft. | 1 50 | | |
| | balled, | | 4 | to 5 | ft. | 1 00 | | |
| | balled, | | 3 | to 4 | ft. | 75 | | |
| | balled, | | 2 | to 3 | ft. | 50 | 4 00 | 35 00 |
| | Filamentosa balled, | | 1 | to 1½ | ft. | 50 | 4 00 | |
| | Pendula 10x12 in. box, | | 2 | to 3 | ft. | 1 50 | | |
| | balled, | | 3 | to 4 | ft. | 1 50 | | |
| | balled, | | 2 | to 3 | ft. | 1 00 | 8 00 | 75 00 |
| | 9 in. pot, | | | 2 | ft. | 1 50 | | |
| | 8 in. pot, | | | 1½ | ft. | 1 00 | | |
| | Plicata balled, | | 2 | to 3 | ft. | 1 00 | 8 00 | |
| | balled, | | 1½ | to 2 | ft. | 75 | 6 00 | |
| | Quadricolor 10x12 in. box, | | 3 | to 4 | ft. | 3 00 | | |
| | balled, | | 3 | to 4 | ft. | 2 00 | | |
| Dasyllirion | balled, | | 2 | to 3 | ft. | 1 50 | | |
| | 8 in. pot, | | | 1 | ft. | 1 50 | | |
| | Variegata 10x12 in. box, | | 4 | to 5 | ft. | 3 00 | | |
| | 10x12 in. box, | | 3 | to 4 | ft. | 2 50 | | |
| | balled, | | 4 | to 5 | ft. | 2 00 | | |
| | balled, | | 2 | to 3 | ft. | 1 50 | | |
| | 6 and 8 in. pot, | | 1 | to 1½ | ft. | 1 00 | | |
| | Glaucophyllum and Gracile | | | | | | | |
| | 14x14 and 12x12 in. box, | | 2 | to 3 | ft. | 2 50 | | |
| | balled, | | 2 | to 3 | ft. | 75 | 6 00 | 50 00 |
| Nolina | Longifolium balled, | | 4 | to 5 | ft. | 2 50 | | |
| | balled, | | 3 | to 4 | ft. | 2 00 | | |
| | Beldingi 14x14 in. box, | | 4 | to 5 | ft. | 3 00 | | |
| | 14x14 in. box, | | 3 | to 4 | ft. | 2 00 | | |
| | balled, | | 4 | to 5 | ft. | 2 00 | | |
| | balled, | | 3 | to 4 | ft. | 1 50 | | |
| | balled, | | 1 | to 1½ | ft. | 1 00 | | |
| | Bigelovii 12x12 in. box, | | 3 | to 4 | ft. | 3 00 | | |
| | balled, | | 2 | to 3 | ft. | 2 00 | | |

ROSES

Having determined to keep fully up with the times in the propagation of this beautiful flower, we have greatly enlarged our facilities to supply the ever-increasing demand and can now offer a collection such as cannot be found elsewhere on the Coast and in but few other establishments on the continent. The plants offered are strong and vigorous, have been grown entirely in the open ground and consequently will not require the careful nursing necessary to those propagated under glass in three months' time and sold at low rates. They cannot fail to give entire satisfaction the first summer after planting. From November to March they can be shipped in a dormant state, packed in moss. For culture best adapted to each class, we refer to our Descriptive Catalogue No. 2.

New and Scarce Varieties

Price: Each, 40 cents; per 10, \$3.00; per 100, \$25.00.

Bessie Brown—Creamy white.

Franziska Kruger—Chamois with rose.

Frau Karl Druschki—Pure white.

Gainesborough—(Climber), tinted flesh, almost white.

Ivory—Sport from Golden Gate; large, pure white flowers.

Killarney—Flesh, suffused pink.

La Detroit—Shell pink.

Liberty—Warm rich crimson scarlet.

Madame Vermorel—Coppery yellow.

Morgenroth—Bright cherry red, five petals.

Morning Glow—Rose shade, deepening toward center.

Mrs. B. R. Cant—Color of Papa Gontier.

New Century—Purple.

Philadelphia Rambler—Brighter than Crimson Rambler and not so liable to mildew.

Philippine Lambert—Light pink, in clusters.

Red Hermosa

Roger Lambellin—Crimson, tipped with white.

Soleil d'Or—Large globular flowers, varying in color from gold and orange to reddish gold, shaded with nasturtium red.

True Friend—Light yellow.

White Marechal Niel

White Maman Cochet—Snowy white.

Yellow Cochet—Sulphur yellow.

SPECIAL

Madame Norbert Levavasseur—(Baby Rambler).....6 in. pots, \$1.00

GENERAL COLLECTION

Price: 25 cents each; per 10, \$2.00; per 100, \$18.00. Standard or Tree (four-year heads) marked with a (*), \$1.50 each.

Tea or Everblooming

Alphonse Karr, violet crimson.

Amazona, yellow.

*Anna Olivier, creamy blush,
shaded carmine

Annie Cook, delicate pink.

Beaute Inconstante, bright copper
red.

*Belle Lyonnaise, lemon yellow.

Tea or Everblooming—Cont'd

- *Bon Silene, deep rose.
- Bougere, violet crimson, shaded.
- *Bridesmaid, clear bright pink.
- *Catherine Mermet, clear shining pink.
- *Christine de Noue, deep red rose.
- Climbing Bridesmaid, pink.
- Climbing Devoniensis, creamy white.
- Climbing Marie Guillot, snow white.
- Climbing Niphetos, pure white.
- Climbing Perle des Jardins, deepest yellow.
- Climbing Souv. de Wooton.
- Climbing White Pet.
- *Comtesse de Caserta, dark purplish red.
- Comtesse de Frigneuse, canary yellow.
- *Comtesse Riza du Parc, coppery rose.
- Coquette de Lyon, canary yellow.
- *Cornelia Cook, creamy white.
- *Devoniensis, creamy white, rosy center.
- Dr. Grill, coppery yellow, tinged rose.
- *Duchess of Albany (Red La France), dark pink.
- *Duchesse de Brabant, soft silvery blush.
- Duchess of Edinburg, deep rosy crimson.
- *Elise Sauvage, yellowish white.
- Etoile de Lyon, chrome yellow.
- *Gloire de Dijon, fawn, tinted salmon.
- *Gold of Ophir, salmon and fawn.
- Golden Gate, rich creamy white.
- *Grace Darling, rose, shaded crimson.
- *Homer, rosy pink.
- *Improved Rainbow, red, striped white.
- Jules Finger, rosy scarlet, shaded crimson.
- La Sylphide, blush, fawn center.
- Lettie Coles, rosy pink, shaded crimson.
- Luciole, carmine rose, tinged yellow.
- *Mad. Ched. Guinoisseau, clear golden yellow.
- *Mad. Cusin, crimson, lighter center.
- *Mad. Falcot, nankeen yellow.
- Mad. Hoste, canary yellow.
- Mad. Joseph Schwartz, pure white.
- *Mad. Lambard, rosy bronze, shaded carmine.
- Mad. M. Kuppenheim, canary yellow, tinged pink.
- Mad. S. Cochet, creamy rose, crimson center.
- Mad. de Vetry, rich crimson scarlet.
- Mad. de Watteville, yellow, tinged carmine and edged crimson.
- Mad. Welch, pale yellow, orange center.
- Marie Lambert, pale flesh.
- *Marie Van Houtte, white, tinged yellow, bordered rose.
- Marquise de Vivens, violet crimson, yellow center.
- Mrs. P. Morgan, bright cerise or rose pink.
- Mrs. Robert Garrett, shell pink.
- *Niphetos, pure white.
- *Papa Gontier, brilliant carmine.
- *Perle des Jardins, deepest yellow.
- Pink Maman Cochet.
- President, rosy crimson.
- Princesse de Sagan, velvety crimson.
- *Princesse Stephanie, salmon yellow, tinted carmine.
- Princess of Wales, yellow.
- Rainbow, pink, splashed carmine.
- Red Maman Cochet.
- *Reine Marie - Henriette, clear cherry red.
- *Safrano, buff, shaded yellow.

Tea or Everbooming—Continued

- Shirley Hibbard, nankeen yellow.
 Souv. d'un Ami, rose, shaded salmon.
 Souv. de Lady Ashburton, coppery red, tinged yellow.
 *Souv. de Wooton, red.
 *Sunset, rich golden amber.
 The Bride, white, shaded rose.
- The Queen, pure white.
 Triomphe du Luxembourg, buff rose.
 Viscountess Folkestone, creamy pink, salmon center.
 White Bon Silene, creamy white.
 Wm. F. Bennett, brilliant crimson.

Hybrid Tea

- Augustine Guinoisseau (White La France) light peach.
 Balduin (Helen Gould), bright, glowing carmine.
 *Belle Siebrecht, solid pink.
 *Cheshunt Hybrid, red, shaded violet.
 Climbing Kaiserin, pure ivory white.
 Climbing Meteor, velvety crimson.
- Climbing Testout, clear pink.
 *Kaiserin Augusta Victoria, pure ivory white.
 *La France, silvery rose.
 *Mad. Caroline Testout, clear pink.
 Meteor, velvety crimson.
 *Puritan, pure white.
 Reine Olga de Wurtemberg, brilliant scarlet red.
 *Souv. du Pres. Carnot, fine pink.

Hybrid Perpetual

- American Beauty, deep rose.
 Anna de Diesbach, carmine.
 Antoine Mouton, deep rose, tinged lilac.
 Baron de Bonstettin, dark red, almost black.
 *Baron N. de Rothschild, bright rosy crimson.
 *Baroness Rothschild, light pink.
 *Black Prince, dark crimson.
 California, bright pink.
 Capt. Christy, delicate flesh, rosy center.
 Climbing Paul Neyron, dark rose.
 Dinsmore, rich crimson scarlet.
 *Duke of Edinburg, bright crimson.
 Earl of Dufferin, rich velvety crimson.
 *Empereur du Maroc, deep velvety maroon.
 Fisher Holmes, bright scarlet.
 Francis B. Hayes, scarlet.
 Francois Levet, cherry rose.
 *Geant des Batailles, deep, fiery crimson.
- *Gen. Jacqueminot, brilliant crimson.
 Gen. Washington, rosy crimson.
 Gloire Lyonnaise, creamy white, tinged orange.
 *Gloire de Margottin, dazzling red.
 Glory of Waltham, brilliant crimson, red center.
 *Her Majesty, bright pink, shaded rosy salmon.
 Jean Liabaud, bright crimson, shaded violet.
 John Hopper, deep rose, crimson center.
 Jubilee, red.
 La Reine, glossy rose.
 Lady Helen Stewart.
 Lady Mary Fitzwilliam, delicate flesh color.
 *Mabel Morrison, white, flushed with pink.
 Mad. Alfred Carriere, creamy white.
 Mad. Chas. Wood, brilliant red.

Hybrid Perpetual—Continued

- *Mad. Gabriel Luizet, clear coral pink.
- *Magna Charta, rosy red.
- *Marchioness of Lorne, rose, carmine center.
- Margaret Dickson, white.
- Merveille de Lyon, pure white, shaded rose.
- *Mrs. John Laing, bright, clear pink.
- Mrs. John McLaren, deep pink.
- *Paul Neyron, dark rose.
- Prince Camille de Rohan, deep velvety crimson.
- Queen of Edgely (Pink American Beauty).
- *Ulrich Brunner, cherry red.
- Vick's Caprice, pink, striped carmine.
- *Victor Verdier, rosy carmine, edged purple.
- *Xavier Olibo, scarlet, shaded black.

Moss

- Capt. John Ingram, dark velvety purple.
- Elizabeth Rowe, bright pink.
- Etna, bright crimson, shaded purple.
- Laneii, shaded rosy purple.
- Luxembourg, bright crimson scarlet.
- Mousseline, white, shaded rose.
- Prolific; or Perpetual White.

Noisette, or Champney

- *Aimée Vibert, pure white.
- Celine Forestier, pale yellow.
- Claire Carnot, pale yellow.
- Cloth of Gold, deep yellow.
- Lamarque, white.
- L'Idéal, coppery rose.
- *Marechal Niel, deep golden yellow.
- Red Marechal Niel.
- *Reve d'Or, deep yellow.
- *Wm. A. Richardson, orange yellow.

Bourbon

- Burbank, pink.
- Crimson Hermosa (Gruss an Tep-litz), "reddest of all red roses."
- Gloire des Rosemanes, red.
- Hermosa, bright rose.
- Mrs. Bosanquet, pale flesh color.
- Red Bourbon.
- Santa Rosa.
- *Souv. de la Malmaison, flesh color.

Polyantha

- Climbing Mlle. Cecile Brunner, rosy pink.
- Clotilde Soupert, pink, shading to white.
- Crimson Rambler, bright crimson.
- Gloire des Polyanthas, rose color.
- Mlle. Cecile Brunner, rosy pink.
- Perle d'Or, coppery gold.
- Pink Soupert.
- Polyantha Grandiflora.
- *Red Malmaison.

Bengal or China

- *Agrippina, rich crimson.
- Cramoise Superieur.
- *James Sprunt, crimson.
- Queen of Scarlet.

Prairie

Baltimore Belle, pale blush. Prairie Queen, bright pink.
Greville (Seven Sisters), white to crimson.

Provenance

Belle des Jardins, purplish red, Common Provence (Cabbage),
with white. rose color
Tricolor des Flanders, white, striped with red, purple and violet.

Austrian

Austrian Copper, single, coppery
and reddish yellow.
Fortune's Yellow (Beauty of Glazenwood).
*Harrisonii, golden yellow.
Persian Yellow, bright yellow.

Japan

Chedane Guinoisseau, rose color.
Rugosa Alba, single white.

Banksia

Banksia Double White. Banksia Double Yellow.

Miscellaneous

| | |
|--|--|
| Amy Robsart, deep rose. | Flora McIvor, white, tinted rose. |
| Anne of Geierstein, dark crimson. | Fortune's White. |
| Cherokee Double, white. | Gardenia, bright yellow. |
| Cherokee Single, white. | Golden Rambler. |
| Dorothy Perkins, climbing, shell pink. | Lady Penzance, fawn, changing to copper. |
| Dundee Rambler, white, tinged rose. | White Rambler. |
| Empress of China, dark red, changing to lighter red. | Wichuraiana, trailing, white. |
| | Williams Evergreen. |
| | Yellow Rambler. |

Climbing Roses

These will be found described in the various preceding classes to which they belong. We collect them under this heading for the convenience of our patrons. They are very useful and highly valued for training over arbors, trellises and verandas, and as screens for unsightly objects such as fences, walls, etc., they cannot be surpassed.

| | |
|-----------------------------|--------------------------------|
| Baltimore Belle, Prairie. | Climbing Bridesmaid, Tea. |
| Banksia Double White. | Climbing Devoniensis, Tea. |
| Banksia Double Yellow. | Climbing Kaiserin, H. T. |
| Celine Forestier, Noisette. | Climbing Marie Guillot, Tea. |
| Cherokee Double. | Climbing Meteor, H. T. |
| Cherokee Single. | Climbing Mlle. Cecile Brunner, |
| Claire Carnot, Noisette. | Polyantha. |
| Cloth of Gold, Noisette. | Climbing Niphetos, Tea. |

Climbing Roses—Cont'd

| | |
|-----------------------------------|----------------------------------|
| Climbing Paul Neyron, H. P. | Lamarque, Noisette. |
| Climbing Perle des Jardins, Tea. | L'Idéal, Noisette. |
| Climbing Souv. de Wooton, Tea. | Marechal Niel, Noisette. |
| Climbing Testout, H. T. | Philadelphia Rambler, Polyantha. |
| Climbing White Pet, Tea. | Polyantha Grandiflora. |
| Crimson Rambler, Polyantha. | Prairie Queen, Prairie. |
| Dorothy Perkins, Wich. Hybrid. | Reine Marie Henriette, Tea. |
| Dundee Rambler, Ayrshire. | Reine Olga de Wurtemberg, H. T. |
| Empress of China, Hardy Climber. | Reve d'Or, Noisette. |
| Gainesborough. | White Rambler (Thalia). |
| Gloire de Dijon, Tea. | Wichuraiana, Jap. Creeping. |
| Gloire de Margottin, H. P. | Wm. A. Richardson, Noisette. |
| Glory of Waltham, H. P. | Williams Evergreen. |
| Gold of Ophir, Tea. | Yellow Rambler (Aglaia). |
| Greville (Seven Sisters) Prairie. | |

Tree or Standard Roses

One-year heads: Each, \$1.00; per 10, \$7.50; per 100, \$60.00.

(For older plants, see note at bottom of page 77.)

| | |
|------------------------|-------------------------|
| Agrippina. | Mad. Caroline Testout. |
| Anna Olivier. | Mad. Ched. Guinoisseau. |
| Bon Silene. | Mad. Lambard. |
| Bridesmaid. | Mad. M. Kuppenheim. |
| Catherine Mermet. | Mad. de Watteville. |
| Cheshunt Hybrid. | Mad. Welch. |
| Climbing Kaiserin. | Magna Charta. |
| Climbing Niphetos. | Marechal Niel. |
| Comtesse Riza du Parc. | Marie Van Houtte. |
| Cornelia Cook. | Mrs. John Laing. |
| Crimson Hermosa. | Papa Gontier. |
| Duchesse de Brabant. | Perle des Jardins. |
| Empereur du Maroc. | Red Maman Cochet. |
| Gloire de Dijon. | Reine Marie Henriette. |
| Gloire de Margottin. | Reve d'Or. |
| Gold of Ophir. | Safrano. |
| Grace Darling. | Souv. de Wooton. |
| Homer. | Sunset. |
| Improved Rainbow. | The Bride. |
| James Sprunt. | Triomphe de Luxembourg. |
| L'Idéal. | Wm. A. Richardson. |

DECORATIVE BEDDING AND BORDER PLANTS

| | Each | Per 10 | Per 100 |
|--|------|--------|---------|
| Abelia —Rupestris 1 to 2 ft. | 50 | | |
| Abutilon —(Flowering Maple, Chinese Bell Flower) assorted | 25 | 2 00 | |
| Achania —Malvaviscus (Turk's Cap), scarlet. | 25 | 2 00 | |
| Achillea —The Pearl, large white flowers. | 25 | 2 00 | |
| Andropogon —Citratius (Lemon Grass) | 50 | | |
| Anthurium —Scherzerianum, Brilliant scarlet flowers, 6 and 7 in. pot | 2 00 | | |
| Scherzerianum album, white. . . 5 in. pot | 1 00 | | |
| Armeria (Sea Pink)—Per boxes of 50 each. . . \$2.00 | | 75 | |
| Arundo —Donax (Great Reed) | 25 | 2 00 | |
| 6 in. pot | 40 | | |
| Donax macrophylla glauca. | 35 | 3 00 | |
| Donax variegata | 25 | 2 00 | |
| 6 in. pot | 50 | | |
| Asparagus —Comorensis 6 in. pot | 50 | | |
| Decumbens 5 in. pot | 50 | 4 00 | |
| Deflexus scandens. 4 in. pot | 35 | | |
| Plumosus 6 in. pot | 50 | 4 00 | |
| 5 in. pot | 40 | 3 50 | |
| 4 in. pot | 25 | 2 00 | |
| Tenuissimus 6 in. pot | 50 | 4 00 | |
| 4 in. pot | 25 | | |
| Sprengeri 10 in. pot | 75 | | |
| 8 in. pot | 50 | 4 00 | |
| 7 in. pot | 40 | | |
| 5 in. pot | 35 | 3 00 | |
| 4 in. pot | 25 | 2 00 | |
| 12 in. hanging basket | 1 50 | | |
| 10 in. hanging basket | 1 00 | | |
| Aspidistra —Lurida 6 in. pot | 75 | | |
| 5 in. pot | 50 | | |
| Lurida variegata 7 in. pot | 1 00 | | |
| 6 in. pot | 75 | | |
| Azalea —Indica 6 and 7 in. pot, 1 ft. | 1 50 | | |
| Banana —Abyssinian (Musa Ensete), 8 in. pot, 3 to 4 ft. | 1 50 | | |
| 6 in. pot, 2 to 3 ft. | 1 00 | 8 00 | |
| Religiosa 6 in. pot, 1 to 2 ft. | 1 00 | | |
| Begonia —Flowering, assorted 5 and 6 in. pots | 50 | | |
| 4 in. pot | 25 | 2 00 | |
| Rex 4 in. pot | 50 | | |
| Bocconia —Cordata (Plume Poppy), white. | 40 | | |

| | Each | Per 10 | Per 100 |
|--|------|--------|---------|
| Brugmansia —Knightii, double white,10x12 in. box, 5 to 6 ft. | 1 50 | | |
|7 in. pot, 2 to 3 ft. | 50 | | |
| Sanguinea6 in. pot, 4 to 5 ft. | 75 | | |
| Calceolaria —Shrubby4 in. pot | 25 | | |
| Canna | 20 | 1 50 | 10 00 |
| Admiral Avellan, orange scarlet. | | | |
| Admiral Courbet, lemon yellow. | | | |
| Admiral Gervais, scarlet. | | | |
| Alfonse Bouvier, brilliant crimson. | | | |
| Allemania, salmon, yellow border. | | | |
| Austria, canary yellow. | | | |
| Burbank, yellow. | | | |
| Chas. Henderson, red. | | | |
| Cinnabar, cinnabar red. | | | |
| Egandale, currant red. | | | |
| Florence Vaughan, yellow, spotted red. | | | |
| Geoffrey St. Hilaire, dark red. | | | |
| Italia, bright scarlet. | | | |
| Mad. Crozy, crimson scarlet, bordered yellow. | | | |
| Miss Sarah Hill, rich carmine. | | | |
| Mrs. Kate Gray, orange scarlet, overlaid with gold. | | | |
| Pres. Meyer, cherry carmine. | | | |
| Queen Charlotte, rich scarlet crimson. | | | |
| Sam Trelease, rich scarlet, edged with yellow band. | | | |
| Carex —Japonica, variegated5 in. pot, 10 in. | 35 | | |
| Carnation —(New)2 in. pot | 50 | | |
| Hannah Hobart, bright pink. | | | |
| Carnation —(New)5 in. pot | 50 | 4 00 | |
| Ready February 1st.3 in. pot | 25 | 2 00 | |
| Enchantress, light pink. | | | |
| The Bride, fine white. | | | |
| Carnation —Selected varieties5 in. pot | 25 | 2 00 | |
| Ready January 1st.2 in. pot | 10 | 90 | |
| A. F. Garey, deep rose. | | | |
| Adonis, scarlet. | | | |
| California Gold, bright yellow, striped red. | | | |
| Dr. Tevis, scarlet. | | | |
| E. H. Childs, dark pink. | | | |
| Elsie Ferguson, deep orange. | | | |
| Estelle, fine scarlet. | | | |
| Ethel Crocker, pink. | | | |
| Flora Hill, white. | | | |
| Gov. Roosevelt, deep, rich, brilliant crimson. | | | |

| | Each | Per 10 | Per 100 |
|--|------|--------|---------|
| Carnation—Cont'd | | | |
| Grace Davis, bright scarlet. | | | |
| Grace Runyon, white, penciled with rose. | | | |
| Harriette Bradford, white, striped red. | | | |
| Iris Miller, light salmon, striped red. | | | |
| J. H. Manley, scarlet. | | | |
| John Carbone, deep orange, striped red. | | | |
| John Hinkle, dark crimson. | | | |
| Lavender, light lavender. | | | |
| Leslie Paul, deep rose. | | | |
| Mrs. F. Carolan, glistening pink. | | | |
| Mrs. T. Earl, deep orange, striped carmine. | | | |
| Mrs. Thos. W. Lawson, cerise pink. | | | |
| Mrs. McBurney, shell pink. | | | |
| Mrs. McKinley, deep rose. | | | |
| Mrs. E. A. Nelson, pink. | | | |
| Mrs. Potter Palmer, scarlet. | | | |
| Mrs. Patten, variegated. | | | |
| Mrs. E. Uslar, white, striped maroon. | | | |
| Norway, white. | | | |
| Prosperity, white, striped pink. | | | |
| Queen Louise, pure white. | | | |
| R. Raymond, variegated. | | | |
| Sophie Sievers, rich golden yellow, striped red. | | | |
| Triumph, pink. | | | |
| Chrysanthemum —Standard varieties 4 in. pot | 25 | 2 00 | |
| Admiral Dewey, deep chrome yellow. | | | |
| Carrie Bell, delicate shell pink. | | | |
| Mavourneen, flesh pink. | | | |
| Mayflower, white. | | | |
| Shilowa, brilliant crimson. | | | |
| Silver Wedding, glossy white. | | | |
| Willowbrook, pure white. | | | |
| Xeno, bright pink. | | | |
| Zoraida, single white. | | | |
| Coreopsis —Lanceolata, golden yellow | 25 | 2 00 | |
| Coronilla —Varia | 50 | 4 00 | |
| Daisy —Assorted | 10 | 75 | |
| Desmodium —Penduliflorum, rose colored | 35 | | |
| Echeveria —Secunda and Secunda glauca | 10 | 75 | |
| Eulalia —Japonica (Japan Rush) | 40 | 3 50 | |
| Japonica gracillima | 50 | 4 00 | |
| Japonica variegata | 50 | 4 00 | |
| Farfugium —Grande 4 in. pot | 25 | | |
| Fern — <i>Adiantum</i> —Cuneatum (Maiden Hair Fern) | | | |
| 6 in. pot | 50 | 4 00 | |

| | Each | Per 10 | Per 100 |
|--|------|--------|---------|
| Fern—<i>Adiantum</i>—<i>Cuneatum</i>—Cont'd | | | |
|5 in. pot | 40 | 3 50 | |
| Gracillimum8 in. pot | 1 00 | | |
|7 in. pot | 75 | 6 00 | |
|6 in. pot | 50 | 4 00 | |
| <i>Aspidium</i> — <i>Angulare</i>5 in. pot | 50 | | |
| <i>Asplenium</i> — <i>Bulbiferum</i> (Bulb-bearing Fern)5 in. pot | 40 | 3 50 | |
|3 in. pot | 25 | 2 00 | |
| <i>Nephrolepis</i> — <i>Cordata compacta</i> (Dwarf Sword Fern)5 in. pot | 40 | | |
| Exaltata <i>Bostoniensis</i> (Boston Sword Fern)8 in. pot | 1 00 | | |
|7 in. pot | 75 | 6 00 | |
|5 in. pot | 50 | 4 00 | |
|4 in. pot | 25 | 2 00 | |
| Pierisoni6 in. pot | 1 00 | | |
|5 in. pot | 75 | | |
|4 in. pot | 50 | | |
| Wittboldii8 in. pan | 1 00 | | |
|8 in. pot | 75 | | |
| Fuchsia —In variety, single and double,4 and 5 in. pots | 25 | 2 00 | |
| Gaillardia — <i>Grandiflora</i> , brown, marked with crimson or orange...4 in. pot | 25 | | |
| Gazania — <i>Splendens</i> , bright orange | 25 | | |
| Geranium —In variety, single and double | 25 | 2 00 | |
| Ivy leaved | 25 | 2 00 | |
| Gerbera — <i>Jamesoni</i> — <i>Transvaal Daisy</i>4 in. pot | 75 | | |
| Gypsophlia — <i>Paniculata</i> (Baby's Breath) | 25 | | |
| Helianthus —(Sunflower), yellow | 25 | | |
| Multiflorus major. <i>Orgyalis</i> . Rigidus. | | | |
| Heliotrope —Light, dark purple and white. | 25 | 2 00 | |
| Hibiscus —Crimson Eye, white, crimson center. | 40 | 3 50 | |
| Sinensis5 in. pot | 50 | 4 00 | |
| Double. Peachblow. Miniatus. Rosea. | | | |
| Hollyhock —Assorted | 25 | | |
| Hunnemannia — <i>Fumariæfolia</i> (Giant Yellow Tulip Poppy) | 40 | | |
| Imantophyllum — <i>Hybridum</i>5 in. pot | 40 | 3 00 | |
| Iris —German, assorted colors | 40 | 3 00 | |
| Japanese, assorted colors | 40 | 2 50 | |
| Leonotis Leonurus —(Lion's Tail), yellow..5 in. pot | 40 | 3 00 | |
| Lily of the Valleylarge clumps | 25 | 2 00 | |

| | Each | Per 10 | Per 100 |
|--|------|--------|---------|
| Lippia —Repens (Substitute for lawn grass)\$15.00 per 1000 | | 50 | 2 00 |
| Marguerite —White, yellow and blue..... | 25 | 2 00 | 12 00 |
| New Zealand Flax —(<i>Phormium Tenax</i>), 12x12 in. box, 4 to 5 ft. | 1 50 | | |
|balled, 4 to 5 ft. | 1 00 | 8 00 | |
|balled, 3 to 4 ft. | 75 | 6 00 | |
|6 in. pot, 2 to 3 ft. | 75 | 6 00 | |
| <i>Phormium Colensoi</i> , variegated, 10x10 in. box, 4 to 5 ft. | 2 00 | | |
|balled, 3 to 4 ft. | 1 00 | | |
|6 in. pot, 3 to 4 ft. | 75 | 6 00 | |
| <i>Phormium variegatum</i> , 10x10 in. box, 2 to 3 ft. | 1 50 | | |
|balled, 3 to 4 ft. | 1 50 | | |
|balled, 2 to 3 ft. | 1 00 | | |
|6 in. pot, 3 to 4 ft. | 75 | | |
| Pampas Grass —(<i>Gynerium</i>)clumps | 50 | 4 00 | 30 00 |
|extra large clumps | 1 00 | 7 50 | |
| <i>Elegans</i>clumps | 75 | 6 00 | |
| <i>Jubatum</i> , purpleclumps | 75 | 6 00 | |
| <i>Mad. Rendatleri</i> , pinkclumps | 75 | 6 00 | |
| <i>Marabout</i>clumps | 50 | 4 00 | |
| <i>Purple</i>clumps | 75 | 6 00 | |
| <i>Roi des Roses</i> , light purpleclumps | 75 | 6 00 | |
| <i>Variegated</i>clumps | 75 | 6 00 | |
|extra large clumps | 1 00 | 7 50 | |
| Pandanus — <i>Utilis</i> (Screw Pine).5 in. pot, 1 ft. | 30 | 2 50 | 20 00 |
|3 in. pot, 8 to 10 in. | 25 | 2 00 | 15 00 |
| <i>Sanderi</i> (Golden Pandanus)9 in. pot, | 5 00 | | |
|3 in. pot, | 1 00 | | |
| <i>Veitchii</i> , striped white,8 in. pot, 18 to 24 in. | 3 00 | | |
|3 in. pot, | 1 00 | | |
| Pansy —Best strains from exhibition flowers..... | | 35 | 3 00 |
| Peony —Herbaceous, new and scarce varieties..... | 50 | 4 00 | |
| Double white. | | | |
| Single white. | | | |
| <i>Delachii</i> dark, purplish crimson. | | | |
| <i>Duke of Wellington</i> , ivory white. | | | |
| <i>Formosa alba</i> , white. | | | |
| <i>Francis Ortegal</i> , amaranth red. | | | |
| <i>Grandiflora nivea</i> , large double white. | | | |
| <i>Louise Van Houtte</i> , crimson. | | | |
| <i>Mad. Vilmorin</i> , very light pink. | | | |

| | Each | Per 10 | Per 100 |
|---|------|--------|---------|
| Plumbago —Capensis, blue 5 in. pot | 35 | 3 00 | 25 00 |
| Capensis alba, white 5 in. pot | 40 | 3 50 | 30 00 |
| Primula —Forbesi 4 in. pot | 50 | 4 00 | |
| Romneya —Coulteri (California Tree Poppy), 6 in. pot, 1 ft. | 1 00 | | |
| Rudbeckia —Golden Glow, double yellow | 25 | 2 00 | |
| Ruscus —Aculeatus | 25 | 2 00 | |
| Russelia —Elegantissima, flowers coral red | 25 | 2 00 | |
| Sagina —Pilifera \$3.00 per box, 4 in. clumps | 25 | 2 00 | |
| Sansevieria —Zeylanica 5 in. pots | 35 | | |
| Saxifraga —Umbrosa, blush | 25 | 2 00 | 15 00 |
| 6 in. pot | 35 | | |
| Sedum (Stone Crop), 10 varieties | 25 | | |
| Selaginella —Emmeliana 6 in. pot | 50 | | |
| Shasta Daisy —Improved varieties 5 in. pot | 25 | | |
| Solanum —Pseudo-Capsicum (Jerusalem Cherry), 2 ft. | 50 | 4 00 | |
| 5 in. pot, 1 ft. | 50 | 4 00 | 30 00 |
| Weatherilli, bright red berries . . 5 in. pot | 50 | 4 00 | 30 00 |
| Solidago —Canadensis (Golden Rod) | 25 | | |
| Serotina, yellow | 25 | | |
| Strelitzia —Augusta 7 in. pot | 1 00 | | |
| Reginæ (Bird of Paradise Flower), 7 in. pot | 1 00 | | |
| Tritoma —Uvaria (Poker Plant), orange | 25 | | |
| Macowanii | 50 | | |
| Uniola —Latifolia | 50 | | |
| Valeriana —Alba | 40 | | |
| Rubra | 40 | | |
| Verbena —Assorted, all colors, after February 1st | 10 | 75 | |
| Violets large clumps | 20 | 1 50 | 10 00 |
| California. | | | |
| Princesse de Gales. | | | |
| Marie Louise. | | | |
| Swanley, white. | | | |

BULBOUS AND TUBEROUS ROOTED PLANTS

| | Each | Per 10 | Per 100 |
|---|------|--------|---------|
| Agapanthus —Albus. | 50 | | |
| Moserii | 50 | | |
| Umbellatus, blue | 35 | | |
| Amaryllis —Belladonna, pink | 25 | 1 50 | 10 00 |
| Formosissima (St. John's Lily), crimson scarlet | 50 | | |
| Johnsoni, wine red, white stripes | 50 | | |
| Lindenii, color varying from nearly white to dark crimson | 50 | | |
| Longifolia alba, large white flowers, very fragrant | 50 | | |
| Rosea | 50 | | |
| Lutea, golden yellow | 50 | | |
| Galla Lily —Black Calla | 25 | | |
| Elliottiana, golden yellow | 1 50 | | |
| Italian Giant, white | 40 | 3 00 | |
| Little Gem Calla, white | 40 | 3 00 | |
| Spotted Leaf Calla, white | 25 | 2 00 | |
| White Calla (Lily of the Nile) | 15 | 1 00 | |
| Crinum —Amabile, large white, pink center | 75 | | |
| Asiaticum (Spider Lily), white | 75 | | |
| Fimbriatulum, white stripe, red | 75 | | |
| Giganteum | 75 | | |
| Dahlia —Cactus | 50 | | |
| Arche, petals are creamy white, edged with a broad band of crimson. | | | |
| Green's Gem, rich orange. | | | |
| Kingfisher, purplish crimson. | | | |
| Miss Anna Nightingale, large deep yellow, heavily tipped red. | | | |
| Ruby, deep vermilion. | | | |
| Strahlen Krone, intense cardinal red. | | | |
| Dahlia —Cactus | 25 | 2 00 | |
| Charles Woodbridge, light crimson. | | | |
| George Marlow, primrose yellow. | | | |
| Hohenzollern, bronzy orange red. | | | |
| John H. Roach, soft yellow. | | | |
| Juarezii, fine scarlet. | | | |
| Mabel Keith. | | | |
| Mrs. A. Beck, salmon red. | | | |
| Dahlia —Large flowering | 25 | 2 00 | 10 00 |
| Ada, semi-double scarlet. | | | |
| Beauty of the Grove, yellow, petals tinted purple | | | |

| | Each | Per 10 | Per 100 |
|---|------|--------|---------|
| Dahlia —Large flowering— Gont'd | | | |
| Bird of Passage, lilac, edged pink. | | | |
| Bismarck, scarlet, semi-double. | | | |
| Bob Ridley, scarlet, striped white. | | | |
| Charlotte, white, shaded pink. | | | |
| Charm, cream color. | | | |
| Dr. Boyer's, scarlet, striped white. | | | |
| Duke of Rochester, golden yellow, shaded brown. | | | |
| Lady Paxton, white, bordered lilac. | | | |
| Large Maroon. | | | |
| Mr. Thompson, orange, shaded brown. | | | |
| Queen Mab, crimson. | | | |
| White Rose. | | | |
| Dahlia —Small flowering or Bouquet..... | 25 | 2 00 | 10 00 |
| Little Model, red. | | | |
| Little Valentine, crimson. | | | |
| Meteor, yellow ground, tinted reddish. | | | |
| Sunshine, orange, striped red. | | | |
| Dielytra —Spectabilis (Bleeding Heart) | 40 | | |
| Gladiolus —Assorted colors | 10 | 75 | |
| Lily —Candidum (St. Joseph's Lily) | 25 | 2 00 | |
| Montbretia | 15 | 1 00 | |
| Crocsmæflora. Parfait. | | | |
| El Dorado. Pottsii. | | | |
| Oxalis —Buttercup | 10 | 75 | 2 00 |
| Tuberose —Italian and Pearl | 10 | 75 | |

WATER PLANTS

| | Each | Per 10 |
|---|------|--------|
| Nelumbium Speciosum —(Egyptian Lotus), rose pink | 75 | |
| Nymphaea —Flava (Florida Water Lily), yellow..... | 50 | |
| Odorata (Fragrant Water Lily)..... | 50 | |
| Odorata rosea (Fragrant Water Lily), rose flowering | 75 | 6 00 |
| Papyrus —Antiquorum (Egyptian Paper Plant). | 1 00 | |

CATALOGUES

The following catalogues are published, some annually, others at intervals as becomes necessary, and are mailed free to customers as soon as issued and to all other applicants on receipt of amount in stamps named below:

No. 1. Descriptive Catalogue of Fruit Trees, Small Fruits, Figs, Olives, etc., 4 cents.

No. 2. Descriptive Catalogue of Shade and Ornamental Trees, Shrubs, Roses, Climbing Plants, etc., 6 cents.


No. 3. Catalogue and Price List, Free.

No. 4. Catalogue of Phylloxera-Resisting American Grapes, Free.

CALIFORNIA NURSERY COMPANY,

W. V. EBERLY, Manager.

Niles, Cal., November 1, 1905.



INDEX

FRUIT DEPARTMENT

| | Page. | | Page |
|---------------------------------------|-------|------------------------|----------|
| Almond | 13 | Lavender. | 24 |
| Apple | 4-5 | Lemon | 17 |
| Apple, Woolly Aphis Proof. | 4 | Lime | 17 |
| Apricot | 11 | Liouorice | 24 |
| Artichoke | 24 | Logan Berry | 24 |
| Asparagus. | 24 | Loquat | 18-19 |
| Blackberries. | 24 | Medlar | 19 |
| Butternut | 13 | Mulberry. | 19 |
| Caper | 24 | Nectarine | 10 |
| Carob | 18 | Olive. | 19-20 |
| Catalogues | 92 | Opuntia Ficus. | 24 |
| Cherry. | 7 | Orange | 17 |
| Chestnut | 13-14 | Peach | 9-10 |
| Crab Apple. | 5 | Pear | 6 |
| Currants | 23 | Pear, Dwarf | 6-7 |
| Dewberries. | 24 | Pecan | 14 |
| Eleagnus | 23 | Persimmon | 18 |
| Fig | 12 | Pistachio Nut. | 14 |
| Filbert | 14 | Plum | 8 |
| Gooseberries | 23 | Pomegranate | 18 |
| Grapes, American | 20 | Pomelo | 18 |
| Grapes, Foreign | 20-21 | Prune | 8-9 |
| Grapes, Resistant. | 21-22 | Quince | 11-12 |
| Grapes, Grafted on Resistant. | 22-23 | Raspberries | 24 |
| Guava. | 18 | Rhubarb | 24 |
| Hickory | 14 | Rue | 24 |
| Hop Roots | 24 | Sage | 24 |
| Horse Radish | 24 | Strawberries | 24 |
| Jujube | 19 | Thyme | 24 |
| Juneberry | 19 | Walnuts | 15-16-17 |

ORNAMENTAL DEPARTMENT

| | | | |
|-----------------------------|----------|-------------------------------------|-------------|
| Abelia. | 83 | Arundo. | 83 |
| Abutilon. | 83 | Ash. | 25-28-36 |
| Acacia | 27-37-38 | Asparagus. | 83 |
| Achania | 83 | Aspidistra. | 83 |
| Achillea | 83 | Aucuba. | 40 |
| Agapanthus | 90 | Azalea | 61-83 |
| Agave | 75 | Azara | 40 |
| Akebia | 67 | Bamboo | 69-70 |
| Almond, Flowering | 27-60 | Banana. | 83 |
| Althea | 60 | Beech. | 28-36 |
| Amaryllis | 90 | Begonia. | 83 |
| Ampelopsis | 67 | Berberis | 40 |
| Andropogon | 83 | Berberry | 61 |
| Anthurium | 83 | Bignonia | 67 |
| Apple, Flowering | 28-60 | Birch. | 25-28-29-36 |
| Apricot, Flowering. | 61 | Bleeding Heart. | 91 |
| Aralia. | 38 | Blue Gum (see Eucalyptus) | 47 |
| Araucaria | 38-39 | Bocconia. | 83 |
| Arbor Vitae. | 39-40 | Bougainvillea. | 67 |
| Arbutus. | 40 | Box. | 40-60 |
| Areca. | 70 | Brachychiton | 41 |
| Armeria. | 83 | Brahea. | 70 |

ORNAMENTAL DEPARTMENT—Continued.

| | Page | | Page |
|-------------------------------------|-------|---------------------------------|----------------|
| Broom (see Genista)..... | 48-49 | Crape Myrtle. | 61 |
| Brugmansia | 84 | Crataegus. | 44-61 |
| Buckeye. | 29 | Crinum. | 90 |
| Buddleia | 41 | Cryptomeria. | 44 |
| Bulbous and Tuberous Rooted Plants. | 90 | Cunninghamia. | 44 |
| Bursaria | 41 | Currant, Flowering | 61 |
| Buttercup | 91 | Cycas. | 72 |
| Calceolaria. | 84 | Cypress. | 44-45-46-60 |
| California Big Tree..... | 41 | Cytisus | 62 |
| California Black Fan Palm..... | 70 | Dahlia. | 90-91 |
| California Evergreen Cherry..... | 41 | Daisy. | 85 |
| California Fan Palm..... | 73-74 | Daphne. | 46 |
| California Nutmeg. | 41 | Daphniphyllum. | 46 |
| California Wild Coffee..... | 41 | Dasyliion. | 76 |
| Calla Lily. | 90 | Deciduous Flowering Shrubs..... | 60 |
| Calycanthus. | 61 | Deciduous Ornamental Trees..... | 27 |
| Camellia. | 41-42 | Deciduous Weeping Trees..... | 36 |
| Camphor Tree. | 42 | Decorative Bedding and Border | |
| Canna. | 84 | Plants. | 83 |
| Caragana. | 61 | Decumeria..... | 68 |
| Carex. | 84 | Deeringea. | 46 |
| Carnation. | 84-85 | Dendropanax. | 46 |
| Carpenteria. | 42 | Desmodium. | 85 |
| Carya. | 30 | Deutzia. | 62 |
| Cassia. | 42 | Dielytra. | 91 |
| Casuarina. | 42 | Dimorphantus. | 29 |
| Catalpa. | 25-29 | Diosma. | 46 |
| Ceanothus. | 42-61 | Dogwood. | 62 |
| Cedar. | 42-43 | Dolichos. | 68 |
| Cedrela. | 29 | Dracæna. | 74-75 |
| Celtis. | 29 | Duranta. | 46 |
| Cercidiphyllum..... | 61 | Echeveria. | 85 |
| Cestrum | 43-44 | Edwardsia. | 46 |
| Chamæcerasus. | 61 | Elæagnus | 46 |
| Chamæcyparis. | 44 | Elder. | 62 |
| Chamærops. | 70-71 | Elm. | 25-26-29-30-36 |
| Cherry, Flowering. | 61 | Erythea. | 72 |
| Chestnut. | 25 | Erythrina. | 62 |
| Choisya. | 44 | Escallonia. | 46 |
| Chorizema. | 67 | Eucalyptus. | 47 |
| Christmas Berry. | 44 | Eugenia | 47 |
| Chrysanthemum. | 85 | Eulalia. | 85 |
| Cistus. | 61 | Euonymus | 48-62 |
| Clematis. | 67 | Evergreen Trees and Shrubs..... | 37 |
| Clerodendron..... | 67 | Exochorda. | 62 |
| Cleyera. | 44 | Fabiana. | 48 |
| Clianthus..... | 67 | Farfugium. | 85 |
| Climbing and Trailing Plants..... | 67 | Ferns. | 85-86 |
| Cobea. | 67 | Ficus. | 48 |
| Cocos. | 71 | Filbert. | 62 |
| Colutea. | 61 | Forsythia. | 62 |
| Coprosma. | 68 | Fringe. | 62 |
| Corchorus. | 61 | Fuchsia. | 62-86 |
| Coreopsis. | 85 | Gaillardia. | 86 |
| Coronilla. | 44-85 | Garrya. | 48 |
| Corylopsis. | 61 | Gazania. | 86 |
| Corynocarpus..... | 44 | Genista. | 48-49 |
| Corypha. | 71 | Geranium. | 86 |
| Cotoneaster. | 44 | Gerbera..... | 86 |

ORNAMENTAL DEPARTMENT—Continued

| | Page | | Page |
|-------------------------------|----------|---------------------------|-------------|
| 'Gladiolus. | 91 | Lycium. | 64-68 |
| Golden Rod. | 89 | Madrone. | 53 |
| Grevillea. | 49 | Magnolia. | 26-31-52-64 |
| Gypsophila. | 86 | Mahonia. | 52-53 |
| Habrothamnus. | 49 | Maiden Hair Tree. | 31 |
| Hakea. | 49 | Mandevilla. | 68 |
| Hamamelis. | 62 | Maple. | 26-31-32-36 |
| Heath. | 49 | Maple, Japanese. | 64 |
| Hedge Plants. | 60 | Marguerite. | 87 |
| Helianthus. | 86 | Maytenus. | 53 |
| Heliotrope. | 86 | Melaleuca. | 53 |
| Hibiscus. | 63-86 | Metinea. | 53 |
| Hickory. | 30 | Metrosideros. | 53 |
| Holly. | 49-50 | Mock Orange. | 64 |
| Hollyhock. | 86 | Montbretia. | 91 |
| Honeysuckle. | 62-68 | Mountain Ash. | 32 |
| Hornbeam. | 30 | Muehlenbeckia. | 68 |
| Horse Chestnut. | 26-30 | Mulberry. | 32-33-36 |
| Hoya. | 68 | Murraya. | 53 |
| Hunnebmanna. | 86 | Myoporum. | 53 |
| Hydrangea. | 63 | Myrtle. | 53 |
| Hymenoporum. | 50 | Nandina. | 53 |
| Hypericum. | 50-63 | Nelumbium. | 91 |
| Ichroma. | 50 | New Zealand Flax. | 87 |
| Imantophyllum. | 86 | Nolina. | 76 |
| Ipomea. | 68 | Nymphæa. | 91 |
| Iris. | 86 | Nyssa. | 33 |
| Ivy. | 68 | Oak. | 26-33-53-54 |
| Jacaranda. | 50 | Olea. | 54 |
| Jasmine. | 63-68 | Oleander. | 54 |
| Jerusalem Cherry. | 89 | Orange. | 54 |
| Jubæa. | 72 | Osmanthus. | 54 |
| Judas Tree. | 26-30 | Ostrya. | 33 |
| Juniper. | 50 | Oxalis. | 91 |
| Kennedya. | 68 | Paliurus. | 64 |
| Kentia. | 72 | Palms. | 70 |
| Kentucky Coffee Tree. | 26-30 | Pampas Grass. | 87 |
| Laburnum. | 26-30-36 | Pandanus. | 87 |
| Lagunaria. | 50 | Pansy. | 87 |
| Larch. | 31 | Papyrus. | 91 |
| Laurel. | 50-51 | Passion Vine. | 68 |
| Laurustinus. | 51-60 | Paulownia. | 27-33 |
| Lemon Verbena. | 63 | Peach, Flowering. | 34 |
| Leonotis. | 86 | Pelargonium. | 88 |
| Leptospermum. | 51 | Peony. | 87-88 |
| Leycesteria. | 63 | Pepper Tree. | 54 |
| Libocedrus. | 51 | Pereskia. | 55 |
| Ligustrum. | 51-52 | Periploca. | 68 |
| Lilac. | 63-64 | Petunia. | 88 |
| Lily. | 91 | Phaseolus. | 68 |
| Lily of the Valley. | 86 | Phellodendron. | 34 |
| Linden. | 26-31 | Phillyrea. | 55 |
| Lippia. | 87 | Phlomis. | 64 |
| Liquidambar. | 31 | Phlox. | 88 |
| Locust. | 26-31-36 | Phœnix. | 72-73 |
| Loquat. | 52 | Phormium. | 87 |
| Lotus. | 91 | Photinia. | 55-65 |

ORNAMENTAL DEPARTMENT—Continued

| | Page | | Page |
|----------------------------------|-------------------|---|----------|
| Physianthus | 68 | Sorbus Domestica | 35 |
| Pine | 55-56 | Spirea | 66 |
| Pittosporum | 56 | Spruce | 57-58-59 |
| Plane (see Sycamore) | 35 | Staphylea | 66 |
| Platycodon | 88 | Sterculia | 35-59 |
| Plum, Flowering | 34-65 | Strelitzia | 89 |
| Plumbago | 89 | Styrax | 66 |
| Podocarpus | 56 | Sutherlandia | 59 |
| Poinciana | 65 | Swainsona | 69 |
| Poker Plant | 89 | Svcamore | 27-35 |
| Polygala | 56 | Tamarix | 66 |
| Pomegranate, Flowering | 60-65 | Taxodium | 35 |
| Poplar | 27-34-36 | Tecoma | 69 |
| Primula | 89 | Texas Umbrella | 35 |
| Pritchardia | 73-74 | Thorn | 35-36 |
| Privet | 60 | Thunbergia | 69 |
| Pterocarya | 34 | Thuyopsis | 59 |
| Quince, Flowering | 65 | Torreya | 59 |
| Redwood | 56-57 | Trained Trees | 25 |
| Retinispora | 57 | Transvaal Daisy | 86 |
| Rhododendron | 57 | Tree Peony | 66 |
| Rhodotypos | 65 | Tritoma | 89 |
| Rhus | 65 | Trumpet Vine (see Bignonia Grandi- flora) | 67 |
| Robinia | 65 | Tuberose | 91 |
| Romneya | 89 | Tulip Tree | 27-35 |
| Rose Acacia | 65 | Umbrella Pine (see Sciadopitys) | 57 |
| Rosemary | 57 | Uniola | 89 |
| Roses | 77-78-79-80-81-82 | Valeriana | 89 |
| Rudbeckia | 89 | Verbena | 89 |
| Ruscus | 57-89 | Veronica | 59 |
| Russelia | 89 | Viburnum | 59-66 |
| Sabal | 74 | Violets | 89 |
| Sagina | 89 | Virgilia | 27-35 |
| Sago Palm | 72 | Virginia Creeper (see Ampelopsis Quinquefolia) | 67 |
| Sansevieria | 89 | Vitex | 59 |
| Saxifraga | 89 | Vitis | 69 |
| Sciadopitys | 57 | Walnut | 27 |
| Sedum | 89 | Washingtonia | 74 |
| Selaginella | 89 | Water Plants | 91 |
| Shasta Daisy | 89 | Weigela | 66 |
| Silk Vine | 68 | Willow | 35-36-37 |
| Smilax | 68 | Wistaria | 69 |
| Snail Vine | 68 | Xanthoceras | 66 |
| Snowball | 65 | Yew | 59 |
| Snowberry | 65 | Yucca | 76 |
| Solanum | 69-89 | Zelkova | 36 |
| Solidago | 89 | | |
| Sophora | 27-34-36 | | |



FOR DECORATIONS

BAMBOO SHOOTS

| | Per Doz | Per 100 |
|------------------------|---------|---------|
| 10 to 12 ft. long..... | \$3 50 | \$25 00 |
| 8 to 10 ft. long..... | 2 00 | 15 00 |
| 6 to 8 ft. long..... | 1 50 | 10 00 |
| 4 to 5 ft. long..... | 1 25 | 7 50 |

PALM LEAVES

California Fan Palm Leaves—

| | Per Doz | Per 100 |
|----------------------|---------|---------|
| 5 to 6 ft. long..... | \$3 50 | |
| 4 to 5 ft. long..... | 2 50 | 20 00 |
| 3 to 4 ft. long..... | 1 50 | 15 00 |

Chamærops Excelsa Leaves—

| | | |
|----------------------|------|-------|
| 3 to 4 ft. long..... | 1 50 | 10 00 |
|----------------------|------|-------|

Chamærops Nepalensis Leaves—

| | | |
|----------------------|------|-------|
| 3 to 4 ft. long..... | 2 00 | 12 00 |
|----------------------|------|-------|

Chamærops Humilis Leaves—

| | | |
|-----------------------|------|------|
| 1½ to 2 ft. long..... | 1 25 | 8 00 |
|-----------------------|------|------|

Date Palm Leaves—(Phoenix Canariensis)

| | | |
|------------------------|------|-------|
| 10 to 12 ft. long..... | 6 00 | 40 00 |
| 8 to 10 ft. long..... | 5 00 | 35 00 |
| 6 to 8 ft. long..... | 2 50 | 18 00 |

HOLLY FOR CHRISTMAS DECORATION

Silver Variegated Leaves, Red Berries—

| | |
|---------------------------------|-------------------|
| Branches, 8 to 10 in. long..... | Per Doz \$1 00 |
|---------------------------------|-------------------|

Silver Variegated Leaves, Red Berries—


| | |
|--------------------------------|----|
| Branches, 6 to 8 in. long..... | 75 |
|--------------------------------|----|

CUT FLOWERS

We can supply during the season when in bloom.

Roman Hyacinths, Narcissus and Daffodils in March and April.
Lilacs, Purple, White, Reddish Purple and Double Purple in April.
Flowering Almonds, Apples, Cherries, Peaches and Plums in April.
Peonies in May and June. Acacias in February and March.

Prices will be given on request when Flowers are ready to cut.



WASHINGTONIA SONORÆ.

L. C. Hughes P. S.